INDEX

Volume 171, January–February 1970

Adenosine triphosphatase, Na^+,K^+-stimulated, activity of, after treatment with strophanthidin-3-bromoacetate, 13

Na^+,K^+-Adenosine triphosphatase, cardiac relaxing system, mitochondria and, isolation from canine myocardium, influence of ouabain on, 1

Adipose tissues, isolated, lipolysis in, inhibition by sulfhydryl reagents, 135

Adrenergic nerves, in rabbit aortic strips, kinetic and thermodynamic considerations regarding inhibition by tricyclic antidepressants of uptake of tritiated norepinephrine by, 62

Aghajanian, G. K., Foote, W. E. and Sheard, M. H.: Action of psychotogenic drugs on single midbrain raphe neurons, 178

Alanine, subcellular localization in rat cerebral cortical slices, 141

Alcohol, ethyl, effects on temporally spaced responding in humans, 159

Allen, J. C., *see* Besch, H. R., Jr., 1

H^3-Amino acids, subcellular localization in rat cerebral cortical slices, 141

p-Aminohippurate, (PAH), penicillin and, substrate stimulation by, maturation of renal organic acid transport, 103

Aminopyrine, hepatic metabolism in neonatal and adult rat, influence of diphenylhydantoin on, 127

Amphetamine, mechanisms for inhibition of oxidative deamination of norepinephrine in brain by, 188

d-Amphetamine, effect on operant behavior in rats, 166

Anagnoste, B., *see* Goldstein, M., 196

Anaphylaxis, reduction of tissue uptake of circulating H^3-histamine in, 88

Anderson, D., *see* Roth-Schechter, B. F., 249

Anesthetics
- local, site of action and active form of, experiments with quaternary compounds, 45
- local, site of action and active form of, theory and pH experiments with tertiary compounds, 32

Aniline hydroxylase, hepatic metabolism in neonatal and adult rat, influence of diphenylhydantoin on, 127

Anophthalmia, effect of dibutoxyethyl phthalate in developing chick embryo, 314

Antagonists, cholinergic, effects of nicotine on fixed-interval behavior and their modification by, 166

Antidepressants, tricyclic, of uptake of tritiated norepinephrine by adrenergic nerves in rabbit aortic strips, kinetic and thermodynamic considerations regarding inhibition by, 62

Aorta
- atrium, stomach, trachea and, of rabbit, analysis of *beta* receptor drug interactions in, 52
- strips, effects of glyceryl trinitrate on, 98
- strips, rabbit, kinetic and thermodynamic considerations regarding inhibition by tricyclic antidepressants of uptake of tritiated norepinephrine by adrenergic nerves in, 62

Arginine, subcellular localization in rat cerebral cortical slices, 141

Artery, pulmonary, rabbit, influence of sympathetic nerve stimulation on conversion of H^3-tyrosine to H^3-catecholamine and on H^3-norepinephrine disposition in, 214

Atria, rabbit, effects of ouabain after pretreatment with strophanthidin-3-bromoacetate, 13

Atrial muscle, effect of tetrodotoxin on transmembrane potential of, 20

Atrium, aorta, stomach, trachea and, of rabbit, analysis of *beta* receptor drug interactions in, 52

Atropine
- action on single midbrain raphe neurons, 178
- effect on heart rate changes induced by clonidine, 256

Axon(s)
- effect of germine-3-acetate on electrical activity in cat soleus nerves, 223
- membranes, squid, blocking potency of lidocaine derivatives on, 32
- membranes, squid, effect of lidocaine derivatives and hemicholinium-3 on block of action potential of, 45

Ay 21,011, *beta* blocking effects in isolated rabbit atrium, aorta and trachea, 52

Bakay, B. and Nyhan, W. L.: Effects of thalidomide and chlorcyclizine on the biosynthesis of nucleic acids and proteins in fetal and maternal tissues of the rat, 109

Barker, W. M., Hermodson, M. A. and Link, K. P.: The metabolism of 4-C^{14}-warfarin sodium by the rat, 307

Baroreceptor denervation, effect on heart rate changes induced by clonidine, 256

Baum, T., Shropshire, A. T., Rowles, G., Van Pelt, R., Fernandez, S. P., Eckfeld, D. K. and

Gluckman, M. I.: General pharmacologic actions of the antihypertensive agent 2,6-dichlorobenzylidene aminoguanidine acetate (Wy-8678), 276
Becker, B. A., *see* Eling, T. E., 127
Behavior
effects of ethyl alcohol on temporally spaced responding in humans, 159
fixed-interval, effects of nicotine on, modification by cholinergic antagonists, 166
Benzhydrylpiperazine compounds, teratogenic effects in rat embryos, 118
Benzphetamine, hepatic metabolism in neonatal and adult rat, influence of diphenylhydantoin on, 127
Benzpyrene hydroxylase, hepatic metabolism in neonatal and adult rat, influence of diphenylhydantoin on, 127
Besch, H. R., Jr., Allen, J. C., Glick, G. and Schwartz, A.: Correlation between the inotropic action of ouabain and its effects on subcellular enzyme systems from canine myocardium, 1
Beta receptor, drug interactions in isolated rabbit atrium, aorta, stomach and trachea, analysis of, 52
Biosynthesis, of nucleic acids and proteins in fetal and maternal tissues of rat, effects of thalidomide and chlorcyclizine on, 109
Blocking potency, of lidocaine derivatives, 6211 and 6603, theory and pH experiments with, 32
Blood
flow, coronary, calcium exchangeability, myocardial function, high energy phosphate stores and, effect of glucagon on, 265
flows, renal and limb, in conscious dog, differential effect of furosemide on, 300
pressure, effect of clonidine on, 256
pressure, effect of Wy-8678 on, 276
Bloom, F. E., *see* Stjärne, L., 70
Boukma, S. J., *see* Johnson, G. A., 80
Bower, R. K., Haberman, S. and Minton, P. D.: Teratogenic effects in the chick embryo caused by esters of phthalic acid, 314
Brain
effect of *in vivo* inhibition of dopamine β-hydroxylase by 1-phenyl-3-(2-thiazolyl)-2-thiourea (U-14,624) on norepinephrine in, 80
mechanisms by which amphetamine inhibits oxidative deamination of norepinephrine in, 188
rat, regional distribution and metabolism of H^3-tyramine in, 196
subcellular localization of amino acids in rat cerebral cortical slices, 141
Bristow, M., Sherrod, T. R. and Green, R. D.: Analysis of *beta* receptor drug interactions in isolated rabbit atrium, aorta, stomach and trachea, 52
Brody, M. J., *see* Ludens, J. H., 300
2-Brom-LSD, action on single midbrain raphe neurons, 178
Bromoacetates, alkylating, of strophanthidin and strophanthidol-[19-H^3], on the positive inotropic action of, 13

Caffeine
dextroamphetamine and, toxicity in mice, effect of environmental temperature on, 153
effect on ryanodine-depressed skeletal muscle, 242
Calcium
binding and uptake by cardiac relaxing system and accumulation and oxidative phosphorylation by mitochondria in canine myocardium, influence of ouabain on, 1
exchangeability, coronary blood flow, myocardial function, high energy phosphate stores and, effect of glucagon on, 265
Calcium^{45}, movements, quinine contractures and, of frog sartorius muscles, effect of pH on, 26
Calvert, D. N. and Lech, J. J.: Inhibition of lipolysis in isolated fat cells by sulfhydryl reagents, 135
Cardiac contractions, effect on binding of digoxin, 249
Cardiac relaxing system, Na^+,K^+-adenosine triphosphatase, mitochondria and, isolation from canine myocardium, influence of ouabain on, 1
Carotid sinus denervation, effect on heart rate changes induced by clonidine, 256
Carson, V., *see* Nayler, W. G., 265
Cartilage, binding, *in vitro*, norchlorcyclizine analogs and relationship of teratogenic activity to, 118
Catabolism, distribution and, of circulating H^3-histamine in female rat, 88
Catecholamine, deamination in brain cortex, 188
H^3-Catecholamine, conversion of H^3-tyrosine to, influence of sympathetic nerve stimulation on H^3-norepinephrine disposition and, in rabbit pulmonary artery, 214
Cell(s)
fat, isolated, lipolysis in, inhibition by sulfhydryl reagents, 135
nonmast-, histamine kinetics, 88
Central nervous system, effect of esters of phthalic acid on embryologic development in chick, 314
Cerebral cortical slices, rat, subcellular distribution of free H^3-glutamic acid in, 141
Chipperfield, D., *see* Nayler, W. G., 265
Chlorbenzhydrol, inactivity as a teratogenic agent in rat embryos, 118
Chlorbenzylpiperazine, inactivity as a teratogenic agent in rat embryos, 118
Chlorcyclizine

teratogenic effects in rat embryos, 118
thalidomide and, effects on biosynthesis of nucleic acids and proteins in fetal and maternal tissues of rat, 109
Chlorcyclizine-N-oxide, inactivity as a teratogenic agent in rat embryos, 118
Chlorcyclizine-N-*tert.*-butyl, teratogenic effects in rat embryos, 118
p-Chloromercuribenzoate, inhibition of norepinephrine-stimulated lipolysis in isolated fat cells by, 135
Chlorpromazine, action on single midbrain raphe neurons, 178
Chloruresis, acute effects of mefruside in man, 288
Cholinergic antagonists, effects of nicotine on fixed-interval behavior and their modification by, 166
Clonidine, (ST-155), cardiac slowing effects in dogs, 256
Contractures, quinine, Ca^{45} movements and, of frog sartorius muscles, effect of pH on, 26
Cornea, embryologic development in chick, effect of esters of phthalic acid on, 314
Coronary blood flow, calcium exchangeability, myocardial function, high energy phosphate stores and, effect of glucagon on, 265
Cortex
slices, cerebral, rat, subcellular distribution of free H^3-glutamic acid in, 141
tissue slices, brain, mechanisms by which amphetamine inhibits oxidative deamination of norepinephrine in, 188
Crania bifida, effect of dibutoxyethyl phthalate in developing chick embryo, 314
Cyclizine, teratogenic effects in rat embryos, 118
Cytochrome b_5, hepatic metabolism in neonatal and adult rat, influence of diphenylhydantoin on, 127
Cytochrome P-450, hepatic metabolism in neonatal and adult rat, influence of diphenylhydantoin on, 127

Daile, P., *see* Nayler, W. G., 265
Dehydration, environmental temperature and, effects on toxicity of caffeine and dextroamphetamine in mice, 153
Desipramine, effect on norepinephrine uptake in sympathetic nerve trunks, 70
Desmethylimipramine, uptake of tritiated norepinephrine by adrenergic nerves in rabbit aortic strips, inhibition by, 62
Detwiler, P. B., *see* Standaert, F. G., 223
Dextroamphetamine, caffeine and, toxicity in mice, effect of environmental temperature on, 153
Di-2-methoxyethyl phthalate, teratogenic properties in developing chick embryo, 314
Dibutoxyethyl phthalate, teratogenic properties in developing chick embryo, 314
2,6-Dichlorobenzylidene aminoguanidine acetate, (Wy-8678), antihypertensive agent, general pharmacologic actions of, 276
Digoxin, relationship among contraction, drug binding and positive inotropic action of, 249
2,5-Dimethoxy-4-methylamphetamine, action on single midbrain raphe neurons, 178
N,N-Dimethyltryptamine, action on single midbrain raphe neurons, 178
Diphenylhydantoin, effect on neonatal and adult rat hepatic drug metabolism, 127
Disulfiram, inhibition of dopamine-β-hydroxylase in rat brain by, 196
Diuretics, acute effects of mefruside in man, 288
Domino, E. F., *see* Stitzer, M., 166
H^3-Dopamine, influence of electrical stimulation of sympathetic nerves on conversion of H^3-tyrosine to, 214
Dopamine-β-hydroxylase
inhibition by disulfiram in rat brain, 196
in vivo inhibition of, by 1-phenyl-3-(2-thiazolyl)-2-thiourea (U-14,624), 80

Eckfeld, D. K., *see* Baum, T., 276
Eckhardt, S. B., *see* Maxwell, R. A., 62
Eling, T. E., Harbison, R. D., Becker, B. A. and Fouts, J. R.: Diphenylhydantoin effect on neonatal and adult rat hepatic drug metabolism, 127
Embryo(s)
chick, teratogenic effects caused by esters of phthalic acid, 314
rat, relationship of teratogenic activity of norchlorcyclizine analogs to *in vitro* cartilage binding, 118
Enzyme systems, subcellular, from canine myocardium, correlation between inotropic action of ouabain and its effects on, 1
Ephedrine, related compounds and, mydriasis, analysis in relationship to iris pigmentation in guinea-pig eye *in vitro*, 205
Epinephrine, effect on ryanodine-depressed skeletal muscle, 242
Esters, of phthalic acid, teratogenic effects in chick embryo caused by, 314
Ethyl alcohol, effects on temporally spaced responding in humans, 159
N-Ethylmaleimide, inhibition of norepinephrine-stimulated lipolysis in isolated fat cells by, 135
Eye
effect of esters of phthalic acid on embryologic development of cornea in chick, 314
guinea-pig, *in vitro*, analysis of ephedrine mydriasis in relationship to iris pigmentation in, 205

XUM

Fat cells, isolated, lipolysis in, inhibition by sulfhydryl reagents, 135
Felch, W. C., Jr., *see* Goldstein, M., 196
Fernandez, S. P., *see* Baum, T., 276
Foote, W. E., *see* Aghajanian, G. K., 178
Fouts, J. R., *see* Eling, T. E., 127
Frazier, D. T., Narahashi, T. and Yamada, M.: The site of action and active form of local anesthetics. II. Experiments with quaternary compounds, 45
Frazier, D. T., *see* Narahashi, T., 32
Furosemide, differential effect on renal and limb blood flows in conscious dog, 300

Germine-3-acetate, germine-3,16-diacetate and, neuromuscular pharmacology of, 223
Germine-3,16-diacetate, germine-3-acetate and, neuromuscular pharmacology of, 223
Giarman, N. J., *see* Stjärne, L., 70
Gillis, C. N., *see* Kupferman, A., 214
Glick, G., *see* Besch, H. R., Jr., 1
Glucagon, effect on calcium exchangeability, coronary blood flow, myocardial function and high energy phosphate stores, 265
Gluckman, M. I., *see* Baum, T., 276
H^3-Glutamic acid, free, subcellular distribution in rat cerebral cortical slices, 141
Glyceryl trinitrate, tolerance to vascular effects of, 98
Glycine, subcellular localization in rat cerebral cortical slices, 141
Glycoside, effect of myocardial contractions on, 249
Goldstein, M., Anagnoste, B., Yamamoto, A. and Felch, W. C., Jr.: Regional distribution and metabolism of H^3-tyramine in the rat brain, 196
Green, R. D., *see* Bristow, M., 52

H 35/25, *beta* blocking effects in isolated rabbit atrium, aorta, stomach and trachea, 52
Haberman, S., *see* Bower, R. K., 314
Harbison, R. D., *see* Eling, T. E., 127
Heart
  canine, correlation between inotropic action of ouabain and its effects on subcellular enzyme systems from, 1
  canine, positive inotropic effect of glucagon in, 265
  effect of tetrodotoxin on transmembrane potential of, 20
  inotropic action of digoxin and relationship to drug binding, 249
  rate changes, effect of clonidine on, 256
  rate, effect of Wy-8678 on, 276
Heitz, D. C., *see* Ludens, J. H., 300
Hemicholinium-3, effects on action potential of nerve membranes, 45
Hermodson, M. A., *see* Barker, W. M., 307
Hexamethonium
  effect on cardiovascular effects of Wy-8678, 276
  effect on operant behavior in rats, 166
Hexobarbital, hepatic metabolism in neonatal and adult rat, influence of diphenylhydantoin on, 127
Hirsch, G. H. and Hook, J. B.: Maturation of renal organic acid transport: Substrate stimulation by penicillin and *p*-aminohippurate (PAH), 103
Histamine kinetics, nonmast-cell, distribution and metabolism in female rat, 88
Histidine, subcellular localization in rat cerebral cortical slices, 141
Histidine decarboxylase, influence on disappearance of H^3-histamine from tissues in female rat, 88
Hite, G., *see* Maxwell, R. A., 62
Holland, W. C., *see* Yanaga, T., 20
Homochlorcyclizine, teratogenic effects in rat embryos, 118
Hook, J. B., *see* Hirsch, G. H., 103
H^3-*p*-Hydroxyphenylacetic acid, metabolite of tyramine in rat brain, 196
H^3-*p*-Hydroxyphenylethanol, metabolite of tyramine in rat brain, 196
Hypothalamus, concentration of tyramine after intraventricular injection, 196

Imipramine, uptake of tritiated norepinephrine by adrenergic nerves in rabbit aortic strips, inhibition by, 62
Ingenito, A., *see* Katz, N. L., 242
Iodoacetamide, inhibition of norepinephrine-stimulated lipolysis in isolated fat cells by, 135
Iodoacetic acid, inhibition of norepinephrine-stimulated lipolysis in isolated fat cells by, 135
Iris, pigmentation, in guinea-pig eye *in vitro*, analysis of ephedrine mydriasis in relationship to, 205
Isaacson, A., Yamaji, K. and Sandow, A.: Quinine contractures and Ca^{45} movements of frog sartorius muscles as affected by pH, 26
Isoproterenol, effect of clonidine on increased heart rate produced by, 256

Johnson, G. A., Boukma, S. J. and Kim, E. G.: *In vivo* inhibition of dopamine β-hydroxylase by 1-phenyl-3-(2-thiazolyl)-2-thiourea (U-14,624), 80
Johnson, H. L.: Nonmast-cell histamine kinetics. III. Uptake, metabolism and decline of H^3-histamine in the female rat and effects of endogenous histamine release, 88

Katz, N. L., Ingenito, A. and Procita, L.: Ryano-

dine-induced contractile failure of skeletal muscle, 242
Kidney
diuretic effects of mefruside in man, 288
limb and, blood flows in conscious dog, differential effect of furosemide on, 300
organic acid transport during maturation, 103
Kim, E. G., *see* Johnson, G. A., 80
King, C. T. G., *see* Wilk, A. L., 118
Kirkendall, W. M., *see* Wilson, C. B., 288
Kuhar, M. J. and Snyder, S. H.: The subcellular distribution of free H^3-glutamic acid in rat cerebral cortical slices, 141
Kupferman, A., Gillis, C. N. and Roth, R. H.: Influence of sympathetic nerve stimulation on conversion of H^3-tyrosine to H^3-catecholamine and on H^3-norepinephrine disposition in rabbit pulmonary artery, 214

Lech, J. J., *see* Calvert, D. N., 135
Lidocaine
derivatives, QX-314 and QX-572, effects on action potential of nerve membranes, 45
derivatives, 6211 and 6603, theory and pH experiments with, 32
Link, K. P., *see* Barker, W. M., 307
Lipolysis, in isolated fat cells, inhibition by sulfhydryl reagents, 135
Liver, neonatal and adult rat, drug metabolism in, effect of diphenylhydantoin on, 127
LSD (D-lysergic acid diethylamide), action on single midbrain raphe neurons, 178
Ludens, J. H., Heitz, D. C., Brody, M. J. and Williamson, H. E.: Differential effect of furosemide on renal and limb blood flows in the conscious dog, 300
D-Lysergic acid diethylamide (LSD), action on single midbrain raphe neurons, 178
Lysine, subcellular localization in rat cerebral cortical slices, 141

Manganese
antagonist effect on inotropic action of glucagon, 265
effect of tetrodotoxin on transmembrane potential of atrial muscle modified by, 20
Maxwell, R. A., Eckhardt, S. B. and Hite, G.: Kinetic and thermodynamic considerations regarding the inhibition by tricyclic antidepressants of the uptake of tritiated norepinephrine by the adrenergic nerves in rabbit aortic strips, 62
McInnes, I., *see* Nayler, W. G., 265
McMillan, D. E.: The effects of ethyl alcohol on temporally spaced responding in humans, 159
McN A-343, ganglionic stimulation with, effect on changes in heart rate produced by clonidine, 256
Mecamylamine, effect on operant behavior in rats, 166
Mefruside, a new diuretic compound, acute effects in man, 288
Membranes
axon, squid, blocking potency of lidocaine derivatives on, 32
axon, squid, effect of lidocaine derivatives and hemicholinium-3 on block of action potential of, 45
Mescaline, action on single midbrain raphe neurons, 178
Metabolism
distribution and, of circulating H^3-histamine in female rat, 88
drug, hepatic, neonatal and adult rat, effect of diphenylhydantoin on, 127
of 4-C^{14}-warfarin sodium by rat, 307
regional distribution and, of H^3-tyramine in rat brain, 196
Methylcyclizine, teratogenic effects in rat embryos, 118
N-Methylnicotinamide, transport in kidney during maturation, effects of *p*-aminohippurate (PAH) and penicillin on, 103
Microsomes, heart, effect of glucagon on Ca^{++} uptake and displacement in, 265
Midbrain raphe neurons, single, action of psychotogenic drugs on, 178
Minton, P. D., *see* Bower, R. K., 314
Mitochondria
Na^+,K^+-adenosine triphosphatase, cardiac relaxing system and, isolation from canine myocardium, influence of ouabain on, 1
heart, effect of glucagon on Ca^{++} uptake and displacement in, 265
inhibition of monoamine oxidase by amphetamine in, 188
Monoamine oxidase, inhibition by amphetamine in brain cortex and isolated synaptosomes, 188
Morrison, J., *see* Stitzer, M., 166
Muller, P. J. and Vernikos-Danellis, J.: Effect of environmental temperature on the toxicity of caffeine and dextroamphetamine in mice, 153
Muscle(s)
atrial, effect of tetrodotoxin on transmembrane potential of, 20
heart, binding of digoxin to, 249
sartorius, frog, quinine contractures and Ca^{45} movements of, effect of pH on, 26
skeletal, ryanodine-induced contractile failure of, 242
smooth, influence of electrical stimulation of sympathetic nerves on conversion of H^3-tyrosine to H^3-dopamine and H^3-norepinephrine subcellular distribution in rabbit pulmonary artery, 214

smooth, vascular, effects of glyceryl trinitrate on, 98
smooth, vascular, lack of direct effect of furosemide on, 300
soleus, cat, nerves and, effect of germine-3-acetate and germine-3,16-diacetate on, 223
Myasthenia gravis, mechanism of action of germine-3-acetate and germine-3,16-diacetate, 223
Mydriasis, ephedrine, in relationship to iris pigmentation in guinea-pig eye *in vitro*, analysis of, 205
Myocardium, canine, correlation between inotropic action of ouabain and its effects on subcellular enzyme systems from, 1

Narahashi, T., Frazier, D. T. and Yamada, M.: The site of action and active form of local anesthetics. I. Theory and pH experiments with tertiary compounds, 32
Narahashi, T., *see* Frazier, D. T., 45
Natriuresis, acute effects of mefruside in man, 288
Nayler, W. G., McInnes, I., Chipperfield, D., Carson, V. and Daile, P.: The effect of glucagon on calcium exchangeability, coronary blood flow, myocardial function and high energy phosphate stores, 265
Needleman, P.: Tolerance to the vascular effects of glyceryl trinitrate, 98
Nephrectomy, effect on decrease in limb blood flow produced by furosemide, 300
Nerve(s)
adrenergic, in rabbit aortic strips, kinetic and thermodynamic considerations regarding inhibition by tricyclic antidepressants of uptake of tritiated norepinephrine by, 62
soleus, cat, muscles and, effect of germine-3-acetate and germine-3,16-diacetate on, 223
sympathetic, cardiac, effect of clonidine on cardiac acceleration induced by stimulation of, 256
sympathetic, stimulation, effect of Wy-8678 on, 276
sympathetic, stimulation, influence on conversion of H^3-tyrosine to H^3-catecholamine and on H^3-norepinephrine disposition in rabbit pulmonary artery, 214
sympathetic, trunks, norepinephrine concentrating mechanisms in, 70
Nervous system, central, effect of esters of phthalic acid on embryologic development in chick, 314
Neuromuscular junction, effects of germine-3-acetate and germine-3,16-diacetate, 223
Neurons, raphe, midbrain, single, action of psychotogenic drugs on, 178
Nicotine, effects on fixed-interval behavior and modification by cholinergic antagonists, 166
p-Nitroanisole, hepatic metabolism in neonatal and adult rat, influence of diphenylhydantoin on, 127
p-Nitrobenzoic acid, hepatic metabolism in neonatal and adult rat, influence of diphenylhydantoin on, 127
Norchlorcyclizine, analogs, relationship of teratogenic activity to *in vitro* cartilage binding, 118
Norcyclizine, teratogenic effects in rat embryos, 118
Norepinephrine
concentrating mechanisms in sympathetic nerve trunks, 70
effect of Wy-8678 on cardiovascular responses to, 276
in brain, effect of *in vivo* inhibition of dopamine β-hydroxylase by 1-phenyl-3-(2-thiazolyl)-2-thiourea (U-14,624) on, 80
in brain, mechanisms by which amphetamine inhibits oxidative deamination of, 188
-stimulated lipolysis in isolated fat cells, inhibition by sulfhydryl reagents, 135
tritiated, inhibition by tricyclic antidepressants of uptake of, by adrenergic nerves in rabbit aortic strips, kinetic and thermodynamic considerations, 62
C^{14}-Norepinephrine, subcellular localization in rat cerebral cortical slices, 141
H^3-Norepinephrine, disposition in rabbit pulmonary artery, influence of sympathetic nerve stimulation on conversion of H^3-tyrosine to H^3-catecholamine and on, 214
Norhomochlorcyclizine, teratogenic effects in rat embryos, 118
Normethylcyclizine, teratogenic effects in rat embryos, 118
Nortriptyline, uptake of tritiated norepinephrine by adrenergic nerves in rabbit aortic strips, inhibition by, 62
Nucleic acids, proteins and, in fetal and maternal tissues of rat, effects of thalidomide and chlorcyclizine on biosynthesis of, 109
Nyhan, W. L., *see* Bakay, B., 109

H^3-Octopamine, content in rat brain after injection of tyramine, 196
Octyl isodecyl phthalate, teratogenic properties in developing chick embryo, 314
Okita, G. T., *see* Roth-Schechter, B. F., 13, 249
Operant behavior, effects of nicotine on, modification by cholinergic antagonists, 166
Organic acid transport, renal, maturation of, substrate stimulation by penicillin and *p*-aminohippurate (PAH), 103
Ornithine, subcellular localization in rat cerebral cortical slices, 141
Ouabain

effects after pretreatment of rabbit atria with strophanthidin-3-bromoacetate, 13
inotropic action and effects on subcellular enzyme systems from canine myocardium, correlation between, 1
Oxidative deamination, of norepinephrine in brain, mechanisms by which amphetamine inhibits, 188
Oxidative phosphorylation, by mitochondria in canine myocardium, influence of ouabain on, 1
Oxygen consumption, cardiac, of dog, effect of glucagon on, 265

PAH, (*p*-aminohippurate), penicillin and, substrate stimulation by, maturation of renal organic acid transport, 103
Patil, P. N., *see* Seidehamel, R. J., 205
Penicillin, *p*-aminohippurate (PAH) and, substrate stimulation by, maturation of renal organic acid transport, 103
Pentolinium, effect on renal and limb blood flow changes produced by furosemide in conscious dog, 300
pH
effect on quinine contractures and Ca^{45} movements of frog sartorius muscles, 26
experiments, theory and, with tertiary compounds, site of action and active form of local anesthetics, 32
Phencyclidine, action on single midbrain raphe neurons, 178
Phenethylamine, derivatives of, action on single midbrain raphe neurons, 178
Phenoxybenzamine, effect on cardiovascular actions, 276
Phentolamine
effect of Wy-8678 on cardiovascular effects of, 276
influence on mydriasis produced by ephedrine and related compounds in guinea-pig eye, 205
1-Phenyl-3-(2-thiazolyl)-2-thiourea, (U-14,624), *in vivo* inhibition of dopamine β-hydroxylase by, 80
Phosphate stores, high energy, calcium exchangeability, coronary blood flow, myocardial function and, effect of glucagon on, 265
Phthalic acid, esters of, teratogenic effects in chick embryo caused by, 314
Piperazine, inactivity as a teratogenic agent in rat embryos, 118
Procita, L., *see* Katz, N. L., 242
Propranolol
beta blocking effects in isolated rabbit atrium, aorta, stomach and trachea, 52
influence on mydriasis produced by ephedrine and related compounds in guinea-pig eye, 205
Proteins, nucleic acids and, in fetal and maternal tissues of rat, effects of thalidomide and chlorcyclizine on biosynthesis of, 109
Psychotogenic drugs, action on single midbrain raphe neurons, 178
Pulmonary artery, rabbit, influence of sympathetic nerve stimulation on conversion of H^3-tyrosine to H^3-catecholamine and on H^3-norepinephrine disposition in, 214

Quaternary compounds, experiments with, site of action and active form of local anesthetics, 45
Quinidine, effect on ryanodine-depressed skeletal muscle, 242
Quinine contractures, Ca^{45} movements and, of frog sartorius muscles, effect of pH on, 26
Quinterenol, *beta* blocking effects in isolated rabbit atrium, 52

Raphe neurons, midbrain, single, action of psychotogenic drugs on, 178
Receptor, *beta*, drug interactions in isolated rabbit atrium, aorta, stomach and trachea, analysis of, 52
Reserpine
effect on cardiovascular actions of Wy-8678, 276
effect on norepinephrine uptake in sympathetic nerve trunks, 70
pretreatment, nonmast-cell histamine release by, effect on catabolism and tissue uptake of circulating H^3-histamine in female rat, 88
Richardson, F. F., *see* Roth-Schechter, B. F., 13, 249
Roth, R. H.
see Kupferman, A., 214
see Stjärne, L., 70
Roth-Schechter, B. F., Okita, G. T., Anderson, D. and Richardson, F.: Relationship among contraction, drug binding and positive inotropic action of digoxin, 249
Roth-Schechter, B. F., Okita, G. T., Thomas, R. E. and Richardson, F. F.: On the positive inotropic action of alkylating bromoacetates of strophanthidin and strophanthidol-[19-H^3], 13
Rowles, G., *see* Baum, T., 276
Rutledge, C. O.: The mechanisms by which amphetamine inhibits oxidative deamination of norepinephrine in brain, 188
Ryanodine-induced contractile failure of skeletal muscle, 242

Sandow, A., *see* Isaacson, A., 26
Sartorius muscles, frog, quinine contractures and Ca^{45} movements of, effect of pH on, 26
Schedule-controlled behavior, effects of nicotine on, modification by cholinergic antagonists, 166
Schwartz, A., *see* Besch, H. R., Jr., 1

Scopolamine, action on single midbrain raphe neurons, 178
Scriabine, A., Stavorski, J., Wenger, H. C., Torchiana, M. L. and Stone, C. A.: Cardiac slowing effects of clonidine (ST-155) in dogs, 256
Seidehamel, R. J., Tye, A. and Patil, P. N.: An analysis of ephedrine mydriasis in relationship to iris pigmentation in the guinea-pig eye *in vitro*, 205
Serine, subcellular localization in rat cerebral cortical slices, 141
Sheard, M. H., *see* Aghajanian, G. K., 178
Sherrod, T. R., *see* Bristow, M., 52
Shropshire, A. T., *see* Baum, T., 276
Skeletal muscle, ryanodine-induced contractile failure of, 242
Smooth muscle
  influence of electrical stimulation of sympathetic nerves on conversion of H^3-tyrosine to H^3-dopamine and H^3-norepinephrine subcellular distribution in rabbit pulmonary artery, 214
  vascular, effects of glyceryl trinitrate on, 98
  vascular, lack of direct effect of furosemide on, 300
Snyder, S. H., *see* Kuhar, M. J., 141
Sodium, effect on norepinephrine uptake in sympathetic nerve trunks, 70
Soleus nerves, cat, muscles and, effect of germine-3-acetate and germine-3,16-diacetate on, 223
Spinal cord section, effect on heart rate changes induced by clonidine, 256
ST-155 (clonidine), cardiac slowing effects in dogs, 256
Standaert, F. G. and Detwiler, P. B.: The neuromuscular pharmacology of germine-3-acetate and germine-3,16-diacetate, 223
Stavorski, J., *see* Scriabine, A., 256
Steffek, A. J., *see* Wilk, A. L., 118
Stitzer, M., Morrison, J. and Domino, E. F.: Effects of nicotine on fixed-interval behavior and their modification by cholinergic antagonists, 166
Stjärne, L., Roth, R. H., Bloom, F. E. and Giarman, N. J.: Norepinephrine concentrating mechanisms in sympathetic nerve trunks, 70
Stomach
  atrium, aorta, trachea and, of rabbit, analysis of *beta* receptor drug interactions in, 52
  pyloric, of female rat, decline of histamine from, 88
Stone, C. A., *see* Scriabine, A., 256
Strophanthidin, strophanthidol-[19-H^3] and, on the positive inotropic action of alkylating bromoacetates of, 13
Strophanthidol-[19-H^3], strophanthidin and, on the positive inotropic action of alkylating bromoacetates of, 13
Subcellular enzyme systems, from canine myocardium, correlation between inotropic action of ouabain and its effects on, 1
Sulfhydryl reagents, inhibition of lipolysis in isolated fat cells by, 135
Sympathetic nerve(s)
  cardiac, effect of clonidine on cardiac acceleration induced by stimulation of, 256
  stimulation, effect of Wy-8678 on, 276
  stimulation, influence on conversion of H^3-tyrosine to H^3-catecholamine and on H^3-norepinephrine disposition in rabbit pulmonary artery, 214
  trunks, norepinephrine concentrating mechanisms in, 70
Synaptosomes
  isolated, inhibition of monoamine oxidase by amphetamine in brain cortex and, 188
  localization of amino acids in, 141

Temperature, environmental, effect on toxicity of caffeine and dextroamphetamine in mice, 153
Teratogens
  norchlorcyclizine analogs, relationship of activity to *in vitro* cartilage binding, 118
  thalidomide and chlorcyclizine, effects on biosynthesis of nucleic acids and proteins in fetal and maternal tissues of rat, 109
Tertiary compounds, theory and pH experiments with, site of action and active form of local anesthetics, 32
Tetrodotoxin, effect on transmembrane potential of atrial muscle, 20
Thalidomide, chlorcyclizine and, effects on biosynthesis of nucleic acids and proteins in fetal and maternal tissues of rat, 109
Thomas, R. E., *see* Roth-Schechter, B. F., 13
Threonine, subcellular localization in rat cerebral cortical slices, 141
Tibialis anticus, effect of ryanodine on, 242
Tissue(s)
  adipose, isolated, lipolysis in, inhibition by sulfhydryl reagents, 135
  female rat, distribution and metabolism of H^3-histamine in, 88
  fetal and maternal, of rat, effects of thalidomide and chlorcyclizine on biosynthesis of nucleic acids and proteins in, 109
  slices, cortex, brain, mechanisms by which amphetamine inhibits oxidative deamination of norepinephrine in, 188
Torchiana, M. L., *see* Scriabine, A., 256
Toxicity, of caffeine and dextroamphetamine in mice, effect of environmental temperature on, 153
Trachea, atrium, aorta, stomach and, of rabbit, analysis of *beta* receptor drug interactions in, 52

XUM

Transmembrane potential, of atrial muscle, effect of tetrodotoxin on, 20
Tricyclic antidepressants, of uptake of tritiated norepinephrine by adrenergic nerves in rabbit aortic strips, kinetic and thermodynamic considerations regarding inhibition by, 62
d-Tubocurarine, effect on repetitive firing in soleus nerves caused by germine-3-acetate and germine-3,16-diacetate, 223
Tye, A., *see* Seidehamel, R. J., 205
H^3-Tyramine, regional distribution and metabolism in rat brain, 196
H^3-Tyrosine, influence of sympathetic nerve stimulation on conversion to H^3-catecholamine and on H^3-norepinephrine disposition in rabbit pulmonary artery, 214

U-14,624 [1-phenyl-3-(2-thiazolyl)-2-thiourea], *in vivo* inhibition of dopamine β-hydroxylase by, 80

Vagotomy
effect on cardiovascular effects of Wy-8678, 276
effect on heart rate changes induced by clonidine, 256
Van Pelt, R., *see* Baum, T., 276
Vascular smooth muscle, effects of glyceryl trinitrate on, 98
Vernikos-Danellis, J., *see* Muller, P. J., 153

4-C^{14}-Warfarin sodium, metabolism of, by rat, 307
Wenger, H. C., *see* Scriabine, A., 256
Wilk, A. L., Steffek, A. J. and King, C. T. G.: Norchlorcyclizine analogs: Relationship of teratogenic activity to *in vitro* cartilage binding, 118
Williamson, H. E., *see* Ludens, J. H., 300
Wilson, C. B. and Kirkendall, W. M.: The acute effects of mefruside in man: A new diuretic compound, 288
Wy-8678 (2,6-dichlorobenzylidene aminoguanidine acetate), antihypertensive agent, general pharmacologic actions of, 276

Yamada, M.
see Frazier, D. T., 45
see Narahashi, T., 32
Yamaji, K., *see* Isaacson, A., 26
Yamamoto, A., *see* Goldstein, M., 196
Yanaga, T. and Holland, W. C.: Effect of tetrodotoxin on transmembrane potential of atrial muscle, 20

VOLUME 171 JANUARY–FEBRUARY 1970

THE JOURNAL OF
Pharmacology
AND EXPERIMENTAL THERAPEUTICS

FOUNDED BY JOHN J. ABEL 1909

Official Publication of The American Society for Pharmacology and Experimental Therapeutics, Inc.

EDITOR

MARION DEV. COTTEN

EDITORS FOR SPECIFIC FIELDS

JOSEPH COCHIN: *Analgesia and Drug Abuse*
J. RICHARD CROUT: *Autonomic Pharmacology*
BERNARD WEISS: *Behavioral Pharmacology*
BERT N. LA DU: *Biochemical Pharmacology*
HENRY H. SWAIN: *Cardiovascular Pharmacology*
JOHN R. BLINKS: *Cell Pharmacology*
MILTON T. BUSH: *Drug Metabolism and Disposition*
ALFRED HELLER: *Neuroendocrine Pharmacology*
WILLIAM K. RIKER: *Neuropharmacology*
IRWIN M. WEINER: *Renal Pharmacology*
KENNETH P. DUBOIS: *Toxicology*

EDITORIAL ADVISORY BOARD

Julius Axelrod
Lloyd Beck
William O. Berndt
Michael J. Brody
Theodore M. Brody
George A. Condouris
Theodore Cooper
E. E. Daniel
D. Joseph Demis
G. A. Deneau
Peter E. Dresel
Ronald W. Estabrook
William W. Fleming
Thomas E. Gaffney
William F. Ganong
James R. Gillette
Jack Peter Green
Anthony J. Hance
Louis S. Harris
David Jacobowitz
R. T. Kelleher
Ronald G. Kuntzeman
S. Morris Kupchan
Victor G. Laties
Bernard Levy
Benedict R. Lucchesi
Harriet M. Maling
Bernard H. Marks
Steven E. Mayer
John A. Oates
Gabriel L. Plaa
Lincoln T. Potter
Charles B. Smith
Frank G. Standaert
C. D. Thron
Elwood O. Titus
U. Trendelenburg
Joan Vernikos-Danellis
Andrew G. Wallace
Douglas R. Waud
Norman Weiner
Herbert Weissbach
Albert Weissman
Martin M. Winbury
Richard J. Wurtman

BOARD OF PUBLICATIONS TRUSTEES

WALTER F. RIKER, JR., *Chairman*; GEORGE H. ACHESON, EDWARD J. CAFRUNY, MARION DEV. COTTEN
ROBERT F. FURCHGOTT, GEORGE H. MANDEL, WALTER MODELL, PAUL TALALAY, E. LEONG WAY

EXECUTIVE OFFICER OF THE SOCIETY

ELLSWORTH B. COOK

XUM

Copyright © 1970, by The Williams & Wilkins Company

CONTENTS OF VOLUME 171

No. 1, January 1970

Correlation between the Inotropic Action of Ouabain and Its Effects on Subcellular Enzyme Systems from Canine Myocardium. Henry R. Besch, Jr., Julius C. Allen, Gerald Glick and Arnold Schwartz 1

On the Positive Inotropic Action of Alkylating Bromoacetates of Strophanthidin and Strophanthidol-[19-H^3]. Barbara F. Roth-Schechter, George T. Okita, Richard E. Thomas and Florence F. Richardson 13

Effect of Tetrodotoxin on Transmembrane Potential of Atrial Muscle. Takashi Yanaga and William C. Holland 20

Quinine Contractures and Ca^{45} Movements of Frog Sartorius Muscles as Affected by pH. A. Isaacson, K. Yamaji and A. Sandow 26

The Site of Action and Active Form of Local Anesthetics. I. Theory and pH Experiments with Tertiary Compounds. Toshio Narahashi, Donald T. Frazier and Minoru Yamada 32

The Site of Action and Active Form of Local Anesthetics. II. Experiments with Quaternary Compounds. Donald T. Frazier, Toshio Narahashi and Minoru Yamada 45

Analysis of *Beta* Receptor Drug Interactions in Isolated Rabbit Atrium, Aorta, Stomach and Trachea. M. Bristow, T. R. Sherrod and R. D. Green 52

Kinetic and Thermodynamic Considerations Regarding the Inhibition by Tricyclic Antidepressants of the Uptake of Tritiated Norepinephrine by the Adrenergic Nerves in Rabbit Aortic Strips. R. A. Maxwell, S. Batmanglidj Eckhardt and G. Hite 62

Norepinephrine Concentrating Mechanisms in Sympathetic Nerve Trunks. L. Stjärne, R. H. Roth, F. E. Bloom and N. J. Giarman 70

In Vivo Inhibition of Dopamine β-Hydroxylase by 1-Phenyl-3-(2-Thiazolyl)-2-Thiourea (U-14,624). G. A. Johnson, S. J. Boukma and E. G. Kim 80

Nonmast-Cell Histamine Kinetics. III. Uptake, Metabolism and Decline of H^3-Histamine in the Female Rat and Effects of Endogenous Histamine Release. Howard L. Johnson 88

Tolerance to the Vascular Effects of Glyceryl Trinitrate. P. Needleman 98

Maturation of Renal Organic Acid Transport: Substrate Stimulation by Penicillin and *p*-Aminohippurate (PAH). G. H. Hirsch and J. B. Hook 103

Effects of Thalidomide and Chlorcyclizine on the Biosynthesis of Nucleic Acids and Proteins in Fetal and Maternal Tissues of the Rat. Bohdan Bakay and William L. Nyhan 109

Norchlorcyclizine Analogs: Relationship of Teratogenic Activity to *in Vitro* Cartilage Binding. A. L. Wilk, A. J. Steffek and C. T. G. King 118

Diphenylhydantoin Effect on Neonatal and Adult Rat Hepatic Drug Metabolism. Thomas E. Eling, Raymond D. Harbison, Bernard A. Becker and James R. Fouts 127

Inhibition of Lipolysis in Isolated Fat Cells by Sulfhydryl Reagents. Deane N. Calvert and John J. Lech 135

The Subcellular Distribution of Free H^3-Glutamic Acid in Rat Cerebral Cortical Slices. Michael J. Kuhar and Solomon H. Snyder 141

Effect of Environmental Temperature on the Toxicity of Caffeine and Dextroamphetamine in Mice. Patricia J. Muller and Joan Vernikos-Danellis 153

No. 2, February 1970

The Effects of Ethyl Alcohol on Temporally Spaced Responding in Humans. D. E. McMillan 159

Effects of Nicotine on Fixed-Interval Behavior and Their Modification by Cholinergic Antagonists. Maxine Stitzer, John Morrison and Edward F. Domino 166

Action of Psychotogenic Drugs on Single Midbrain Raphe Neurons. G. K. Agajanian, W. E. Foote and M. H. Sheard 178
The Mechanisms by Which Amphetamine Inhibits Oxidative Deamination of Norepinephrine in Brain. Charles O. Rutledge 188
Regional Distribution and Metabolism of H^3-Tyramine in the Rat Brain. Menek Goldstein, Berta Anagnoste, Akiko Yamamoto and William C. Felch, Jr. 196
An Analysis of Ephedrine Mydriasis in Relationship to Iris Pigmentation in the Guinea-Pig Eye *in Vitro*. R. J. Seidehamel, A. Tye and P. N. Patil 205
Influence of Sympathetic Nerve Stimulation on Conversion of H^3-Tyrosine to H^3-Catecholamine and on H^3-Norepinephrine Disposition in Rabbit Pulmonary Artery. A. Kupferman, C. N. Gillis and R. H. Roth 214
The Neuromuscular Pharmacology of Germine-3-Acetate and Germine-3,16-Diacetate. Frank G. Standaert and Peter B. Detwiler 223
Ryanodine-Induced Contractile Failure of Skeletal Muscle. Norman L. Katz, Alphonse Ingenito and Leonard Procita 242
Relationship among Contraction, Drug Binding and Positive Inotropic Action of Digoxin. Barbara F. Roth-Schechter, George T. Okita, Douglas Anderson and Florence Richardson 249
Cardiac Slowing Effects of Clonidine (ST-155) in Dogs. A. Scriabine, J. Stavorski, H. C. Wenger, M. L. Torchiana and C. A. Stone 256
The Effect of Glucagon on Calcium Exchangeability, Coronary Blood Flow, Myocardial Function and High Energy Phosphate Stores. Winifred G. Nayler, I. McInnes, Denise Chipperfield, Valerie Carson and P. Daile 265
General Pharmacologic Actions of the Antihypertensive Agent 2,6-Dichlorobenzylidene Aminoguanidine Acetate (Wy-8678). Thomas Baum, Allen T. Shropshire, Gary Rowles, Ronald Van Pelt, Susan P. Fernandez, Donald K. Eckfeld and Melvyn I. Gluckman 276
The Acute Effects of Mefruside in Man: A New Diuretic Compound. Curtis B. Wilson and Walter M. Kirkendall 288
Differential Effect of Furosemide on Renal and Limb Blood Flows in the Conscious Dog. James H. Ludens, David C. Heitz, Michael J. Brody and Harold E. Williamson 300
The Metabolism of 4-C^{14}-Warfarin Sodium by the Rat. W. M. Barker, M. A. Hermodson and K. P. Link 307
Teratogenic Effects in the Chick Embryo Caused by Esters of Phthalic Acid. Raymond K. Bower, Sol Haberman and Paul D. Minton 314
Index, Volume 171, January–February 1970 325

INDEX

Volume 172, March–April 1970

Acetazolamide, influence on anion secretion into cerebrospinal fluid, 197

Acetylcholine(s)
- effect on adrenal catecholamine secretion, 69
- halogeno-, cholinergic activities of, 351
- nicotine and, comparison of effects on cycle length and action potentials of guinea-pig atria, 255

Acetylsalicylic acid, combination with other drugs, effects on inflammation induced by carrageenan, 423

Acidosis, effects on chronotropic responses, norepinephrine storage and release in isolated guinea-pig atria, 289

Adipose tissue, of cattle, sheep, goats and swine, concentrations of thiopental in, 128

Adrenalectomy, influence on nicotine-induced inhibition of contractile activity in stomach and duodenum of dog, 377

Adrenal glands
- effects of splanchnic nerve stimulation and cholinergic agents on secretion of catecholamines by, 69
- release of catecholamines in response to nicotine, 377

Adrenergic amines, in rabbit aortic strips, interactions between potentiating agents of, 320

Adrenergic blockade
- *alpha* and *beta*, and inotropic response to phenylephrine, 274
- *beta*, of chronotropic effects of nicotine and norepinephrine in guinea-pig atria, 255
- effect of phentolamine on responses of normal, denervated and decentralized cat nictitating membrane to methoxamine and norepinephrine, 91

Adrenergic blocking drugs, *beta*, reduction of jumping activity induced by sodium 5-(1,3-dimethylbutyl)-5-ethyl barbiturate, 170

Adrenergic nerves, release of norepinephrine from isolated rat iris by field stimulation, 332

Adrenergic neurons, blockade by guanethidine and related agents and antagonism by drugs, 100

AHR-0602, inhibition of contractile activity in stomach and duodenum of dog, 377

β-Alanine, effects on mammalian autonomic ganglia, 384

Alpha adrenergic blockade, lack of effect on inotropic action of phenylephrine on rabbit atria, 274

Amine(s)
- adrenergic, in rabbit aortic strips, interactions between potentiating agents of, 320
- retention in rat heart, effect of bretylium on, 282
- sympathomimetic, mephentermine and, evaluation of vasodilation produced by, 297

Amino acids, γ-aminobutyric acid and, actions on mammalian autonomic ganglia, 384

γ-Aminobutyric acid, related amino acids and, actions on mammalian autonomic ganglia, 384

γ-Amino β-hydroxybutyric acid, effects on mammalian autonomic ganglia, 384

3-Amino-1-propanesulfonic acid, effects on mammalian autonomic ganglia, 384

Amitriptyline, inhibition of metabolism of guanethidine and related agents by hepatic microsomes by, 108

Amphetamine
- effect on heart force in dogs, 297
- retention in rat heart after bretylium, 282

d-Amphetamine, potentiation of jumping activity induced by sodium 5-(1,3-dimethylbutyl)-5-ethyl barbiturate, 170

Anesthesia
- produced by thiopental in cattle, sheep, goats and swine, 128
- spinal, influence on nicotine-induced inhibition of contractile activity in stomach and duodenum of dog, 377

Anesthetics
- local, effects of pH gradients on action of procaine and lidocaine in intact and desheathed sciatic nerves, 1
- local, effects of pH gradients on uptake and distribution of C^{14}-procaine and lidocaine in intact and desheathed sciatic nerve trunks, 18

Anoxia, effect on release of norepinephrine from spleen, 342

Antihistamines, lack of influence on mephentermine-induced vasodilation in dogs, 297

Antimalarial drugs, chloroquine diphosphate and RP-12278, neuromuscular blocking properties of, 44

Aortic smooth muscle, comparison of retentions of methoxamine and norepinephrine in, 91

Aortic strips
- rabbit, antagonism of phentolamine against exogenously administered and endogenously released norepinephrine in, 310
- rabbit, interactions between potentiating agents of adrenergic amines in, 320

Artery, pulmonary, main, isolated, rabbit, release

of H^3-norepinephrine in relation to muscle contraction in, 62
Askari, A. and Rao, S. N.: Drugs affecting sodium transport in human erythrocyte ghosts, 211
Aspirin, combination with other drugs, effects on inflammation induced by carrageenan, 423
Atria
guinea-pig and cat, rate and contractile force, effect of gallamine on, 266
guinea-pig, electrically driven, biphasic effect of nicotine on action potential repolarization in, 255
guinea-pig, isolated, effects of acidosis on chronotropic responses, norepinephrine storage and release in, 289
rabbit, blockade of inotropic action of phenylephrine by bretylium or cocaine in, 274
Atropine
and responses of denervated cat nictitating membrane, 77
blockade of effects of acetylcholine and nicotine in guinea-pig atria, 255
failure to inhibit positive inotropic response to gallamine, 266
lack of influence on mephentermine-induced vasodilation in dogs, 297
Autonomic ganglia, mammalian, actions of γ-aminobutyric acid and related amino acids on, 384
Azzaro, A. J., *see* Peach, M. J., 289

Barbiturate(s)
in rhesus monkeys, development of tolerance to and physical dependence on, 163
sodium 5-(1,3-dimethylbutyl)-5-ethyl, jumping activity induced by, role of sympathetic nervous system, 170
Basal metabolism, effect of dioxoisoquinoline-4-carboxanilides on, 138
Bass, P., *see* Carlson, G. M., 367, 377
Behavior, punished and unpunished, in pigeon, effects of some benzodiazepines on, 397
Bendroflumethiazide, effect on sodium transport and metabolism in toad bladder, 203
Benzodiazepines
effects on punished and unpunished behavior in pigeon, 397
lack of effect in inhibiting jumping activity induced by sodium 5-(1,3-dimethylbutyl)-5-ethyl barbiturate, 170
Beta adrenergic blockade
blockade of inotropic action of phenylephrine on rabbit atria, 274
of chronotropic effects of nicotine and norepinephrine in guinea-pig atria, 255
Beta adrenergic blocking drugs, reduction of jumping activity induced by sodium 5-(1,3-dimethylbutyl)-5-ethyl barbiturate, 170
H^3-Bethanidine, uptake by heart slices, competitive inhibition by norepinephrine, guanethidine, debrisoquin, bretylium, tyramine, metaraminol and desipramine, 100
Bevan, J. A., *see* Su, C., 62
Bianchi, C. P.
see Strobel, G. E., 1, 18
see Suarez-Kurtz, G., 33
Bigger, J. T., Jr. and Mandel, W. J.: Effect of lidocaine on conduction in canine Purkinje fibers and at the ventricular muscle-Purkinje fiber junction, 239
Bis[(chloro-7''-quinolyl-4'')amino-2'-propyl]-1,4-piperazine (RP-12278), antimalarial agent, neuromuscular blocking properties of, 44
Bladder, toad, effect of bendroflumethiazide on sodium transport and metabolism in, 203
Blockade
adrenergic, effect of phentolamine on responses of normal, denervated and decentralized cat nictitating membrane to methoxamine and norepinephrine, 91
selective, of adrenergic neurons by guanethidine and related agents, antagonism by drugs, 100
Blood flow, effects of mephentermine and certain other sympathomimetic amines on femoral, renal and superior mesenteric arteries in dogs, 297
Boerth, R. C., Ryan, M. J. and Brody, M. J.: Pharmacologic blockade of reflex vasodilatation: Effects on postulated neurohumoral mechanisms, 52
Brain
catecholamines synthesized from circulating H^3-tyrosine, daily rhythm in accumulation of, 416
dopamine levels in relation to pharmacologic actions of L-dopa, 406
levels, of sodium 5-(1,3-dimethylbutyl)-5-ethyl barbiturate, 170
of cattle, sheep, goats and swine, concentrations of thiopental in, 128
Bretylium
blockade of release of H^3-norepinephrine from arterial strips, 62
cocaine or, blockade of cardiac action of phenylephrine by, 274
competitive inhibition of uptake of H^3-bethanidine by heart slices, 100
decreased potentiation of norepinephrine responses by cocaine after, 320
effect on amine retention in rat heart, 282
influence on responses of cat nictitating membrane, 77
Broder, L. E., *see* Maren, T. H., 197
Brodie, B. B., *see* Koppanyi, T., 170
Brody, M. J., *see* Boerth, R. C., 52

Bromoacetylcholine, muscarinic and nicotinic activities of, 351
Brown, B. R., Jr. and Crout, J. R.: The sympathomimetic effect of gallamine on the heart, 266
BW 654-induced vasodilation in dogs, 297

Calcium
influence on contracture produced by RP-12278, 44
inhibition of release of norepinephrine from isolated rat iris by field stimulation in absence of, 332
Caldwell, R. W. and Goldberg, L. I.: An evaluation of the vasodilation produced by mephentermine and certain other sympathomimetic amines, 297
Carbon dioxide, entry from blood into cerebrospinal fluid before and after inhibition of carbonic anhydrase, 197
Carbonic anhydrase, role in anion secretion into cerebrospinal fluid, 197
Cardiac glycosides
effect on interaction of Ca^{++} with mitochondria, 180
six, effects on transmembrane potential and contractile characteristics of right ventricle of guinea pigs, 188
Carlson, G. M., Ruddon, R. W., Hug, C. C., Jr. and Bass, P.: Effects of nicotine on gastric antral and duodenal contractile activity in the dog, 367
Carlson, G. M., Ruddon, R. W., Hug, C. C., Jr., Schmiege, S. K. and Bass, P.: Analysis of the site of nicotine action on gastric antral and duodenal contractile activity, 377
Carrageenan-induced foot edema of rat, interactions of anti-inflammatory drugs in, 423
Castles, T. R., Loth, E., Crawford, C. R. and Lee, C. C.: The neuromuscular blocking properties of the antimalarial agent, bis[(chloro-7''-quinolyl-4'')amino-2'-propyl]-1,4-piperazine, 44
Catecholamine(s)
adrenal, comparison of differential secretion by splanchnic nerve stimulation and cholinergic agents, 69
brain, synthesized from circulating H^3-tyrosine, daily rhythm in accumulation of, 416
-depleting effect of guanethidine, antagonism by desipramine, 100
depletion, influence on inotropic action of phenylephrine in rabbit atria, 274
effects in rabbit aortic strips, antagonism by phentolamine, 310
effects of denervation and β-TM 10 on, in cat nictitating membrane, 77
-induced inhibition of contractile activity in stomach and duodenum of dog, 367
potentiation of effects on rabbit aortic strips after inhibition of catechol-O-methyltransferase with 4-tropolone acetamide, 320
release from spleen, effects of metabolic inhibitors on, 342
release resulting from administration of nicotine in dog, 377
retention in rat heart after bretylium, 282
Catechol-O-methyltransferase, inhibition by 4-tropolone acetamide in rabbit aortic strips, 320
Cavanaugh, J. H., *see* Mitchell, J. R., 108
Cells, epithelial, effect of bendroflumethiazide on sodium transport and metabolism in toad bladder, 203
Central nervous system, potentiation and inhibition of some central actions of L-dopa by decarboxylase inhibitors, 406
Cerebrospinal fluid
in cattle, sheep, goats and swine, concentrations of thiopental in, 128
role of carbonic anhydrase in anion secretion into, 197
Chang, Y.-H., *see* Wiseman, E. H., 138
Chiaini, J., *see* Wiseman, E. H., 138
Chiou, C. Y. and Sastry, B. V. R.: Cholinergic activities of halogeno-acetylcholines, 351
Chlordiazepoxide, effect on punished and unpunished behavior in pigeon, 397
Chloride, entry from blood into cerebrospinal fluid before and after inhibition of carbonic anhydrase, 197
Chlorisondamine, blockade of hyperglycemia in mice induced by sodium 5-(1,3-dimethylbutyl)-5-ethyl barbiturate, 170
Chloroacetylcholine, muscarinic and nicotinic activities of, 351
p-Chloromercuribenzoate, effect on release of norepinephrine from spleen, 342
Chloroquine diphosphate, RP-12278 and, antimalarial agents, neuromuscular blocking properties of, 44
Chlorpromazine
effect on sodium transport in red cell ghosts, 211
inhibition of metabolism of guanethidine and related agents by hepatic microsomes by, 108
Cholinergic agents, splanchnic nerve stimulation and, comparison of differential secretion of adrenal catecholamines by, 69
Cocaine
bretylium or, blockade of cardiac action of phenylephrine by, 274
effect on retention of metaraminol in rat heart, 282
failure to inhibit positive inotropic response to gallamine, 266

XUM

failure to sensitize cat nictitating membrane to methoxamine, 91
ineffectiveness in blocking a pH-induced increase in atrial norepinephrine turnover, 289
phenoxybenzamine, tripelennamine and, effect on release of histamine-C^{14} and norepinephrine-H^3, 52
potentiation of sympathomimetics in rabbit aortic strips, 320
Convallatoxol, effect on transmembrane potential and contractile characteristics of right ventricle of guinea pigs, 188
Crawford, C. R., *see* Castles, T. R., 44
Crout, J. R., *see* Brown, B. R., Jr., 266
Curare, lack of effect on contracture produced by RP-12278, 44
Cyanide, effect on release of norepinephrine from spleen, 342
Cyanine 863, inhibition of renal tubular transport of morphine in chicken by, 224

D'Amour and Smith method, measurement of analgesic efficacy and potency of pentazocine and nalorphine by, 154
Debrisoquin
competitive inhibition of uptake of H^3-bethanidine by heart slices, 100
guanethidine, guanoxan and, metabolism by hepatic microsomes and inhibition by drugs, 108
Decarboxylase inhibitors, potentiation and inhibition of some central actions of L-dopa by, 406
Decentralization, as a cause of supersensitivity to both methoxamine and norepinephrine in cat nictitating membrane, 91
de Groat, W. C.: The actions of γ-aminobutyric acid and related amino acids on mammalian autonomic ganglia, 384
Denervation
failure to sensitize cat nictitating membrane to methoxamine, 91
of nictitating membrane of cat, effect of β-TM 10 on pharmacological, biochemical and morphological changes induced by, 77
Desipramine
competitive inhibition of uptake of H^3-bethanidine by heart slices, 100
decreased potentiation of norepinephrine responses by cocaine after, 320
effect on sodium transport in red cell ghosts, 211
inhibition of metabolism of guanethidine and related agents by hepatic microsomes by, 108
Desmethylimipramine, effect on retention of metaraminol in rat heart, 282
Diazepam, effect on punished and unpunished behavior in pigeon, 397
Dichloroisoproterenol, blockade of inotropic action of phenylephrine on rabbit atria, 274
Digitoxin, effect on transmembrane potential and contractile characteristics of right ventricle of guinea pigs, 188
Digoxin, effect on transmembrane potential and contractile characteristics of right ventricle of guinea pigs, 188
Dihydroergotamine
blockade of nicotine-induced increases in duration of action potentials in guinea-pig atria, 255
lack of effect on nicotine- and catecholamine-induced inhibition of contractile activity in stomach and duodenum of dog, 367
Dihydro-ouabain, effect on transmembrane potential and contractile characteristics of right ventricle of guinea pigs, 188
Dihydrostrophanthidinic acid, effect on interaction of Ca^{++} with mitochondria, 180
Dimethylphenylpiperazinium
effect on adrenal catecholamine secretion, 69
inhibition of contractile activity in stomach and duodenum of dog, 367
Dingell, J. V., *see* Mitchell, J. R., 108
Dinitrophenol, effect on release of norepinephrine in spleen during glucose deprivation, 342
Dioxoisoquinoline-4-carboxanilides, novel nonsteroidal anti-inflammatory agents with a species-specific effect on basal metabolism, 138
Dipyridamole, effect on sodium transport in red cell ghosts, 211
L-Dopa, some central actions of, potentiation and inhibition by decarboxylase inhibitors, 406
Draskóczy, P. R., *see* Pluchino, S., 77
Duodenum
of dog, stomach and, influence of nicotine on contractile activity in, 377
of dog, stomach and, inhibition of contractile activity by nicotine and catecholamines in, 367
Dutta, S., *see* Ito, M., 188

Edema, foot, of rat, carrageenan-induced, interactions of anti-inflammatory drugs in, 423
Emesis, induced by L-dopa, attentuation by decarboxylase inhibitors, 406
Epinephrine
inhibition of contractile activity in stomach and duodenum of dog, 367
interactions with potentiating agents in rabbit aortic strips, 320
norepinephrine and, comparison of differential secretion produced by splanchnic nerve stimulation and cholinergic agents, 69
Epithelial cells, effect of bendroflumethiazide on

sodium transport and metabolism in toad bladder, 203
Erythrocyte ghosts, human, drugs affecting sodium transport in, 211
Ethacrynic acid, effect on sodium transport in red cell ghosts, 211
Ethereal sulfate, morphine, morphine and, in chicken, mechanism of renal tubular transport of, 224
N-Ethylmaleimide, effect on release of norepinephrine from spleen, 342
Excitation-contraction coupling, of sartorius and rectus abdominis muscle in frogs, effect of SKF 525-A on, 33
Eye, rat, release of norepinephrine from isolated iris by field stimulation, 332

Farnebo, L.-O. and Hamberger, B.: Release of norepinephrine from isolated rat iris by field stimulation, 332
Fleming, W. W.
see Peach, M. J., 289
see Urquilla, P. R., 310
Fluoroacetylcholine, muscarinic and nicotinic activities of, 351
Ford, G. D., *see* Peach, M. J., 289
Foulkes, D. M.: The metabolism of C^{14}-ICI 54,450 (Myalex) in various species—An *in vivo* NIH shift, 115
Fujimoto, J. M., *see* Watrous, W. M., 224
Furchgott, R. F., *see* Levin, J. A., 320
Furosemide, effect on sodium transport in red cell ghosts, 211

Gallamine, sympathomimetic effect on heart, 266
Ganglia, autonomic, mammalian, actions of γ-aminobutyric acid and related amino acids on, 384
Ganglionic blockade, effect of hexamethonium on biphasic effects of nicotine on action potentials in guinea-pig atria, 255
Ganglionic blocking drugs, reduction of jumping activity induced by sodium 5-(1,3-dimethylbutyl)-5-ethyl barbiturate, 170
Gebber, G. L., *see* Klevans, L. R., 69
Glands
adrenal, effects of splanchnic nerve stimulation and cholinergic agents on secretion of catecholamines by, 69
adrenal, release of catecholamines in response to nicotine, 377
Glucose
deprivation, lack of effect on release of norepinephrine from spleen, 342
plasma, elevation in mice exhibiting jumping activity induced by sodium 5-(1,3-dimethylbutyl)-5-ethyl barbiturate, 170
Glyceryl trinitrate, reduction in small vessel resistance compared with effects of mephentermine and isoproterenol, 297
Glycine, lack of effect on mammalian autonomic ganglia, 384
Glycogen, effect of bendroflumethiazide on transport in toad bladder, 203
Glycosides
cardiac, effect on interaction of Ca^{++} with mitochondria, 180
cardiac, six, effects on transmembrane potential and contractile characteristics of right ventricle of guinea pigs, 188
Goldberg, L. I., *see* Caldwell, R. W., 297
Good, A. L., *see* Sharma, R. P., 128
Gracilis muscles, dog, isolated, perfused, effects of phenoxybenzamine, cocaine and tripelennamine on release of histamine-C^{14} and norepinephrine-H^3, 52
Gralla, E. J., *see* Wiseman, E. H., 138
Grant, T. J., *see* Swingle, K. F., 423
Gray, W. D., Osterberg, A. C. and Scuto, T. J.: Measurement of the analgesic efficacy and potency of pentazocine by the D'Amour and Smith method, 154
Guanethidine
decreased potentiation of norepinephrine responses produced by cocaine or 4-tropolone acetamide after, 320
related agents and, blockade of adrenergic neurons and antagonism by drugs, 100
related agents and, metabolism by hepatic microsomes and inhibition by drugs, 108
Guanoxan, guanethidine, debrisoquin and, metabolism by hepatic microsomes and inhibition by drugs, 108
Gut, of cattle, sheep, goats and swine, concentrations of thiopental in, 128

H44/68, effect on release of norepinephrine from isolated rat iris by field stimulation, 332
Hamberger, B., *see* Farnebo, L.-O., 332
Heart
action of phenylephrine, blockade by bretylium or cocaine, 274
biphasic effect of nicotine on action potential repolarization in guinea-pig atria, 255
effects of lidocaine and quinidine on conduction in Purkinje fibers, 239
effects of mephentermine, amphetamine, pseudoephedrine and phenpromethamine on contractile force in dogs, 297
glycosides, effect on interaction of Ca^{++} with mitochondria, 180
glycosides, six, effects on transmembrane potential and contractile characteristics of right ventricle of guinea pigs, 188

XUM

guinea-pig, effects of acidosis on chronotropic responses, norepinephrine storage and release in, 289
rat, effect of bretylium on amine retention in, 282
slices, uptake of H^3-bethanidine by, competitive inhibition by norepinephrine, guanethidine, debrisoquin, bretylium, tyramine, metaraminol and desipramine, 100
sympathomimetic effect of gallamine on, 266
Hepatic microsomes, metabolism of guanethidine, debrisoquin and guanoxan by, inhibition by drugs, 108
Hexamethonium
blockade of biphasic effect of nicotine on action potentials in guinea-pig atria, 255
failure to inhibit positive inotropic response to gallamine, 266
Histamine-C^{14}, release during baroreceptor-induced reflex vasodilatation, effects of phenoxybenzamine, cocaine and tripelennamine on, 52
Hollander, P. B., *see* Ito, M., 188
Hong, S. A., *see* Lee, K. S., 180
Hug, C. C., Jr., *see* Carlson, G. M., 367, 377
Hydrocortisone
combination with other drugs, effects on inflammation induced by carrageenan, 423
decreased potentiation of norepinephrine responses produced by 4-tropolone acetamide after, 320
Hyperglycemia, in mice, induced by sodium 5-(1,3-dimethylbutyl)-5-ethyl barbiturate, blockade by chlorisondamine, pempidine, propranolol and phentolamine, 170
Hypothermia
effect on release of norepinephrine from spleen, 342
induced by reserpine, reversal by L-dopa and enhancement of response by decarboxylase inhibitors, 406

C^{14}-ICI 54,450 (Myalex) metabolism in various species, an *in vivo* NIH shift, 115
Imipramine
effect on punished and unpunished behavior in pigeon, 397
effect on sodium transport in red cell ghosts, 211
Inflammation, carrageenan-induced, interactions of anti-inflammatory drugs, 423
Iodoacetate, effect on sodium transport in red cell ghosts, 211
Iodoacetic acid, effect on release of norepinephrine from spleen, 342
Iodoacetylcholine, muscarinic and nicotinic activities of, 351
Indomethacin, combination with other drugs, effects on inflammation induced by carrageenan, 423
Ions, tetraethylammonium, actions on potassium fluxes in frog sartorius muscle, 230
Iproniazid, effect on potentiation of responses to adrenergic amines produced by cocaine or 4-tropolone acetamide in rabbit aortic strips, 320
Iris, rat, release by field stimulation of norepinephrine from, 332
Isoproterenol
and responses of denervated cat nictitating membrane, 77
lack of retention in rabbit aortic strips, 91
reduction in small vessel resistance compared with effects of mephentermine and glyceryl trinitrate, 297
Isostrophanthidin, effect on interaction of Ca^{++} with mitochondria, 180
Ito, M., Hollander, P. B., Marks, B. H. and Dutta, S.: The effects of six cardiac glycosides on the transmembrane potential and contractile characteristics of the right ventricle of guinea pigs, 188

Jaques, L. W., *see* Swingle, K. F., 423

Kang, D. H., *see* Lee, K. S., 180
Kelleher, R. T., *see* Wuttke, W., 397
Kidney
of cattle, sheep, goats and swine, concentrations of thiopental in, 128
tubular transport of morphine and morphine ethereal sulfate in chicken, mechanism of, 224
Kirpekar, S. M., Prat, J. C. and Yamamoto, H.: Effects of metabolic inhibitors on norepinephrine release from the perfused spleen of the cat, 342
Klevans, L. R. and Gebber, G. L.: Comparison of differential secretion of adrenal catecholamines by splanchnic nerve stimulation and cholinergic agents, 69
Kopin, I. J., *see* Krauss, K. R., 282
Koppanyi, T., Maling, H. M., Saul, W. and Brodie, B. B.: Jumping activity induced by sodium 5-(1,3-dimethylbutyl)-5-ethyl barbiturate. I. The role of the sympathetic nervous system, 170
Krauss, K. R., Kopin, I. J. and Weise, V. K.: The effect of bretylium on amine retention in rat heart, 282
Kvam, D. C., *see* Swingle, K. F., 423

Lactate, accumulation in toad bladder, effect of bendroflumethiazide on, 203
Langer, S. Z., *see* Pluchino, S., 77
Lee, C. C., *see* Castles, T. R., 44

Lee, K. S., Hong, S. A. and Kang, D. H.: Effect of cardiac glycosides on interaction of Ca^{++} with mitochondria, 180
Lee, W. C., *see* Yoo, C. S., 274
Levin, J. A. and Furchgott, R. F.: Interactions between potentiating agents of adrenergic amines in rabbit aortic strips, 320
Lidocaine
effect on conduction in canine Purkinje fibers and at ventricular muscle-Purkinje fiber junction, 239
effect on sodium transport in red cell ghosts, 211
C^{14}-procaine and, in intact and desheathed sciatic nerve trunks, effects of pH gradients on uptake and distribution of, 18
procaine and, in intact and desheathed sciatic nerves, effects of pH gradients on action of, 1
Lilly 390-induced vasodilation in dogs, 297
Liver
microsomes, metabolism of guanethidine, debrisoquin and guanoxan by, inhibition by drugs, 108
microsomes, metabolism of thiopental by, in cattle, sheep, goats and swine, 128
Loth, E., *see* Castles, T. R., 44
Lotti, V. J. and Porter, C. C.: Potentiation and inhibition of some central actions of L(−)-dopa by decarboxylase inhibitors, 406

Magnesium
influence on contracture produced by RP-12278, 44
metabolism in rats, influence of morphine on, 122
Maling, H. M., *see* Koppanyi, T., 170
Mandel, W. J., *see* Bigger, J. T., Jr., 239
Marchand, C., *see* Vachon, M., 122
Maren, T. H. and Broder, L. E.: The role of carbonic anhydrase in anion secretion into cerebrospinal fluid, 197
Marinobufagin, effect on interaction of Ca^{++} with mitochondria, 180
Marks, B. H., *see* Ito, M., 188
Maxwell, R. A., *see* Trendelenburg, U., 91
May, D. G., *see* Watrous, W. M., 224
McDougal, B. and Sullivan, L. P.: Studies of the effect of bendroflumethiazide on sodium transport and metabolism in the toad bladder, 203
McN A-343, inhibition of contractile activity in stomach and duodenum of dog, 367
Membrane(s)
effects of lidocaine and quinidine on conduction in canine Purkinje fibers and at ventricular muscle-Purkinje fiber junction, 239
nictitating, cat's, effect of β-TM 10 on pharmacological, biochemical and morphological changes induced by denervation of, 77
nictitating, cat's, methoxamine as a tool to assess importance of intraneuronal uptake of *l*-norepinephrine in, 91
resting potential, frog sartorius muscle, effect of tetraethylammonium ions on, 230
Mephentermine, certain other sympathomimetic amines and, evaluation of vasodilation produced by, 297
Mepiperphenidol, inhibition of renal tubular transport of morphine in chicken by, 224
Metabolism
basal, effect of dioxoisoquinoline-4-carboxanilides on, 138
distribution and, of thiopental in cattle, sheep, goats and swine, 128
of C^{14}-ICI 54,450 (Myalex) in various species, an *in vivo* NIH shift, 115
of guanethidine, debrisoquin and guanoxan by hepatic microsomes and inhibition by drugs, 108
of magnesium in rats, influence of morphine on, 122
sodium transport and, in toad bladder, effect of bendroflumethiazide on, 203
Metaraminol
competitive inhibition of uptake of H^3-bethanidine by heart slices, 100
inhibition of metabolism of guanethidine and related agents by hepatic microsomes by, 108
potentiation of effects by cocaine or 4-tropolone acetamide in rabbit aortic strips, 320
retention in rat heart after bretylium, 282
Methacholine, effect of nicotine on contractile activity in stomach and duodenum of dog, 377
Methamphetamine-induced vasodilation in dogs, 297
Methoxamine, for assessing importance of intraneuronal uptake of *l*-norepinephrine in cat's nictitating membrane, 91
N-Methylnicotinamide, influence on renal tubular transport of morphine in chicken, 224
α-Methylnorepinephrine
potentiation of effects on rabbit aortic strips after inhibition of catechol-O-methyltransferase with 4-tropolone acetamide, 320
retention in rat heart after bretylium, 282
α-Methyloctopamine, retention in rat heart after bretylium, 282
Methylphenidate-induced vasodilation in dogs, 297
Microsomes
hepatic, metabolism of guanethidine, debrisoquin and guanoxan by, inhibition by drugs, 108
liver, metabolism of thiopental by, in cattle, sheep, goats and swine, 128
Migliardi, J. R., *see* Wiseman, E. H., 138

XUM

Mitchell, J. R. and Oates, J. A.: Guanethidine and related agents. I. Mechanism of the selective blockade of adrenergic neurons and its antagonism by drugs, 100
Mitchell, J. R., Cavanaugh, J. H., Dingell, J. V. and Oates, J. A.: Guanethidine and related agents. II. Metabolism by hepatic microsomes and its inhibition by drugs, 108
Mitochondria, interaction of Ca^{++} with, effect of cardiac glycosides on, 180
MJ-1999, lack of effect on mephentermine-induced relaxation of rabbit portal vein, 297
Morphine
influence on magnesium metabolism in rats, 122
morphine ethereal sulfate and, in chicken, mechanism of renal tubular transport of, 224
Muscle(s)
biphasic effect of nicotine on action potential repolarization in guinea-pig atria, 255
blocking action of chloroquine diphosphate and RP-12278, 44
cardiac, rat, retention of amines after bretylium, 282
contraction in isolated rabbit main pulmonary artery, release of H^3-norepinephrine in relation to, 62
effects of acidosis on chronotropic responses, norepinephrine storage and release in isolated guinea-pig atria, 289
gracilis, dog, isolated, perfused, effects of phenoxybenzamine, cocaine and tripelennamine on release of histamine-C^{14} and norepinephrine-H^3, 52
heart, glycosides, six, effects on transmembrane potential and contractile characteristics of right ventricle of guinea pigs, 188
influence of nicotine on gastrointestinal activity in dog, 377
inhibition of contractile activity in stomach and duodenum of dog by nicotine and catecholamines, 367
interactions between potentiating agents and adrenergic amines in rabbit aortic strips, 320
muscarinic and nicotinic activities of halogenoacetylcholines, 351
of cattle, sheep, goats and swine, concentrations of thiopental in, 128
-Purkinje fiber junction, ventricular, effect of lidocaine on conduction in, 239
release of norepinephrine from isolated rat iris by field stimulation, 332
sartorius and rectus abdominis, effect of SKF 525-A on excitation-contraction coupling in frogs, 33
sartorius, frog, actions of tetraethylammonium ions on potassium fluxes in, 230
smooth, aortic, antagonism of phentolamine against exogenously administered and endogenously released norepinephrine in, 310
smooth, aortic, comparison of retentions of methoxamine and norepinephrine in, 91
sympathomimetic effect of gallamine on heart, 266
vasodilation induced by mephentermine in dogs, 297
Myalex (C^{14}-ICI 54,450), metabolism in various species, an *in vivo* NIH shift, 115

Nalorphine hydrochloride
effect on increase in serum magnesium caused by morphine, 122
measurement by D'Amour and Smith method of analgesic efficacy and potency of, 154
Nerve(s)
adrenergic, release of norepinephrine from isolated rat iris by field stimulation, 332
antagonism by phentolamine of effects of norepinephrine released from adrenergic terminals in aortic strips, 310
neuromuscular blockade produced by chloroquine diphosphate, 44
sciatic, frog, sheathed and desheathed, effect of SKF 525-A on conduction, 33
sciatic, intact and desheathed, effects of pH gradients on action of procaine and lidocaine in, 1
splanchnic, stimulation, cholinergic agents and, comparison of differential secretion of adrenal catecholamines by, 69
stimulation, effects of metabolic inhibitors on norepinephrine release from spleen, 342
sympathetic, stimulation, effects of phenoxybenzamine, cocaine and tripelennamine on release of norepinephrine-H^3 during, 52
trunks, sciatic, intact and desheathed, effects of pH gradients on uptake and distribution of C^{14}-procaine and lidocaine in, 18
Nervous system
central, potentiation and inhibition of some central actions of L-dopa by decarboxylase inhibitors, 406
sympathetic, role of, jumping activity induced by sodium 5-(1,3-dimethylbutyl)-5-ethyl barbiturate, 170
Neuromuscular blockade
produced by several halogeno-acetylcholines, 351
properties of antimalarial agents, chloroquine diphosphate and RP-12278, 44
Neurons, adrenergic, blockade by guanethidine and related agents and antagonism by drugs, 100
Nialamide, inhibitory effects on release of norepinephrine from isolated rat iris by field stimulation, 332
Nicotine
action on gastric antral and duodenal contractile activity, analysis of site of, 377

XUM

biphasic effect on action potential repolarization in electrically driven guinea-pig atria, 255
effect on adrenal catecholamine secretion, 69
effects on gastric antral and duodenal contractile activity in dog, 367
Nictitating membrane
cat's, effect of β-TM 10 on pharmacological, biochemical and morphological changes induced by denervation of, 77
cat's, methoxamine as a tool to assess importance of intraneuronal uptake of *l*-norepinephrine in, 91
NIH shift, *in vivo*, metabolism of C^{14}-ICI 54,450 (Myalex) in various species, 115
Nitrazepam, effect on punished and unpunished behavior in pigeon, 397
Norepinephrine
and responses of denervated cat nictitating membrane, 77
competitive inhibition of uptake of H^3-bethanidine by heart slices, 100
diurnal variations in accumulation in brain, 416
effect on action potential of guinea-pig atria, 255
epinephrine and, comparison of differential secretion produced by splanchnic nerve stimulation and cholinergic agents, 69
exogenously administered and endogenously released, in rabbit aortic strips, antagonism of phentolamine against, 310
inhibition of contractile activity in stomach and duodenum of dog, 367
interactions with potentiating agents in rabbit aortic strips, 320
retention in rat heart after bretylium, 282
reversal of tachyphylaxis by, 266
storage, chronotropic responses, release and, in isolated guinea-pig atria, effects of acidosis on, 289
Norepinephrine-H^3
release during sympathetic nerve stimulation, effects of phenoxybenzamine, cocaine and tripelennamine on, 52
release in arterial strips studied by technique of superfusion and transmural stimulation, 62
release from perfused spleen of cat, effects of metabolic inhibitors on, 342
l-Norepinephrine, in cat's nictitating membrane, methoxamine as a tool to assess importance of intraneuronal uptake of, 91

Oates, J. A., *see* Mitchell, J. R., 100, 108
Octopamine, retention in rat heart after bretylium, 282
Oligomycin, effect on sodium transport in red cell ghosts, 211
Osterberg, A. C., *see* Gray, W. D., 154
Ouabain
decreased potentiation of norepinephrine responses by cocaine after, 320
effect on interaction of Ca^{++} with mitochondria, 180
effect on release of norepinephrine from spleen, 342
effect on sodium transport and metabolism in toad bladder, 203
effect on sodium transport in red cell ghosts, 211
effect on transmembrane potential and contractile characteristics of right ventricle of guinea pigs, 188
Oxygen, consumption in toad bladder, effect of bendroflumethiazide on, 203

Pappano, A. J.: Biphasic effect of nicotine on action potential repolarization in electrically driven guinea-pig atria, 255
Peach, M. J., Ford, G. D., Azzaro, A. J. and Fleming, W. W.: The effects of acidosis on chronotropic responses, norepinephrine storage and release in isolated guinea-pig atria, 289
Pempidine, blockade of hyperglycemia in mice induced by sodium 5-(1,3-dimethylbutyl)-5-ethyl barbiturate, 170
Pentazocine, measurement by D'Amour and Smith method of analgesic efficacy and potency of, 154
pH
gradients, effects on action of procaine and lidocaine in intact and desheathed sciatic nerves, 1
gradients, effects on uptake and distribution of C^{14}-procaine and lidocaine in intact and desheathed sciatic nerve trunks, 18
-induced increase in atrial norepinephrine turnover, ineffective blocking action by cocaine, 289
Phenothiazines, inhibition of metabolism of guanethidine and related agents by hepatic microsomes by, 108
Phenoxybenzamine
cocaine, tripelennamine and, effect on release of histamine-C^{14} and norepinephrine-H^3, 52
effect on transmural stimulation-induced H^3-norepinephrine release from arterial strips, 62
lack of effect on nicotine- and catecholamine-induced inhibition of contractile activity in stomach and duodenum of dog, 367
Phenpromethamine, effect on heart force in dogs, 297
Phentolamine
antagonism against exogenously administered and endogenously released norepinephrine in rabbit aortic strips, 310
blockade of hyperglycemia in mice induced by sodium 5-(1,3-dimethylbutyl)-5-ethyl barbiturate, 170
competitive blockade of effect of methoxamine

XUM

and norepinephrine on cat's nictitating membrane, 91
Phenylbutazone
combination with other drugs, effects on inflammation induced by carrageenan, 423
comparison of anti-inflammatory actions with those of dioxoisoquinoline-4-carboxanilides, 138
Phenylephrine
and responses of denervated cat nictitating membrane, 77
cardiac action of, blockade by bretylium or cocaine, 274
lack of effect of catechol-O-methyltransferase inhibition by 4-tropolone acetamide on responses in rabbit aortic strips, 320
Picrotoxin, antagonism of effects of γ-aminobutyric acid on mammalian autonomic ganglia, 384
Plasma
glucose, elevation in mice exhibiting jumping activity induced by sodium 5-(1,3-dimethylbutyl)-5-ethyl barbiturate, 170
proteins, binding of thiopental in cattle, sheep, goats and swine, 128
Pluchino, S., Van Orden, L. S., III, Draskóczy, P. R., Langer, S. Z. and Trendelenburg, U.: The effect of β-TM 10 on the pharmacological, biochemical and morphological changes induced by denervation of the nictitating membrane of the cat, 77
Pluchino, S., *see* Trendelenburg, U., 91
Porter, C. C., *see* Lotti, V. J., 406
Potassium
diffusion in desheathed frog and toad sciatic nerves, 1
fluxes, in frog sartorius muscle, actions of tetraethylammonium ions on, 230
-induced contracture, blockade by SKF 525-A in frog rectus abdominis muscle, 33
-induced release of norepinephrine from spleen, influence of metabolic inhibitors, 342
influence on contracture produced by RP-12278, 44
Prat, J. C., *see* Kirpekar, S. M., 342
Probenecid, lack of effect on renal tubular transport of morphine and excretion of morphine ethereal sulfate in chicken, 224
Procaine
effect on sodium transport in red cell ghosts, 211
lidocaine and, in intact and desheathed sciatic nerves, effects of pH gradients on action of, 1
C^{14}-Procaine, lidocaine and, in intact and desheathed sciatic nerve trunks, effects of pH gradients on uptake and distribution of, 18
Pronethalol, decreased potentiation of norepinephrine responses by cocaine after, 320
Propranolol
blockade of hyperglycemia in mice induced by sodium 5-(1,3-dimethylbutyl)-5-ethyl barbiturate, 170
blockade of inotropic action of phenylephrine on rabbit atria, 274
influence on effects of nicotine and norepinephrine on action potentials of guinea-pig atria, 255
inhibition of positive inotropic effect of gallamine by, 266
lack of influence on mephentermine-induced vasodilation in dogs, 297
Proscillaridin, effect on transmembrane potential and contractile characteristics of right ventricle of guinea pigs, 188
Proteins, plasma, binding of thiopental in cattle, sheep, goats and swine, 128
Protriptyline, inhibition of metabolism of guanethidine and related agents by hepatic microsomes by, 108
Pseudoephedrine, effect on heart force in dogs, 297
Pulmonary artery, main, isolated, rabbit, release of H^3-norepinephrine in relation to muscle contraction in, 62
Purkinje fibers, canine, ventricular muscle-Purkinje fiber junction and, effect of lidocaine on conduction in, 239

Quinidine, effect on conduction at ventricular muscle-Purkinje fiber junction, 239

Rao, S. N., *see* Askari, A., 211
Rectus abdominis muscle, sartorius and, effect of SKF 525-A on excitation-contraction coupling in frogs, 33
Reflex vasodilatation, baroreceptor-induced, effects of phenoxybenzamine, cocaine and tripelennamine on release of histamine-C^{14} during, 52
Renal blood flow, effects of mephentermine and certain other sympathomimetic amines on, 297
Reserpine
abolition of nicotine-induced inhibition of contractile activity in stomach and duodenum of dog by, 367
depletion of catecholamines from rabbit atria, influence on inotropic action of phenylephrine, 274
effect of potentiation of responses to adrenergic amines produced by cocaine or 4-tropolone acetamide in rabbit aortic strips, 320
-induced hypothermia, reversal by L-dopa and enhancement of response by decarboxylase inhibitors, 406
induction of vasoconstriction by certain adrenergic stimulants after, 297
inhibition of positive inotropic effect of gallamine by, 266

inhibitory effects on release of norepinephrine from isolated rat iris by field stimulation, 332
RP-12278, bis[(chloro-7″-quinolyl-4″)amino-2′-propyl]-1,4-piperazine, antimalerial agent, neuromuscular blocking properties of, 44
Ruddon, R. W., *see* Carlson, G. M., 367, 377
Ryan, M. J., *see* Boerth, R. C., 52

Salicylate, combination with other drugs, effects on inflammation induced by carrageenan, 423
Sartorius muscle
frog, actions of tetraethylammonium ions on potassium fluxes in, 230
rectus abdominis and, effect of SKF 525-A on excitation-contraction coupling in frogs, 33
Sastry, B. V. R., *see* Chiou, C. Y., 351
Saul, W., *see* Koppanyi, T., 170
Schmiege, S. K., *see* Carlson, G. M., 377
Sciatic nerve(s)
frog, sheathed and desheathed, effect of SKF 525-A on conduction, 33
intact and desheathed, effects of pH gradients on action of procaine and lidocaine in, 1
trunks, intact and desheathed, effects of pH gradients on uptake and distribution of C^{14}-procaine and lidocaine in, 18
Scilliroside, effect on interaction of Ca^{++} with mitochondria, 180
Scuto, T. J., *see* Gray, W. D., 154
Sharma, R. P., Stowe, C. M. and Good, A. L.: Studies on the distribution and metabolism of thiopental in cattle, sheep, goats and swine, 128
Sinoatrial node, biphasic effect of nicotine on action potential repolarization in guinea pig, 255
SKF 525-A, sites of action in nerve and muscle, 33
Smooth muscle
aortic, antagonism of phentolamine against exogenously administered and endogenously released norepinephrine in, 310
aortic, comparison of retentions of methoxamine and norepinephrine in, 91
Sodium
transport and metabolism in toad bladder, effect of bendroflumethiazide on, 203
transport in human erythrocyte ghosts, drugs affecting, 211
Sodium 5-(1,3-dimethylbutyl)-5-ethyl barbiturate, jumping activity induced by, role of sympathetic nervous system, 170
Splanchnic nerve, stimulation, cholinergic agents and, comparison of differential secretion of adrenal catecholamines by, 69
Splanchnicotomy, influence on nicotine-induced inhibition of contractile activity in stomach and duodenum of dog, 377
Spleen, perfused, cat, effects of metabolic inhibitors on norepinephrine release from, 342
Stitzel, R. E., *see* Urquilla, P. R., 310
Stomach
of dog, duodenum and, influence of nicotine on contractile activity in, 377
of dog, duodenum and, inhibition of contractile activity by nicotine and catecholamines in, 367
Stowe, C. M., *see* Sharma, R. P., 128
Strobel, G. E. and Bianchi, C. P.: The effects of pH gradients on the action of procaine and lidocaine in intact and desheathed sciatic nerves, 1
Strobel, G. E. and Bianchi, C. P.: The effects of pH gradients on the uptake and distribution of C^{14}-procaine and lidocaine in intact and desheathed sciatic nerve trunks, 18
Strophanthidin, effect on interaction of Ca^{++} with mitochondria, 180
Strychnine, lack of effect on responses of mammalian autonomic ganglia to γ-aminobutyric acid, 384
Su, C. and Bevan, J. A.: The release of H^3-norepinephrine in arterial strips studied by the technique of superfusion and transmural stimulation, 62
Suarez-Kurtz, G. and Bianchi, C. P.: Sites of action of SKF 525-A in nerve and muscle, 33
Succinylcholine, lack of effect on contracture produced by RP-12278, 44
Sulfhydryl inhibitors, effects on release of norepinephrine from spleen, 342
Sullivan, L. P., *see* McDougal, B., 203
Swingle, K. F., Grant, T. J., Jaques, L. W. and Kvam, D. C.: Interactions of anti-inflammatory drugs in carrageenan-induced foot edema of the rat, 423
Sympathetic nerve, stimulation, effects of phenoxybenzamine, cocaine and tripelennamine on release of norepinephrine-H^3 during, 52
Sympathetic nervous system, role of, jumping activity induced by sodium 5-(1,3-dimethylbutyl)-5-ethyl barbiturate, 170
Sympathomimetic amines, mephentermine and, evaluation of vasodilation produced by, 297
Synephrine, lack of effect of catechol-O-methyltransferase inhibition by 4-tropolone acetamide on responses in rabbit aortic strips, 320

Tachyphylaxis, reversal by norepinephrine, 266
Takahashi, S., *see* Yanagita, T., 163
Temperature, elevation in mice exhibiting jumping activity induced by sodium 5-(1,3-dimethylbutyl)-5-ethyl barbiturate, 170
Tetracaine, effect on sodium transport in red cell ghosts, 211
Tetraethylammonium

XUM

effect on action potentials and cycle length in guinea-pig atria, 255
ions, actions on potassium fluxes in frog sartorius muscle, 230
Tetrodotoxin, blockade of release of H^3-norepinephrine by arterial strips, 62
Thiazide, effect of bendroflumethiazide on sodium transport and metabolism in toad bladder, 203
Thiopental, studies on distribution and metabolism in cattle, sheep, goats and swine, 128
Tissue, adipose, of cattle, sheep, goats and swine, concentrations of thiopental in, 128
β-TM 10, effect on pharmacological, biochemical and morphological changes induced by denervation of nictitating membrane of cat, 77
Tolazoline, reduction of nicotine- and catecholamine-induced inhibition of contractile activity in stomach and duodenum of dog by, 367
Transverse tubules, frog sartorius muscle, effect of tetraethylammonium ions on, 230
Trendelenburg, U., Maxwell, R. A. and Pluchino, S.: Methoxamine as a tool to assess the importance of intraneuronal uptake of *l*-norepinephrine in the cat's nictitating membrane, 91
Trendelenburg, U., *see* Pluchino, S., 77
Tripelennamine
decreased potentiation of norepinephrine responses by cocaine after, 320
phenoxybenzamine, cocaine and, effect on release of histamine-C^{14} and norepinephrine-H^3, 52
4-Tropolone acetamide, increase of contractile responses of adrenergic amines in rabbit aortic strips, 320
d-Tubocurarine
failure to inhibit positive inotropic response to gallamine, 266
lack of effect on contracture produced by RP-12278, 44
Tyramine
antagonism of effects by phentolamine in rabbit aortic strips, 310
competitive inhibition of uptake of H^3-bethanidine by heart slices, 100
effects of acidosis on chronotropic responses to, 289
Tyrosine, circulating, daily rhythm in accumulation of brain catecholamines synthesized from, 416
Tyrosine hydroxylase, influence of H44/68 on, 332

Urine, of cattle, sheep, goats and swine, excretion of thiopental in, 128
Urquilla, P. R., Stitzel, R. E. and Fleming, W. W.: The antagonism of phentolamine against exogenously administered and endogenously released norepinephrine in rabbit aortic strips, 310

Vachon, M. and Marchand, C.: The influence of morphine on magnesium metabolism in rats, 122
Vagotomy, influence on nicotine-induced inhibition of contractile activity in stomach and duodenum of dog, 377
Van Orden, L. S., III, *see* Pluchino, S., 77
Vasodilation, produced by mephentermine and certain other sympathomimetic amines, evaluation of, 297
Vein, portal, rabbit, relaxation by mephentermine, 297
Ventricle, right, of guinea pigs, effects of six cardiac glycosides on transmembrane potential and contractile characteristics of, 188
Volle, R. L.: The actions of tetraethylammonium ions of potassium fluxes in frog sartorius muscle, 230

Watrous, W. M., May, D. G. and Fujimoto, J. M.: Mechanism of the renal tubular transport of morphine and morphine ethereal sulfate in the chicken, 224
Weise, V. K., *see* Krauss, K. R., 282
Wiseman, E. H., Gralla, E. J., Chiaini, J., Migliardi, J. R. and Chang, Y.-H.: Dioxoisoquinoline-4-carboxanilides, novel nonsteroidal anti-inflammatory agents with a species-specific effect on basal metabolism, 138
Wurtman, R. J., *see* Zigmond, M. J., 416
Wuttke, W. and Kelleher, R. T.: Effects of some benzodiazepines on punished and unpunished behavior in the pigeon, 397

Yamamoto, H., *see* Kirpekar, S. M., 342
Yanagita, T. and Takahashi, S.: Development of tolerance to and physical dependence on barbiturates in rhesus monkeys, 163
Yoo, C. S. and Lee, W. C.: Blockade of the cardiac action of phenylephrine by bretylium or cocaine, 274

Zigmond, M. J. and Wurtman, R. J.: Daily rhythm in the accumulation of brain catecholamines synthesized from circulating H^3-tyrosine, 416

XUM

VOLUME 172 MARCH–APRIL 1970

THE JOURNAL OF
Pharmacology
AND EXPERIMENTAL THERAPEUTICS

FOUNDED BY JOHN J. ABEL 1909

Official Publication of The American Society for Pharmacology and Experimental Therapeutics, Inc.

EDITOR

MARION DEV. COTTEN

EDITORS FOR SPECIFIC FIELDS

JOSEPH COCHIN: *Analgesia and Drug Abuse*
J. RICHARD CROUT: *Autonomic Pharmacology*
BERNARD WEISS: *Behavioral Pharmacology*
BERT N. LA DU: *Biochemical Pharmacology*
HENRY H. SWAIN: *Cardiovascular Pharmacology*
JOHN R. BLINKS: *Cell Pharmacology*
MILTON T. BUSH: *Drug Metabolism and Disposition*
ALFRED HELLER: *Neuroendocrine Pharmacology*
WILLIAM K. RIKER: *Neuropharmacology*
IRWIN M. WEINER: *Renal Pharmacology*
KENNETH P. DUBOIS: *Toxicology*

EDITORIAL ADVISORY BOARD

Julius Axelrod
Lloyd Beck
William O. Berndt
Michael J. Brody
Theodore M. Brody
George A. Condouris
Theodore Cooper
E. E. Daniel
D. Joseph Demis
G. A. Deneau
Peter E. Dresel
Ronald W. Estabrook
William W. Fleming
Thomas E. Gaffney
William F. Ganong
James R. Gillette
Jack Peter Green
Anthony J. Hance
Louis S. Harris
David Jacobowitz
R. T. Kelleher
Ronald G. Kuntzman
S. Morris Kupchan
Victor G. Laties
Bernard Levy
Benedict R. Lucchesi
Harriet M. Maling
Bernard H. Marks
Steven E. Mayer
John A. Oates
Gabriel L. Plaa
Lincoln T. Potter
Charles B. Smith
Frank G. Standaert
C. D. Thron
Elwood O. Titus
U. Trendelenburg
Joan Vernikos-Danellis
Andrew G. Wallace
Douglas R. Waud
Norman Weiner
Herbert Weissbach
Albert Weissman
Martin M. Winbury
Richard J. Wurtman

BOARD OF PUBLICATIONS TRUSTEES

WALTER F. RIKER, JR., *Chairman*; GEORGE H. ACHESON, EDWARD J. CAFRUNY, MARION DEV. COTTEN
ROBERT F. FURCHGOTT, GEORGE H. MANDEL, WALTER MODELL, PAUL TALALAY, E. LEONG WAY

EXECUTIVE OFFICER OF THE SOCIETY

ELLSWORTH B. COOK

XUM

Copyright © 1970, by The Williams & Wilkins Company

XUM

CONTENTS OF VOLUME 172

No. 1, March 1970

The Effects of pH Gradients on the Action of Procaine and Lidocaine in Intact and Desheathed Sciatic Nerves. George E. Strobel and C. Paul Bianchi 1

The Effects of pH Gradients on the Uptake and Distribution of C^{14}-Procaine and Lidocaine in Intact and Desheathed Sciatic Nerve Trunks. George E. Strobel and C. Paul Bianchi 18

Sites of Action of SKF 525-A in Nerve and Muscle. G. Suarez-Kurtz and C. Paul Bianchi 33

The Neuromuscular Blocking Properties of the Antimalarial Agent, Bis[(Chloro-7″-Quinolyl-4″)Amino-2′-Propyl]-1,4-Piperazine. T. R. Castles, E. Loth, C. R. Crawford and C. C. Lee 44

Pharmacologic Blockade of Reflex Vasodilatation: Effects on Postulated Neurohumoral Mechanisms. Robert C. Boerth, Michael J. Ryan and Michael J. Brody 52

The Release of H^3-Norepinephrine in Arterial Strips Studied by the Technique of Superfusion and Transmural Stimulation. Che Su and John A. Bevan 62

Comparison of Differential Secretion of Adrenal Catecholamines by Splanchnic Nerve Stimulation and Cholinergic Agents. Larry R. Klevans and Gerard L. Gebber. 69

The Effect of β-TM 10 on the Pharmacological, Biochemical and Morphological Changes Induced by Denervation of the Nictitating Membrane of the Cat. S. Pluchino, L. S. Van Orden, III, P. R. Draskoćzy, S. Z. Langer and U. Trendelenburg.. 77

Methoxamine as a Tool to Assess the Importance of Intraneuronal Uptake of *l*-Norepinephrine in the Cat's Nictitating Membrane. U. Trendelenburg, R. A. Maxwell and S. Pluchino 91

Guanethidine and Related Agents. I. Mechanism of the Selective Blockade of Adrenergic Neurons and Its Antagonism by Drugs. J. R. Mitchell and J. A. Oates. 100

Guanethidine and Related Agents. II. Metabolism by Hepatic Microsomes and Its Inhibition by Drugs. J. R. Mitchell, J. H. Cavanaugh, J. V. Dingell and J. A. Oates 108

The Metabolism of C^{14}-ICI 54,450 (Myalex) in Various Species—An *in Vivo* NIH Shift. David M. Foulkes 115

The Influence of Morphine on Magnesium Metabolism in Rats. Marc Vachon and Claude Marchand 122

Studies on the Distribution and Metabolism of Thiopental in Cattle, Sheep, Goats and Swine. R. P. Sharma, C. M. Stowe and A. L. Good 128

Dioxoisoquinoline-4-Carboxanilides, Novel Nonsteroidal Anti-Inflammatory Agents with a Species-Specific Effect on Basal Metabolism. Edward H. Wiseman, Edward J. Gralla, Josephine Chiaini, Joseph R. Migliardi and Yi-Han Chang 138

Measurement of the Analgesic Efficacy and Potency of Pentazocine by the D'Amour and Smith Method. William D. Gray, Arnold C. Osterberg and Thomas J. Scuto 154

Development of Tolerance to and Physical Dependence on Barbiturates in Rhesus Monkeys. Tomoji Yanagita and Saburo Takahashi 163

Jumping Activity Induced by Sodium 5-(1,3-Dimethylbutyl)-5-Ethyl Barbiturate. I. The Role of the Sympathetic Nervous System. T. Koppanyi, H. M. Maling, W. Saul and B. B. Brodie 170

Effect of Cardiac Glycosides on Interaction of Ca^{++} with Mitochondria. Kwang S. Lee, Sa A. Hong and D. H. Kang 180

The Effects of Six Cardiac Glycosides on the Transmembrane Potential and Contractile Characteristics of the Right Ventricle of Guinea Pigs. M. Ito, P. B. Hollander, B. H. Marks and S. Dutta 188

Letters to the Editor ..... Cover 2

XUM

No. 2, April 1970

The Role of Carbonic Anhydrase in Anion Secretion into Cerebrospinal Fluid. Thomas H. Maren and Lawrence E. Broder 197
Studies of the Effect of Bendroflumethiazide on Sodium Transport and Metabolism in the Toad Bladder. Barbara McDougal and Lawrence P. Sullivan 203
Drugs Affecting Sodium Transport in Human Erythrocyte Ghosts. A. Askari and S. N. Rao 211
Mechanism of the Renal Tubular Transport of Morphine and Morphine Ethereal Sulfate in the Chicken. William M. Watrous, David G. May and James M. Fujimoto 224
The Actions of Tetraethylammonium Ions on Potassium Fluxes in Frog Sartorius Muscle. Robert L. Volle 230
Effect of Lidocaine on Conduction in Canine Purkinje Fibers and at the Ventricular Muscle-Purkinje Fiber Junction. J. Thomas Bigger and William J. Mandel 239
Biphasic Effect of Nicotine on Action Potential Repolarization in Electrically Driven Guinea-Pig Atria. Achilles J. Pappano 255
The Sympathomimetic Effect of Gallamine on the Heart. Burnell R. Brown, Jr. and J. Richard Crout 266
Blockade of the Cardiac Action of Phenylephrine by Bretylium or Cocaine. C. S. Yoo and W. C. Lee 274
The Effect of Bretylium on Amine Retention in Rat Heart. Kenneth R. Krauss, Irwin J. Kopin and Virginia K. Weise 282
The Effects of Acidosis on Chronotropic Responses, Norepinephrine Storage and Release in Isolated Guinea-Pig Atria. M. J. Peach, G. D. Ford, A. J. Azzaro and W. W. Fleming 289
An Evaluation of the Vasodilation Produced by Mephentermine and Certain Other Sympathomimetic Amines. R. William Caldwell and Leon I. Goldberg 297
The Antagonism of Phentolamine against Exogenously Administered and Endogenously Released Norepinephrine in Rabbit Aortic Strips. Pedro R. Urquilla, Robert E. Stitzel and William W. Fleming 310
Interactions between Potentiating Agents of Adrenergic Amines in Rabbit Aortic Strips. Jerome A. Levin and Robert F. Furchgott 320
Release of Norepinephrine from Isolated Rat Iris by Field Stimulation. Lars-Ove Farnebo and Bertil Hamberger 332
Effects of Metabolic Inhibitors on Norepinephrine Release from the Perfused Spleen of the Cat. S. M. Kirpekar, J. C. Prat and H. Yamamoto 342
Cholinergic Activities of Halogeno-Acetylcholines. C. Y. Chiou and B. V. Rama Sastry 351
Effects of Nicotine on Gastric Antral and Duodenal Contractile Activity in the Dog. G. M. Carlson, R. W. Ruddon, C. C. Hug, Jr. and Paul Bass 367
Analysis of the Site of Nicotine Action on Gastric Antral and Duodenal Contractile Activity. G. M. Carlson, R. W. Ruddon, C. C. Hug, Jr., S. K. Schmiege and Paul Bass 377
The Actions of γ-Aminobutyric Acid and Related Amino Acids on Mammalian Autonomic Ganglia. William C. de Groat 384
Effects of Some Benzodiazepines on Punished and Unpunished Behavior in the Pigeon. W. Wuttke and R. T. Kelleher 397
Potentiation and Inhibition of Some Central Actions of L(−)-Dopa by Decarboxylase Inhibitors. Victor J. Lotti and Curt C. Porter 406
Daily Rhythm in the Accumulation of Brain Catecholamines Synthesized from Circulating H^3-Tyrosine. Michael J. Zigmond and Richard J. Wurtman 416
Interactions of Anti-Inflammatory Drugs in Carrageenan-Induced Foot Edema of the Rat. Karl F. Swingle, Thomas J. Grant, Lowell W. Jaques and Donald C. Kvam 423
Index, Volume 172, March–April 1970 427
Letters to the Editor ..... Cover 2

INDEX

Volume 173, May–June 1970

Abel, R. M., Staroscik, R. N. and Reis, R. L.: The effects of diazepam (Valium) on left ventricular function and systemic vascular resistance, 364

Abortion, in pregnant rats, influence of lysergic acid diethylamide on, 48

Acetylcholine-induced release of norepinephrine in presence of tetrodotoxin, 416

Acetylcholinesterase, distribution in sympathetic ganglia of immunosympathectomized rats, 205

Addiction, alcohol, effect of intake on behavioral and biologic patterns in humans, 101

Adenosine triphosphatase, sodium- and potassium-activated, cardiac activity, correlation with ouabain-induced inotropic stimulation, 145

Adrenergic blocking agents
- *alpha* and *beta*, effect on responses of toad bladder to thiopental, 308
- antagonism of effects of L-3,4-dihydroxyphenylalanine on spinal reflexes by, 224

Adrenergic mechanisms, responsible for submandibular salivary glandular hypertrophy in rat, 166

Adrenergic nerves, in rabbit aorta, conformational similarities between molecular models of phenethylamine and of potent inhibitors of uptake of tritiated norepinephrine by, 158

Adrenergic receptors, in heart muscle, relations among factors influencing sensitivity of cat papillary muscle to catecholamines, 383

Akera, T., Larsen, F. S. and Brody, T. M.: Correlation of cardiac sodium- and potassium-activated adenosine triphosphatase activity with ouabain-induced inotropic stimulation, 145

Alcohol, consumption pattern in chronic alcoholics, 101

Alcoholics, experimentally induced intoxication in, comparison between programed and spontaneous drinking, 101

Alexander, G. J., Gold, G. M., Miles, B. E. and Alexander, R. B.: Lysergic acid diethylamide intake in pregnancy: Fetal damage in rats, 48

Alexander, R. B., *see* Alexander, G. J., 48

Alpha adrenergic blockade, influence of phenoxybenzamine on salivary gland hypertrophy in rat, 166

Amedephrine, lack of effect on growth of salivary gland in rat, 166

Amines, sympathomimetic, submandibular salivary glandular hypertrophy in rat induced by, 166

p-Aminohippuric acid (PAH) in dog, glucose and, renal tubular reabsorption of, 1

Aminophylline, effect on size of salivary gland in rat, 166

Amobarbital, chlordiazepoxide, chlorpromazine and, hypotensive effects on behaviorally induced elevated arterial blood pressure in squirrel monkey, 399

Amphetamine, desipramine and, influence on release of norepinephrine from sympathetic nerve endings in rat heart by metaraminol, 152

Amphetamine sulfate, activity on iodoacetamide spin-labeled bovine erythrocyte ghost membranes, 78

Andersen, N. B.: The effect of a convulsant (butyl crotyl thiobarbituric acid) and an anesthetic (thiopental) on the sodium fluxes in toad bladder, 317

Andersen, N. B.: The effect of thiopental and catecholamines on the sodium fluxes in toad bladder, 308

Anderson, E. G., *see* Baker, R. G., 212, 224

Anesthetic (thiopental), a convulsant (butyl crotyl thiobarbituric acid) and, effect on sodium fluxes in toad bladder, 317

Aniline, as substrate, changes in enzyme kinetics in hepatic microsomes produced by magnesium with, 233

Antidepressants, tricyclic, inhibitors of uptake of tritiated norepinephrine by adrenergic nerves in rabbit aorta, conformational similarities between molecular models of phenethylamine and, 158

Antiserum, nerve growth factor, effects on cell populations and acetylcholinesterase in sympathetic ganglia of neonatal rats, 205

Aorta, rabbit, conformational similarities between molecular models of phenethylamine and of potent inhibitors of uptake of tritiated norepinephrine by adrenergic nerves in, 158

Arrhythmias, ventricular, in dogs, effect of carbamazepine (Tegretol) on, 323

Atropine
- influence on transmission in sympathetic ganglion, 193
- reversal of antiavoidance activity of perphenazine by, 117

Au, W. Y. W., *see* Slotkin, T. A., 26

Baboon (*Papio papio*), anticonvulsant effects of phenobarbital, diphenylhydantoin and two benzodiazepines in, 125

Bagwell, E. E. and Daniell, H. B.: Comparative

XUM

effects of dopamine and norepinephrine on myocardial function and metabolism during experimental cardiogenic shock, 357
Baker, R. G. and Anderson, E. G.: The antagonism of the effects of L-3,4-dihydroxyphenylalanine on spinal reflexes by adrenergic blocking agents, 224
Baker, R. G. and Anderson, E. G.: The effects of L-3,4-dihydroxyphenylalanine on spinal reflex activity, 212
Barbital, interactions with Δ^1-tetrahydrocannabinol, effects on motor activity and sleeping time in rats, 94
Barbiturate(s)
(butyl crotyl thiobarbituric acid), effect on sodium fluxes in toad bladder, 317
hypotensive effects on behaviorally induced elevated arterial blood pressure in squirrel monkey, 399
methamphetamine and, interactions of Δ^1-tetrahydrocannabinol with, 94
Barium, contractile effects on renal vascular smooth muscle, inhibition by desipramine, 407
Barry, H., III, *see* Kubena, R. K., 94
Bassett, A. L., Bigger, J. T., Jr. and Hoffman, B. F.: "Protective" action of diphenylhydantoin on canine Purkinje fibers during hypoxia, 336
Behavior
effects of chlordiazepoxide, amobarbital and chlorpromazine in squirrel monkeys made hypotensive by environmental means, 399
experimentally induced intoxication in alcoholics, 101
punished and nonpunished, in pigeons, role of tryptaminergic mechanisms in, 277
Benson, H., Herd, J. A., Morse, W. H. and Kelleher, R. T.: Hypotensive effects of chlordiazepoxide, amobarbital and chlorpromazine on behaviorally induced elevated arterial blood pressure in the squirrel monkey, 399
Benzodiazepines, two, in baboons subjected to intermittent photic stimulation, anticonvulsant activities of, 125
Benzphetamine, as substrate, increase in enzyme kinetics in hepatic microsomes produced by magnesium with, 233
Benztropine, reversal of antiavoidance activity of perphenazine by, 117
Benzyl alcohol, activity on iodoacetamide spin-labeled bovine erythrocyte ghost membranes, 78
Beta adrenergic blockade, inhibition of salivary gland hypertrophy in rat by MJ 1999 and propranolol, 166
Bigger, J. T., Jr., *see* Bassett, A. L., 336
Bile
excretion of steroidal hormones in, 43
formation, sulfobromophthalein excretion and, influence of steroidal hormones on, 37
Bing, R. J., *see* Leb, G., 138
Bladder
toad, effect of a convulsant (butyl crotyl thiobarbituric acid) and an anesthetic (thiopental) on sodium fluxes in, 317
toad, effect of thiopental and catecholamines on sodium fluxes in, 308
Blood
alcohol levels in alcoholics on spontaneous and programed drinking patterns, 101
levels of, and urinary excretion of harmine and its metabolites in man and rats, 26
pressure and coronary flow in anesthetized closed-chest dog, effect of nicotine on, 138
pressure and flow, during cardiogenic shock produced by coronary embolization with plastic microspheres in dog, 357
pressure and flow, effects of perhexiline on, 371
pressure, effects of chlordiazepoxide, amobarbital and chlorpromazine in squirrel monkeys made hypotensive by environmental means, 399
Blood vessels, effects of diazepam (Valium) on left ventricular function and systemic vascular resistance, 364
Brain
comparison of effects of melengestrol acetate and hydrocortisone acetate on experimental allergic encephalomyelitis in rats, 85
lack of effect of ouabain on sodium- and potassium-activated adenosine triphosphatase isolated from, 145
slices, rat, effects of desmethylimipramine and cocaine on uptake, retention and metabolism of H^3-tyramine in, 176
Brainstem, slices of, in rat, effects of desmethylimipramine and cocaine on uptake, retention and metabolism of H^3-tyramine in, 176
Brenner, G. M. and Stanton, H. C.: Adrenergic mechanisms responsible for submandibular salivary glandular hypertrophy in the rat, 166
Bretylium, effect on acetylcholine-induced release of norepinephrine in tetrodotoxin-treated spleen, 416
Bretylium tosylate, electrophysiologic effects on single fibers of canine specialized conducting system and ventricle, 344
Brody, T. M., *see* Akera, T., 145
Bromolysergic acid, effect on punished and nonpunished behavior in pigeons, 277
Bullfrog, drug induction and suppression of stimulus-bound repetition in sympathetic ganglion of, 284
Burghardt, C. R., *see* Dalton, C., 270
Butyl crotyl thiobarbituric acid (convulsant), an

anesthetic (thiopental) and, effect on sodium fluxes in toad bladder, 317

Cafruny, E. J., *see* Cho, K. C., 1
Calcium
concentration in rat uterus, lack of effect of ouabain on, 293
influence on inhibitory action of desipramine on renal vascular responses to norepinephrine, 407
Carbamazepine (Tegretol), antiarrhythmic actions of, 323
Carbon tetrachloride, other inhibitors of drug metabolism and, effect on activities of estradiol-17β and estrone in rat, 247
Cardiac work, in anesthetized closed-chest dog, effect of nicotine on, 138
Cardon, P. V., *see* Prindle, K. H., Jr., 133
Carlson, G. P. and DuBois, K. P.: Studies on the toxicity and biochemical mechanism of action of 6-methyl-2,3-quinoxalinedithiol cyclic carbonate (Morestan), 60
Carpenter, D. O., *see* Krauss, K. R., 416
Cat(s)
antagonism of effects of L-3,4-dihydroxyphenylalanine on spinal reflexes by adrenergic blocking agents in, 224
influence of tetrodotoxin on acetylcholine-induced release of norepinephrine from isolated spleen of, 416
papillary muscle of, adrenergic receptors in heart, relations among factors influencing sensitivity to catecholamines, 383
papillary muscles of, effects of psychopharmacologic agents on myocardial contractility, 133
spinal reflex activity in, effects of L-3,4-dihydroxyphenylalanine on, 212
Catecholamine(s)
adrenergic receptors in heart muscle, relations among factors influencing sensitivity of cat papillary muscle to, 383
effects of bretylium and tetrodotoxin on acetylcholine-induced release of, 416
role in responses of single fibers of canine specialized conducting system and ventricle, 344
thiopental and, effect on sodium fluxes in toad bladder, 308
Caudate, slices of, in rat, effects of desmethylimipramine and cocaine on uptake, retention and metabolism of H^3-tyramine in, 176
Cell(s)
fat, isolated, rat, release of free fatty acids from, effect of Ro 7-2956, norepinephrine and theophylline on, 270
mammalian, influence of sugars and metabolic inhibitors on accumulation of chloroquine by, 71
sympathetic, populations, acetylcholinesterase and, effects of nerve growth factor antiserum in neonatal rats, 205
Central nervous system, interactions of Δ^1-tetrahydrocannabinol with barbiturates and methamphetamine in rats, 94
Chaplin, E., *see* Maxwell, R. A., 158
Chloral hydrate, lack of effect of benztropine on antiavoidance activity of, 117
Chlordiazepoxide
amobarbital, chlorpromazine and, hypotensive effects on behaviorally induced elevated arterial blood pressure in squirrel monkey, 399
effect on myocardial contractility, 133
lack of effect of benztropine on antiavoidance activity of, 117
Chlorisondamine, influence on transmission in sympathetic ganglion, 193
2-Chloro-7-hydroxypromazine, activity on iodoacetamide spin-labeled bovine erythrocyte ghost membranes, 78
2-Chlorophenothiazine, activity on iodoacetamide spin-labeled bovine erythrocyte ghost membranes, 78
Chloroquine-3-H^3, content in mammalian cells *in vitro*, effect of sugars and metabolic inhibitors on, 71
Chlorothiazide, effects of mefruside in water diuretic and hydropenic dog, comparison with, 422
Chlorpromazine
activity on iodoacetamide spin-labeled bovine erythrocyte ghost membranes, 78
antagonism of effects of L-3,4-dihydroxyphenylalanine on spinal reflexes by, 224
chlordiazepoxide, amobarbital and, hypotensive effects on behaviorally induced elevated arterial blood pressure in squirrel monkey, 399
effect on melanoma tyrosinase activity in mice, 256
effect on myocardial contractility, 133
reduction in antiavoidance activity of, in monkeys given benztropine, 117
2-Chlorpromazine, activity on iodoacetamide spin-labeled bovine erythrocyte ghost membranes, 78
Chlorprothixene, reduction in antiavoidance activity of, in monkeys given benztropine, 117
Cho, K. C. and Cafruny, E. J.: Renal tubular reabsorption of *p*-aminohippuric acid (PAH) in the dog, 1
Cocaine
desmethylimipramine and, effects on uptake, retention and metabolism of H^3-tyramine in rat brain slices, 176
influence on responses of cat papillary muscle to catecholamines in presence of a catechol-O-methyltransferase inhibitor, 383
inhibitor of uptake of tritiated norepinephrine

XUM

by adrenergic nerves in rabbit aorta, conformational similarities between molecular models of phenethylamine and, 158
Codeine-6-glucuronide, isolation and characterization from dog urine, 21
Conney, A. H., *see* Levin, W., 247
Convulsant (butyl crotyl thiobarbituric acid), an anesthetic (thiopental) and, effect on sodium fluxes in toad bladder, 317
Coronary blood flow, in anesthetized closed-chest dog, effect of nicotine on, 138
Coronary embolization, comparative effects of dopamine and norepinephrine on myocardial function and metabolism during experimental cardiogenic shock, 357
Cortex, parietal, slices of, in rat, effects of desmethylimipramine and cocaine on uptake, retention and metabolism of H^3-tyramine in, 176
Cortisone
excretion by isolated, perfused rat liver, 43
influence on hepato-biliary excretion of sulfobromophthalein, 37
Cyanide, effect on accumulation of chloroquine in mammalian cells, 71
Cyclohexene, formation of epoxide intermediate during microsomal oxidation to glycols, 242
Cyproheptidine, reversal of antiavoidance activity of perphenazine by, 117
Cytochrome *c* reductase, in hepatic microsomes, production by magnesium of increased activity of, 233
Cytochrome P-450, in hepatic microsomes, production by magnesium of increased activity of, 233

Dalton, C., Quinn, J. B., Burghardt, C. R. and Sheppard, H.: Investigation of the mechanism of action of the lipolytic agent 4-(3,4-dimethoxybenzyl)-2-imidazolidinone (Ro 7-2956), 270
Daniel, E. E., Massingham, R. and Nasmyth, P. A.: The mechanism of contractile effects of ouabain and zinc on the rat uterus, 293
Daniell, H. B., *see* Bagwell, E. E., 357
Damato, A. N.
see Steiner, C., 323
see Wit, A. L., 344
2-Deoxy-D-glucose, renal tubular transport of, in dogs and rats, competitive inhibition by D-glucose, 13
Deoxyglucose, effect on accumulation of chloroquine in mammalian cells, 71
Deoxypipradrol, inhibitor of uptake of tritiated norepinephrine by adrenergic nerves in rabbit aorta, conformational similarities between molecular models of phenethylamine and, 158
Derntl, F., *see* Leb, G., 138
Desipramine
activity on iodoacetamide spin-labeled bovine erythrocyte ghost membranes, 78
amphetamine and, influence on release of norepinephrine from sympathetic nerve endings in rat heart by metaraminol, 152
(DMI), studies on mechanism of inhibitory effect on vascular smooth muscle contraction, 407
Desmethylimipramine
cocaine and, effects on uptake, retention and metabolism of H^3-tyramine in rat brain slices, 176
increased effect of estrone on rat uterus after, 247
Despopoulos, A.: Excretion of sulfobromophthalein by perfused rat liver as influenced by steroidal hormones, 37
Despopoulos, A.: Excretory physiology of steroidal hormones in liver, 43
Diazepam
analogs of, in baboons subjected to intermittent photic stimulation, anticonvulsant activities of, 125
effect on myocardial contractility, 133
(Valium), effects on left ventricular function and systemic vascular resistance, 364
Digitonin, effect on response of tyrosinase to chlorpromazine in mouse melanoma, 256
Dihydroquinine, uptake by mammalian cells, effect of sucrose on, 71
L-3,4-Dihydroxyphenylalanine, effects on spinal reflex activity in cats, 212
4-(3,4-Dimethoxybenzyl)-2-imidazolidinone (Ro 7-2956), lipolytic agent, investigation of mechanism of action of, 270
Dimethylphenylpiperazinium, influence on transmission in sympathetic ganglion, 193
2,4-Dinitrophenol
effect on accumulation of chloroquine in mammalian cells, 71
lack of effect on renal tubular transport of 2-deoxy-D-glucose and D-glucose in dogs and rats, 13
Diphenylhydantoin
in baboons subjected to intermittent photic stimulation, anticonvulsant activities of, 125
"protective" action on canine Purkinje fibers during hypoxia, 336
DiStefano, V., *see* Slotkin, T. A., 26
Diuretic, water, hydropenic dog and, effects of mefruside, comparison with chlorothiazide, 422
Dog(s)
cardiovascular effects of perhexiline in, 371
closed-chest, anesthetized, effect of nicotine

on effective and total coronary blood flow in, 138
comparative effects of dopamine and norepinephrine on myocardial function and metabolism during experimental cardiogenic shock in, 357
effect of carbamazepine (Tegretol) on ventricular arrhythmias and cardiac conduction in, 323
effects of diazepam (Valium) on left ventricular function and systemic vascular resistance in, 364
hydrolysis of thalidomide in plasma, muscle and liver of, 265
hydropenic, water diuretic and, effects of mefruside in, comparison with chlorothiazide, 422
kidney, tubular reabsorption of *p*-aminohippuric acid (PAH) and glucose in, 1
kidney, tubular transport of 2-deoxy-D-glucose and D-glucose in, 13
open-chest, pentobarbital-anesthetized, correlation of sodium- and potassium-activated adenosine triphosphatase activity with positive inotropic effect of ouabain in, 145
Purkinje fibers of, "protective" action of diphenylhydantoin during hypoxia, 336
specialized conducting system and ventricle of, electrophysiologic effects of bretylium tosylate on single fibers of, 344
urine, isolation and characterization of codeine-6-glucuronide from, 21
Dopa
effects on spinal reflex activity in cats, 212
effects on spinal reflexes, antagonism by adrenergic blocking agents, 224
Dopamine
increased amount in spinal cords of cats given, 212
norepinephrine and, comparative effects on myocardial function and metabolism during experimental cardiogenic shock, 357
DuBois, K. P., *see* Carlson, G. P., 60

Eade, N. R. and Renton, K. W.: The effect of phenelzine and tranylcypromine on the degradation of meperidine, 31
Echothiophate, effect on stimulus-bound repetition in sympathetic ganglion cells of bullfrog, 284
Eckhardt, S. B., *see* Maxwell, R. A., 158
Electron spin resonance, spectra from spin-labeled erythrocyte ghost membranes, drug-induced changes in, effects of phenothiazine derivatives on, 78
Electrophysiology
effect of carbamazepine (Tegretol) on isolated perfused Purkinje fibers from dog heart, 323
effects of bretylium tosylate on single fibers of canine specialized conducting system and ventricle, 344
effects of perhexiline on conduction in dog heart, 371
"protective" action of diphenylhydantoin on canine Purkinje fibers during hypoxia, 336
Elliott, G. A., *see* Greig, M. E., 85
Encephalomyelitis, experimental allergic, in rats, comparison of effects of melengestrol acetate and hydrocortisone acetate on, 85
Enzymes, microsomal, inhibition by 6-methyl-2,3-quinoxalinedithiol cyclic carbonate (Morestan), 60
Epileptic-like seizures, induced in baboons by intermittent photic stimulation, 125
Epinephrine
effect on size of salivary gland in rat, 166
effect on sodium transport in toad bladder, 308
inhibition of contractile effect of ouabain and zinc on rat uterus by, 293
Epoxide intermediates, formation during microsomal oxidation of olefins to glycols, 242
Epstein, S. E., *see* Prindle, K. H., Jr., 133
Erythrocyte ghost membranes, spin-labeled, drug-induced changes in electron spin resonance spectra from, effects of phenothiazine derivatives on, 78
Estradiol
excretion by isolated, perfused rat liver, 43
influence on bile formation and sulfobromophthalein excretion, 37
Estradiol-17β, estrone and, in rat, effect of carbon tetrachloride and other inhibitors of drug metabolism on activities of, 247
Estrone, estradiol-17β and, in rat, effect of carbon tetrachloride and other inhibitors of drug metabolism on activities of, 247
Ethanol, activity on iodoacetamide spin-labeled bovine erythrocyte ghost membranes, 78
Ethobutamoxane, antagonism of effects of L-3,4-dihydroxyphenylalanine on spinal reflexes by, 224
Ethomoxane, reduction in antiavoidance activity of, in monkeys given benztropine, 117
Ethylnorepinephrine, effect on size of salivary gland in rat, 166

Fatty acids, free, release from rat isolated fat cells, effect of Ro 7-2956, norepinephrine and theophylline on, 270
Fetuses, rat, damage induced by lysergic acid diethylamide intake in pregnancy, 48
Fluoride, effect on accumulation of chloroquine in mammalian cells, 71
Fouts, J. R., *see* Peters, M. A., 233

XUM

Ganglion
sympathetic, drug induction and suppression of stimulus-bound repetition in, 284
sympathetic, differential blockade and potentiation of transmission in, 193
sympathetic, of neonatal rats, effects of nerve growth factor antiserum on cell populations and acetylcholinesterase in, 205
Gibbons, A. J., *see* Greig, M. E., 85
Gland, salivary, rat, hypertrophy, adrenergic mechanisms responsible for, 166
Glucose
effect of depletion on uptake of chloroquine by mammalian cells, 71
in dog, *p*-aminohippuric acid and, renal tubular reabsorption of, 1
D-Glucose, competitive inhibition of renal tubular transport of 2-deoxy-D-glucose in dogs and rats by, 13
Glycerol, release from rat isolated fat cells, effect of Ro 7-2956, norepinephrine and theophylline on, 270
Glycols, epoxide intermediates in microsomal oxidation of olefins to, 242
Gold, G. M., *see* Alexander, G. J., 48
Gold, H. K., *see* Prindle, K. H., Jr., 133
Graeff, F. G. and Schoenfeld, R. I.: Tryptaminergic mechanisms in punished and nonpunished behavior, 277
Greig, M. E., Gibbons, A. J. and Elliott, G. A.: A comparison of the effects of melengestrol acetate and hydrocortisone acetate on experimental allergic encephalomyelitis in rats, 85
Growth rates, of rats, effect of exposure to lysergic acid diethylamide during pregnancy on, 48
Guanethidine, prevention of salivary gland hypertrophy in rat, 166

Haloperidol, reduction in antiavoidance activity of, in monkeys given benztropine, 117
Hamster, hydrolysis of thalidomide in plasma, muscle and liver of, 265
Hanson, H. M., Stone, C. A. and Witoslawski, J. J.: Antagonism of the antiavoidance effects of various agents by anticholinergic drugs, 117
Harmine, and its metabolites in man and rats, blood levels and urinary excretion of, 26
Heart
contractility, effects of psychopharmacologic agents on, 133
correlation of sodium- and potassium-activated adenosine triphosphatase activity with positive inotropic effect of ouabain, 145
dog, effect of carbamazepine (Tegretol) on ventricular arrhythmias and cardiac conduction in, 323
dog, effects of diazepam (Valium) on left ventricular function and systemic vascular resistance, 364
dog, effects of diphenylhydantoin on Purkinje fibers during hypoxia, 336
dog, effects of perhexiline on contractile force, rate and conduction, 371
dog, electrophysiologic effects of bretylium tosylate on single fibers of canine specialized conducting system and ventricle, 344
dog, myocardial function and metabolism during experimental cardiogenic shock, comparative effects of dopamine and norepinephrine on, 357
effect of nicotine on rate, oxygen consumption, coronary blood flow, blood pressure and work in anesthetized closed-chest dog, 138
influence of phenoxybenzamine and a catechol-O-methyltransferase inhibitor on responses of cat papillary muscle to catecholamines, 383
rat, influences of amphetamine and desipramine on release of norepinephrine from sympathetic nerve endings by metaraminol in, 152
HeLa cells, accumulation of chloroquine in, 71
Herd, J. A., *see* Benson, H., 399
Hexamethonium, influence on transmission in sympathetic ganglion, 193
Hite, G., *see* Maxwell, R. A., 158
Hoffman, B. F., *see* Bassett, A. L., 336
Holmes, D. E. and Piette, L. H.: Effects of phenothiazine derivatives on biological membranes: Drug-induced changes in electron spin resonance spectra from spin-labeled erythrocyte ghost membranes, 78
Hormones
steroidal, excretion of sulfobromophthalein by perfused rat liver as influenced by, 37
steroidal, hepatic excretion of, 43
Hrdina, P. D. and Ling, G. M.: Studies on the mechanism of the inhibitory effect of desipramine (DMI) on vascular smooth muscle contraction, 407
Huang, K. C., *see* Woosley, R. L., 13
Hudak, W. J., Lewis, R. E. and Kuhn, W. L.: Cardiovascular pharmacology of perhexiline, 371
Humans, experimentally induced intoxication in alcoholics, 101
Hydrocortisone acetate, melengestrol acetate and, effectiveness in preventing and reversing experimental allergic encephalomyelitis in rats, 85
H^3-*p*-Hydroxyphenylacetic acid, synthesis from H^3-tyramine in rat brain slices, 176
8-Hydroxyquinoline, inhibition of contractile effect of ouabain and zinc on rat uterus by, 293
Hypertrophy, salivary gland, submandibular, in rat, adrenergic mechanisms responsible for, 166

Hypothalamus, slices of, in rat, effects of desmethylimipramine and cocaine on uptake, retention and metabolism of H^3-tyramine in, 176
Hypoxia, "protective" action of diphenylhydantoin on canine Purkinje fibers during, 336

Imidazole, effect on norepinephrine-, theophylline- and Ro 7-2956-stimulated lipolysis in rat isolated fat cells, 270
Imipramine, activity on iodoacetamide spin-labeled bovine erythrocyte ghost membranes, 78
Immunosympathectomy, reduction of cells in sympathetic ganglia after, effects on acetylcholinesterase, 205
Indene, formation of epoxide intermediate during microsomal oxidation to glycols, 242
Intermittent photic stimulation, epileptic-like seizures induced in baboons by, 125
Iodoacetamide, spin-labeled bovine erythrocyte ghost membranes, effects of phenothiazine derivatives on, 78
Iodoacetic acid, effect on accumulation of chloroquine in mammalian cells, 71
Isoproterenol
and induction of salivary gland hypertrophy in rat, 166
effect on sodium transport in toad bladder, 308
influence of phenoxybenzamine and a catechol-O-methyltransferase inhibitor on responses of cat papillary muscle to, 383
lack of effect on sodium- and potassium-activated adenosine triphosphatase in dog heart, 145

Kaumann, A. J.: Adrenergic receptors in heart muscle: Relations among factors influencing the sensitivity of the cat papillary muscle to catecholamines, 383
Kayaalp, S. O. and McIsaac, R. J.: Differential blockade and potentiation of transmission in a sympathetic ganglion, 193
Kelleher, R. T., *see* Benson, H., 399
α-Ketoglutarate oxidase, inhibition by 6-methyl-2,3-quinoxalinedithiol cyclic carbonate (Morestan) and 6-methyl-2,3-quinoxalinedithiol, 60
Kidney
dog, effects of mefruside and chlorothiazide on function of, 422
dogs and rats, tubular transport of 2-deoxy-D-glucose and D-glucose in, 13
dog, tubular reabsorption of *p*-aminohippuric acid (PAH) and glucose in, 1
inhibition of contractile effects of norepinephrine and barium on renal vascular smooth muscle by desipramine, 407
lack of effect of ouabain on sodium- and potassium-activated adenosine triphosphatase isolated from, 145
man and rats, excretion of harmine and its metabolites in, 26
Killam, E. K., *see* Stark, L. G., 125
Killam, K. F., *see* Stark, L. G., 125
Kim, Y. S., *see* Woosley, R. L., 13
Kirkendall, W. M., *see* Wilson, C. B., 422
Klingman, G. I.: The distribution of acetylcholinesterase in sympathetic ganglia of immunosympathectomized rats, 205
Kopin, I. J., *see* Krauss, K. R., 416
Kosay, S., *see* Riker, W. K., 284
Krauss, K. R., Carpenter, D. O. and Kopin, I. J.: Acetylcholine-induced release of norepinephrine in the presence of tetrodotoxin, 416
Kubena, R. K. and Barry, H., III: Interactions of Δ^1-tetrahydrocannabinol with barbiturates and methamphetamine, 94
Kuhn, W. L., *see* Hudak, W. J., 371

Lactation, lack of effect of lysergic acid diethylamide on, 48
Larsen, F. S., *see* Akera, T., 145
Leb, G., Derntl, F., Robin, E. and Bing, R. J.: The effect of nicotine on effective and total coronary blood flow in the anesthetized closed-chest dog, 138
Leibman, K. C. and Ortiz, E.: Epoxide intermediates in microsomal oxidation of olefins to glycols, 242
Leitz, F. H.: Mechanisms by which amphetamine and desipramine inhibit the metaraminol-induced release of norepinephrine from sympathetic nerve endings in rat heart, 152
Levin, W., Welch, R. M. and Conney, A. H.: Effect of carbon tetrachloride and other inhibitors of drug metabolism on the metabolism and action of estradiol-17β and estrone in the rat, 247
Lewis, R. E., *see* Hudak, W. J., 371
Librium, effect on myocardial contractility, 133
Lidocaine, suppression of changes in stimulus-bound repetition in sympathetic ganglion cells produced by physostigmine, 284
Ling, G. M., *see* Hrdina, P. D., 407
Lithium chloride, effect on myocardial contractility, 133
Liver
function in alcoholics, 101
hydrolysis of thalidomide in various species, 265
isolated, perfused, rat, excretory physiology of steroidal hormones in, 43
microsomal drug metabolism *in vitro* in, study of some possible mechanisms by which magnesium activates, 233
microsomes, metabolism of estradiol-17β and

XUM

estrone by, effect of carbon tetrachloride on, 247
perfused, rat, excretion of sulfobromophthalein by, influence of steroidal hormones on, 37
rabbit, epoxide intermediates in microsomal oxidation of olefins to glycols, 242
Lysergic acid diethylamide, fetal damage caused by exposure of pregnant rats to, 48
Lysosomes, possible role in chloroquine resistance, 71

Magnesium
concentration in rat uterus, lack of effect of ouabain on, 293
study of possible mechanisms of activation of hepatic microsomal drug metabolism *in vitro* by, 233
Magnesium chloride, influence on transmission in sympathetic ganglion, 193
Malate dehydrogenase, inhibition by 6-methyl-2,3-quinoxalinedithiol cyclic carbonate (Morestan) and 6-methyl-2,3-quinoxalinedithiol, 60
Man, rats and, blood levels and urinary excretion of harmine and its metabolites in, 26
Massingham, R., *see* Daniel, E. E., 293
Maxwell, R. A., Chaplin, E., Eckhardt, S. B., Soares, J. R. and Hite, G.: Conformational similarities between molecular models of phenethylamine and of potent inhibitors of the uptake of tritiated norepinephrine by adrenergic nerves in rabbit aorta, 158
McIsaac, R. J., *see* Kayaalp, S. O., 193
Mefruside, comparison of effects in water diuretic and hydropenic dog with chlorothiazide, 422
Melanoma, tyrosinase activity, effect of phenothiazines on, 256
Melengestrol acetate, hydrocortisone acetate and, effectiveness in preventing and reversing experimental allergic encephalomyelitis in rats, 85
Mello, N. K. and Mendelson, J. H.: Experimentally induced intoxication in alcoholics: A comparison between programed and spontaneous drinking, 101
Membranes, spin-labeled erythrocyte ghost, drug-induced changes in electron spin resonance spectra from, effects of phenothiazine derivatives on, 78
Mendelson, J. H., *see* Mello, N. K., 101
Meperidine, effect of phenelzine and tranylcypromine on degradation of, 31
Meprobamate, lack of effect of benztropine on antiavoidance activity of, 117
Metabolism
drug, hepatic microsomal, study of activation by magnesium *in vitro*, 233
formation of epoxide intermediates in microsomal oxidation of olefins to glycols, 242
myocardial function and, during experimental cardiogenic shock, comparative effects of dopamine and norepinephrine on, 357
of estradiol-17β and estrone as affected by carbon tetrachloride and other inhibitors in rat, 247
of harmine in man and rats, 26
of thalidomide in rhesus monkey, 265
uptake, retention and, of H^3-tyramine in rat brain slices, effects of desmethylimipramine and cocaine on, 176
Metabolites, of harmine, blood levels and urinary excretion in man and rats, 26
Metaraminol-induced release of norepinephrine from sympathetic nerve endings in rat heart, mechanisms by which amphetamine and desipramine inhibit, 152
Methamphetamine, barbiturates and, interactions of Δ^1-tetrahydrocannabinol with, 94
Methylphenidate, inhibitor of uptake of tritiated norepinephrine by adrenergic nerves in rabbit aorta, conformational similarities between molecular models of phenethylamine and, 158
6-Methyl-2,3-quinoxalinedithiol cyclic carbonate (Morestan), studies on toxicity and biochemical mechanism of action of, 60
Methyltestosterone
excretion by isolated, perfused rat liver, 43
influence on bile formation and sulfobromophthalein excretion, 37
α-Methyltryptamine, effect on punished and nonpunished behavior in pigeons, 277
Methysergide, effect on punished and nonpunished behavior in pigeons, 277
Mice
effect of phenothiazines on melanoma tyrosinase activity in, 256
hydrolysis of thalidomide in plasma, muscle and liver of, 265
influence of monoamine oxidase inhibitors on degradation of meperidine in, 31
toxicity of 6-methyl-2,3-quinoxalinedithiol cyclic carbonate (Morestan) and 6-methyl-2,3-quinoxalinedithiol in, 60
Microsomal enzymes, inhibition by 6-methyl-2,3-quinoxalinedithiol cyclic carbonate (Morestan), 60
Microsomes
hepatic, drug metabolism *in vitro*, study of some possible mechanisms by which magnesium activates, 233
hepatic, effect of carbon tetrachloride on metabolism of estradiol-17β and estrone, 247
hepatic, rabbit, formation of epoxide intermediates in oxidation of olefins to glycols, 242

XUM

Miles, B. E., *see* Alexander, G. J., 48
MJ 1999
and inhibition of salivary gland hypertrophy in rat, 166
effect on responses of toad bladder to thiopental, 308
Monkey(s)
rhesus, and other species, tissues of, thalidomide disposition and hydrolysis in, 265
squirrel, antagonism of antiavoidance effects of various agents by anticholinergic drugs in, 117
squirrel, hypotensive effects of chlordiazepoxide, amobarbital and chlorpromazine on behaviorally induced elevated arterial blood pressure in, 399
Monoamine oxidase inhibitors, influence on degradation of meperidine in mice, 31
Morestan (6-methyl-2,3-quinoxalinedithiol cyclic carbonate), studies on toxicity and biochemical mechanism of action of, 60
Morphine, influence on transmission in sympathetic ganglion, 193
Morse, W. H., *see* Benson, H., 399
Muscle(s)
effects of ouabain and zinc on contractility of rat uterus, 293
hydrolysis of thalidomide in various species, 265
papillary, cat, effects of psychopharmacologic agents on myocardial contractility, 133
papillary, cat, influence of phenoxybenzamine and a catechol-O-methyltransferase inhibitor on responses of cat papillary muscle to catecholamines, 383
skeletal, lack of effect of ouabain on sodium- and potassium-activated adenosine triphosphatase isolated from, 145
smooth, vascular, effects of perhexiline on, 371
smooth, vascular, rabbit, lack of release of norepinephrine from aorta after tricyclic antidepressants, deoxypipradrol, methylphenidate and cocaine, 158
smooth, vascular, renal, inhibition of contractile effects of norepinephrine and barium by desipramine, 407
Myocardial contractility, effects of psychopharmacologic agents on, 133

Nalorphine, influence on transmission in sympathetic ganglion, 193
Nasmyth, P. A., *see* Daniel, E. E., 293
Neonatal rats, effects of nerve growth factor antiserum on cell populations and acetylcholinesterase in sympathetic ganglia of, 205
Neostigmine, effect on stimulus-bound repetition in sympathetic ganglion cells of bullfrog, 284
Nerve(s)
adrenergic, in rabbit aorta, conformational similarities between molecular models of phenethylamine and of potent inhibitors of uptake of tritiated norepinephrine by, 158
endings, sympathetic, in rat heart, influences of amphetamine and desipramine on release of norepinephrine by metaraminol from, 152
splenic, cat, stimulation of, effects of bretylium and tetrodotoxin on release of norepinephrine from, 416
sympathetic, stimulation, lack of effect on sodium- and potassium-activated adenosine triphosphatase in dog heart, 145
Nerve growth factor antiserum, effects on cell populations and acetylcholinesterase in sympathetic ganglia of neonatal rats, 205
Nervous system, central, interactions of Δ^1-tetrahydrocannabinol with barbiturates and methamphetamine, 94
Nicotinamide adenine dinucleotide phosphate oxidase, in hepatic microsomes, production by magnesium of increased activity of, 233
Nicotine
effect on heart rate, coronary blood flow, blood pressure, work and oxygen consumption in anesthetized closed-chest dog, 138
influence on transmission in sympathetic ganglion, 193
Nicotinic acid, effect on norepinephrine-, theophylline- and Ro 7-2956-stimulated lipolysis in rat isolated fat cells, 270
Nitroglycerin, effects on coronary and peripheral vascular beds in dogs compared with effects on perhexiline, 371
Nitroreductase activity, effects of 6-methyl-2,3-quinoxalinedithiol cyclic carbonate (Morestan) and 6-methyl-2,3-quinoxalinedithiol on, 60
Nitroxide spin-label probe technique, detection of interaction between phenothiazine derivatives and erythrocyte ghost membranes, 78
Norepinephrine
acetylcholine-induced release in presence of tetrodotoxin, 416
contractile effects on renal vascular smooth muscle, inhibition by desipramine, 407
dopamine and, comparative effects on myocardial function and metabolism during experimental cardiogenic shock, 357
effect on size of salivary gland in rat, 166
effect on sodium transport in toad bladder, 308
increased amount in spinal cords of cats given, 212
influence of phenoxybenzamine and a catechol-O-methyltransferase inhibitor on responses of cat papillary muscle to, 383
influence on transmission in sympathetic ganglion, 193

XUM

metaraminol-induced release from sympathetic nerve endings in rat heart, mechanisms by which amphetamine and desipramine inhibit, 152
-stimulated lipolysis in rat isolated fat cells, 270
tritiated, uptake by adrenergic nerves in rabbit aorta, conformational similarities between molecular models of phenethylamine and of potent inhibitors of, 158
Norethandrolone, influence on bile formation and sulfobromophthalein excretion, 37
Norethynodrel, influence on bile formation and sulfobromophthalein excretion, 37
Norlutin, influence on bile formation and sulfobromophthalein excretion, 37

H^3-Octopamine, synthesis from H^3-tyramine in rat brain slices, 176
Ortiz, E., *see* Leibman, K. C., 242
Ouabain
-induced inotropic stimulation, correlation of cardiac sodium- and potassium-activated adenosine triphosphatase activity with, 145
zinc and, mechanism of contractile effects on rat uterus, 293
Oxygen, consumption, myocardial, in anesthetized closed-chest dog as affected by nicotine, 138

Papain, and induction of salivary gland hypertrophy in rat, 166
Papillary muscle(s)
cat, effects of psychopharmacologic agents on myocardial contractility, 133
cat, responses to catecholamines, influence of phenoxybenzamine and a catechol-O-methyltransferase inhibitor on, 383
Papio papio (baboon), anticonvulsant effects of phenobarbital, diphenylhydantoin and two benzodiazepines in, 125
Paraldehyde, lack of effect of benztropine on antiavoidance activity of, 117
Pargyline, potentiation of effects of dopa on transmission in spinal cords of cats, 212
Pentobarbital
interactions with Δ^1-tetrahydrocannabinol, effects on motor activity and sleeping time in rats, 94
lack of effect of benztropine on antiavoidance activity of, 117
Perhexiline, cardiovascular pharmacology of, 371
Perphenazine
activity on iodoacetamide spin-labeled bovine erythrocyte ghost membranes, 78
reduction in antiavoidance activity of, in monkeys given benztropine, 117
Peters, M. A. and Fouts, J. R.: A study of some possible mechanisms by which magnesium activates hepatic microsomal drug metabolism *in vitro*, 233
Phenelzine, tranylcypromine and, effect on degradation of meperidine, 31
Phenethylamine, molecular models of, conformational similarities between potent inhibitors of tritiated norepinephrine uptake by adrenergic nerves in rabbit aorta and, 158
Phenobarbital, in baboons subjected to intermittent photic stimulation, anticonvulsant activities of, 125
Phenothiazine(s)
derivatives, drug-induced changes in electron spin resonance spectra from spin-labeled erythrocyte ghost membranes, activity of, 78
effect on melanoma tyrosinase activity, 256
Phenoxybenzamine
antagonism of effects of L-3,4-dihydroxyphenylalanine on spinal reflexes by, 224
effect on responses of toad bladder to thiopental, 308
influence on responses of cat papillary muscle to isoproterenol, norepinephrine and field stimulation, 383
influence on salivary gland hypertrophy in rat, 166
lack of effect on contractile responses of renal vascular smooth muscle to barium, 407
Phentolamine, lack of effect on contractile responses of renal vascular smooth muscle to barium, 407
Phlorizin
influence on concentration pattern of glucose in urine, 1
reduction of renal tubular transport of 2-deoxy-D-glucose and D-glucose in dogs and rats by, 13
Physostigmine, effect on stimulus-bound repetition in sympathetic ganglion cells of bullfrog, 284
Piette, L. H., *see* Holmes, D. E., 78
Pigeon, role of tryptaminergic mechanisms in punished and nonpunished behavior of, 277
Plasma
dog, uptake of *p*-aminohippuric acid into, influence of probenecid on, 1
hydrolysis of thalidomide in various species, 265
Polet, H.: Influence of sucrose on chloroquine-3-H^3 content of mammalian cells *in vitro:* The possible role of lysosomes in chloroquine resistance, 71
Potassium
-activated adenosine triphosphatase activity, sodium- and, cardiac, correlation with ouabain-induced inotropic stimulation, 145
concentration in rat uterus, lack of effect of ouabain on, 293

excretion in water diuretic and hydropenic dog, comparison of effects of mefruside and chlorothiazide on, 422
Potassium chloride, influence on transmission in sympathetic ganglion, 193
Pregnancy, lysergic acid diethylamide and fetal damage in rats, 48
Primaquine, uptake by mammalian cells, effect of sucrose on, 71
Prindle, K. H., Jr., Gold, H. K., Cardon, P. V. and Epstein, S. E.: Effects of psychopharmacologic agents on myocardial contractility, 133
Probenecid
depression of hepatic excretion of steroidal hormones by, 43
influence on uptake of *p*-aminohippuric acid into plasma and concentration pattern in urine, 1
Procaine, influence on transmission in sympathetic ganglion, 193
Prochlorperazine, activity on iodoacetamide spin-labeled bovine erythrocyte ghost membranes, 78
Progesterone
excretion by isolated, perfused rat liver, 43
influence on bile formation and sulfobromophthalein excretion, 37
Pronethalol, antagonism of effects of L-3,4-dihydroxyphenylalanine on spinal reflexes by, 224
Propranolol
effect on norepinephrine-, theophylline- and Ro 7-2956-stimulated lipolysis in rat isolated fat cells, 270
effect on responses of single fibers of canine specialized conducting system and ventricle to bretylium tosylate, 344
influence on responses of cat papillary muscle to catecholamines in presence of a catechol-O-methyltransferase inhibitor, 383
inhibition of salivary gland hypertrophy in rat induced by isoproterenol, 166
lack of effect on positive inotropic response to lithium chloride, 133
Psychopharmacologic agents, effects on myocardial contractility, 133
Purkinje fibers
canine, "protective" action of diphenylhydantoin during hypoxia, 336
effect of carbamazepine (Tegretol) on electrophysiologic properties of, 323
effects of bretylium tosylate on, 344
Pyruvic dehydrogenase, inhibition by 6-methyl-2,3-quinoxalinedithiol cyclic carbonate (Morestan) and 6-methyl-2,3-quinoxalinedithiol, 60
Quinacrine, uptake by mammalian cells, effect of sucrose on, 71
Quinn, J. B., *see* Dalton, C., 270

Rabbit(s)
aorta, conformational similarities between molecular models of phenethylamine and of potent inhibitors of uptake of tritiated norepinephrine by adrenergic nerves in, 158
differential blockade and potentiation of transmission in sympathetic ganglion produced by drugs, 193
formation of epoxide intermediates in microsomal oxidation of olefins to glycols, 242
hydrolysis of thalidomide in plasma, muscle and liver of, 265
Rat(s)
adrenergic mechanisms responsible for submandibular salivary glandular hypertrophy in, 166
brain slices, effects of desmethylimipramine and cocaine on uptake, retention and metabolism of H^3-tyramine in, 176
comparison of effects of melengestrol acetate and hydrocortisone acetate on experimental allergic encephalomyelitis in, 85
effect of carbon tetrachloride on hydroxylation of estradiol-17β and estrone by liver microsomes, 247
fetal damage induced by lysergic acid diethylamide, 48
heart, influences of amphetamine and desipramine on release of norepinephrine from sympathetic nerve endings by metaraminol in, 152
hydrolysis of thalidomide in plasma, muscle and liver of, 265
interactions of Δ^1-tetrahydrocannabinol with barbiturates and methamphetamine, effects on motor activity and sleeping time in, 94
isolated fat cells of, effect of norepinephrine, theophylline and Ro 7-2956 on lipolysis in, 270
kidney, tubular transport of 2-deoxy-D-glucose and D-glucose in, 13
liver, isolated, perfused, excretion of steroidal hormones in, 43
liver, perfused, excretion of sulfobromophthalein as influenced by steroidal hormones, 37
man and, blood levels and urinary excretion of harmine and its metabolites in, 26
neonatal, effects of nerve growth factor antiserum on cell populations and acetylcholinesterase in sympathetic ganglia of, 205
studies on mechanism of inhibitory effect of desipramine (DMI) on vascular smooth muscle contraction in, 407
study of some possible mechanisms by which

XUM

magnesium activates hepatic microsomal drug metabolism *in vitro*, 233
toxicity of 6-methyl-2,3-quinoxalinedithiol cyclic carbonate (Morestan) and 6-methyl-2,3-quinoxalinedithiol in, 60
uterus, mechanism of contractile effects of ouabain and zinc on, 293
Reabsorptive transport, of organic compounds, retrograde intraluminal injection as a new technique for study of, 1
Reflexes
spinal, in cats, effects of L-3,4-dihydroxyphenylalanine on, antagonism by adrenergic blocking agents, 224
spinal, in cats, influence of dopa on, 212
Reis, R. L., *see* Abel, R. M., 364
Renton, K. W., *see* Eade, N. R., 31
Reserpine
effect on responses of single fibers of canine specialized conducting system and ventricle to bretylium tosylate, 344
lack of effect on positive inotropic response to lithium chloride, 133
prevention of submandibular salivary glandular hypertrophy in rat, 166
reduction in antiavoidance activity of, in monkeys given benztropine, 117
Retrograde intraluminal injection, new technique to study reabsorptive transport of organic compounds, 1
Rhesus monkey, and other species, tissues of, thalidomide disposition and hydrolysis in, 265
Riker, W. K. and Kosay, S.: Drug induction and suppression of stimulus-bound repetition in sympathetic ganglion, 284
Ro5-4023, in baboons subjected to intermittent photic stimulation, anticonvulsant activities of, 125
Ro5-5807, in baboons subjected to intermittent photic stimulation, anticonvulsant activities of, 125
Ro 7-2956 [4-(3,4-dimethoxybenzyl)-2-imidazolidinone], lipolytic agent, investigation of mechanism of action of, 270
Robin, E., *see* Leb, G., 138
Rosedale, S. L., *see* Schumacher, H. J., 265
Rubidium^{84}, use in estimating coronary blood flow in anesthetized closed-chest dog, 138

Salivary gland, rat, hypertrophy, adrenergic mechanisms responsible for, 166
Schoenfeld, R. I., *see* Graeff, F. G., 277
Schumacher, H. J., Wilson, J. G., Terapane, J. F. and Rosedale, S. L.: Thalidomide: Disposition in rhesus monkey and studies of its hydrolysis in tissues of this and other species, 265
Scopolamine, reversal of antiavoidance activity of perphenazine by, 117
Sheppard, H., *see* Dalton, C., 270
Shock, cardiogenic, experimental, comparative effects of dopamine and norepinephrine on myocardial function and metabolism during, 357
Skeletal muscle, lack of effect of ouabain on sodium- and potassium-activated adenosine triphosphatase isolated from, 145
SKF 525A, increased effect of estrone on rat uterus after, 247
Sleep patterns, affected by alcohol in alcoholics, 101
Slotkin, T. A., DiStefano, V. and Au, W. Y. W.: Blood levels and urinary excretion of harmine and its metabolites in man and rats, 26
Smith, C. B., *see* Steinberg, M. I., 176
Smooth muscle
vascular, effects of perhexiline on, 371
vascular, rabbit, lack of release of norepinephrine from aorta after tricyclic antidepressants, deoxypipradrol, methylphenidate and cocaine, 158
vascular, renal, inhibition of contractile effects of norepinephrine and barium by desipramine, 407
Soares, J. R., *see* Maxwell, R. A., 158
Sodium
-activated adenosine triphosphatase activity, potassium- and, cardiac, correlation with ouabain-induced inotropic stimulation, 145
concentration in rat uterus, lack of effect of ouabain on, 293
excretion in water diuretic and hydropenic dog, comparison of effects of mefruside and chlorothiazide on, 422
fluxes in toad bladder, effect of a convulsant (butyl crotyl thiobarbituric acid) and an anesthetic (thiopental) on, 317
fluxes in toad bladder, effect of thiopental and catecholamines on, 308
Sodium azide, effect on accumulation of chloroquine in mammalian cells, 71
Spinal cord
reflex activity of, in cats, effects of L-3,4-dihydroxyphenylalanine on, 212
reflexes, in cats, effects of L-3,4-dihydroxyphenylalanine on, antagonism by adrenergic blocking agents, 224
Spleen, cat, tetrodotoxin-treated, effects of bretylium on acetylcholine-induced release of norepinephrine in, 416
Splenic nerve, cat, stimulation of, effects of bretylium and tetrodotoxin on release of norepinephrine from, 416
Squirrel monkey(s)
antagonism of antiavoidance effects of various agents by anticholinergic drugs in, 117

hypotensive effects of chlordiazepoxide, amobarbital and chlorpromazine on behaviorally induced elevated arterial blood pressure in, 399
Stanton, H. C., *see* Brenner, G. M., 166
Stark, L. G., Killam, K. F. and Killam, E. K.: The anticonvulsant effects of phenobarbital, diphenylhydantoin and two benzodiazepines in the baboon, *Papio papio*, 125
Staroscik, R. N., *see* Abel, R. M., 364
Steinberg, M. I. and Smith, C. B.: Effects of desmethylimipramine and cocaine on the uptake, retention and metabolism of H^3-tyramine in rat brain slices, 176
Steiner, C., Wit, A. L., Weiss, M. B. and Damato, A. N.: The antiarrhythmic actions of carbamazepine (Tegretol), 323
Steiner, C., *see* Wit, A. L., 344
Steroidal hormones
excretion of sulfobromophthalein by perfused rat liver as influenced by, 37
hepatic excretion of, 43
Steroids, comparison of effects of melengestrol acetate and hydrocortisone acetate on experimental allergic encephalomyelitis in rats, 85
Stilbestrol, influence on hepato-biliary excretion of sulfobromophthalein, 37
Stone, C. A., *see* Hanson, H. M., 117
Styrene, formation of epoxide intermediate during microsomal oxidation to glycols, 242
Succinic dehydrogenase, inhibition by 6-methyl-2,3-quinoxalinedithiol cyclic carbonate (Morestan) and 6-methyl-2,3-quinoxalinedithiol, 60
Sucrose, influence on chloroquine-3-H^3 content of mammalian cells *in vitro*, 71
Sulfobromophthalein, excretion by perfused rat liver as influenced by steroidal hormones, 37
Sympathetic cell, populations, acetylcholinesterase and, effects of nerve growth factor antiserum in neonatal rats, 205
Sympathetic ganglion
differential blockade and potentiation of transmission in, 193
drug induction and suppression of stimulus-bound repetition in, 284
in neonatal rats, effects of nerve growth factor antiserum on cell populations and acetylcholinesterase in, 205
Sympathetic nerve
endings, in rat heart, influences of amphetamine and desipramine on release of norepinephrine by metaraminol from, 152
stimulation, lack of effect on sodium- and potassium-activated adenosine triphosphatase in dog heart, 145
Sympathomimetic amines, submandibular salivary glandular hypertrophy in rat induced by, 166

Teeth, incisor, amputation in rat, cause of submandibular salivary glandular hypertrophy, 166
Tegretol (carbamazepine), antiarrhythmic actions of, 323
Terapane, J. F., *see* Schumacher, H. J., 265
Teratogenesis, lack of during any specific organogenetic period after exposure of pregnant rats to lysergic acid diethylamide, 48
Testosterone
excretion by isolated, perfused rat liver, 43
influence on bile formation and sulfobromophthalein excretion, 37
Tetrabenazine, reduction in antiavoidance activity of, in monkeys given benztropine, 117
Tetrachloroethylene, lack of effect on action of estrone in rat, 247
Δ^1-Tetrahydrocannabinol, interactions with barbiturates and methamphetamine, 94
Tetramethylammonium, influence on transmission in sympathetic ganglion, 193
Tetrodotoxin, acetylcholine-induced release of norepinephrine in presence of, 416
Thalidomide, disposition in rhesus monkey and studies of hydrolysis in tissues of this and other species, 265
Theophylline-stimulated lipolysis in rat isolated fat cells, 270
Thiopental
(anesthetic), a convulsant (butyl crotyl thiobarbituric acid) and, effect on sodium fluxes in toad bladder, 317
catecholamines and, effect on sodium fluxes in toad bladder, 308
Thioridazine, reduction in antiavoidance activity of, in monkeys given benztropine, 117
Thorazine, effect on myocardial contractility, 133
Tissues, of rhesus monkey and other species, thalidomide disposition and hydrolysis in, 265
Toad
bladder, effect of a convulsant (butyl crotyl thiobarbituric acid) and an anesthetic (thiopental) on sodium fluxes in, 317
bladder, effect of thiopental and catecholamines on sodium fluxes in, 308
Tranquilizers
effects of diazepam (Valium) on left ventricular function and systemic vascular resistance in dog, 364
reversal of antiavoidance activity by anticholinergics, 117
Tranylcypromine, phenelzine and, effect on degradation of meperidine, 31
Tricyclic antidepressants, inhibitors of uptake of

XUM

tritiated norepinephrine by adrenergic nerves in rabbit aorta, conformational similarities between molecular models of phenethylamine and, 158
Trifluoperazine
activity on iodoacetamide spin-labeled bovine erythrocyte ghost membranes, 78
reduction in antiavoidance activity of, in monkeys given benztropine, 117
Triflupromazine, activity on iodoacetamide spin-labeled bovine erythrocyte ghost membranes, 78
Trihexyphenidyl, reversal of antiavoidance activity of perphenazine by, 117
Tryptaminergic mechanisms, role in punished and nonpunished behavior in pigeons, 277
d-Tubocurarine, suppression of changes in stimulus-bound repetition in sympathetic ganglion cells produced by physostigmine, 284
Tyramine
effect on responses of single fibers of canine specialized conducting system and ventricle to bretylium tosylate, 344
influence on responses of cat papillary muscle to catecholamines in presence of a catechol-O-methyltransferase inhibitor, 383
H^3-Tyramine, uptake, retention and metabolism in rat brain slices, effects of desmethylimipramine and cocaine on, 176
Tyrosinase, activity, melanoma, effect of phenothiazines on, 256

U-0521, catechol-O-methyltransferase inhibitor, influence on responses of cat papillary muscle to catecholamines, tyramine and field stimulation, 383
Urine
dog, concentration pattern of *p*-aminohippuric acid and glucose in, influence of probenecid and phlorizin on, 1
dog, isolation and characterization of codeine-6-glucuronide from, 21
man and rats, excretion of harmine and its metabolites in, blood levels and, 26
pH and excretion of sodium, potassium, bicarbonate and ammonium in water diuretic and hydropenic dog as affected by mefruside and chlorothiazide, 422
Uterus
rat, effect of estradiol-17β and estrone after carbon tetrachloride on, 247
rat, mechanism of contractile effects of ouabain and zinc on, 293

Valium
(diazepam), effects on left ventricular function and systemic vascular resistance, 364
effect on myocardial contractility, 133
Van Woert, M. H.: Effect of phenothiazines on melanoma tyrosinase activity, 256
Vascular smooth muscle, rabbit, lack of release of norepinephrine from aorta after tricyclic antidepressants, deoxypipradrol, methylphenidate and cocaine, 158

Weiss, M. B., *see* Steiner, C., 323
Welch, R. M., *see* Levin, W., 247
Wilson, C. B. and Kirkendall, W. M.: The effects of mefruside in the water diuretic and hydropenic dog: A comparison with chlorothiazide, 422
Wilson, J. G., *see* Schumacher, H. J., 265
Wit, A. L., Steiner, C. and Damato, A. N.: Electrophysiologic effects of bretylium tosylate on single fibers of the canine specialized conducting system and ventricle, 344
Wit, A. L., *see* Steiner, C., 323
Withdrawal, signs and symptoms in alcoholics, 101
Witoslawski, J. J., *see* Hanson, H. M., 117
Woods, L. A., *see* Yeh, S. Y., 21
Woosley, R. L., Kim, Y. S. and Huang, K. C.: Renal tubular transport of 2-deoxy-D-glucose in dogs and rats, 13

Yeh, S. Y. and Woods, L. A.: Isolation and characterization of codeine-6-glucuronide from dog urine, 21

Zinc, ouabain and, mechanism of contractile effects on rat uterus, 293

VOLUME 173 MAY–JUNE 1970

THE JOURNAL OF
Pharmacology
AND EXPERIMENTAL THERAPEUTICS

FOUNDED BY JOHN J. ABEL 1909

Official Publication of The American Society for Pharmacology and Experimental Therapeutics, Inc.

EDITOR

MARION DEV. COTTEN

EDITORS FOR SPECIFIC FIELDS

JOSEPH COCHIN: *Analgesia and Drug Abuse*
J. RICHARD CROUT:
WILLIAM W. FLEMING: *Autonomic Pharmacology*
BERNARD WEISS: *Behavioral Pharmacology*
BERT N. LA DU: *Biochemical Pharmacology*
HENRY H. SWAIN: *Cardiovascular Pharmacology*
JOHN R. BLINKS: *Cell Pharmacology*
MILTON T. BUSH:
KENNETH P. DUBOIS: *Drug Metabolism and Disposition*
ALFRED HELLER: *Neuroendocrine Pharmacology*
WILLIAM K. RIKER: *Neuropharmacology*
IRWIN M. WEINER: *Renal Pharmacology*
GABRIEL L. PLAA: *Toxicology*

EDITORIAL ADVISORY BOARD

Julius Axelrod
Lloyd Beck
William O. Berndt
Michael J. Brody
Theodore M. Brody
George A. Condouris
Theodore Cooper
E. E. Daniel
D. Joseph Demis
G. A. Deneau
Peter E. Dresel
Ronald W. Estabrook
Thomas E. Gaffney
William F. Ganong
James R. Gillette
Jack Peter Green
Anthony J. Hance
Louis S. Harris
David Jacobowitz
R. T. Kelleher
Ronald G. Kuntzman
S. Morris Kupchan
Victor G. Laties
Bernard Levy
Benedict R. Lucchesi
Harriet M. Maling
Bernard H. Marks
Steven E. Mayer
John A. Oates
Lincoln T. Potter
Arnold Schwartz
Charles B. Smith
Frank G. Standaert
C. D. Thron
Elwood O. Titus
U. Trendelenburg
Joan Vernikos-Danellis
Andrew G. Wallace
Douglas R. Waud
Norman Weiner
Herbert Weissbach
Albert Weissman
Martin M. Winbury
Richard J. Wurtman

BOARD OF PUBLICATIONS TRUSTEES

WALTER F. RIKER, JR., *Chairman*; GEORGE H. ACHESON, EDWARD J. CAFRUNY, MARION DEV. COTTEN
ROBERT F. FURCHGOTT, GEORGE H. MANDEL, WALTER MODELL, PAUL TALALAY, E. LEONG WAY

EXECUTIVE OFFICER OF THE SOCIETY

ELLSWORTH B. COOK

XUM

Copyright © 1970, by The Williams & Wilkins Company

XUM

CONTENTS OF VOLUME 173

No. 1, May 1970

Renal Tubular Reabsorption of *p*-Aminohippuric Acid (PAH) in the Dog. K. C. Cho and E. J. Cafruny 1

Renal Tubular Transport of 2-Deoxy-D-Glucose in Dogs and Rats. R. L. Woosley, Yang S. Kim and K. C. Huang 13

Isolation and Characterization of Codeine-6-Glucuronide from Dog Urine. S. Y. Yeh and L. A. Woods 21

Blood Levels and Urinary Excretion of Harmine and Its Metabolites in Man and Rats. Theodore A. Slotkin, Victor DiStefano and William Y. W. Au 26

The Effect of Phenelzine and Tranylcypromine on the Degradation of Meperidine. N. R. Eade and K. W. Renton 31

Excretion of Sulfobromophthalein by Perfused Rat Liver as Influenced by Steroidal Hormones. Agamemnon Despopoulos 37

Excretory Physiology of Steroidal Hormones in Liver. Agamemnon Despopoulos 43

Lysergic Acid Diethylamide Intake in Pregnancy: Fetal Damage in Rats. George J. Alexander, George M. Gold, Bruno E. Miles and Rita B. Alexander 48

Studies on the Toxicity and Biochemical Mechanism of Action of 6-Methyl-2,3-Quinoxalinedithiol Cyclic Carbonate (Morestan). Gary P. Carlson and Kenneth P. DuBois 60

Influence of Sucrose on Chloroquine-3-H^3 Content of Mammalian Cells *in Vitro:* The Possible Role of Lysosomes in Chloroquine Resistance. Herman Polet 71

Effects of Phenothiazine Derivatives on Biological Membranes: Drug-Induced Changes in Electron Spin Resonance Spectra from Spin-Labeled Erythrocyte Ghost Membranes. D. E. Holmes and L. H. Piette 78

A Comparison of the Effects of Melengestrol Acetate and Hydrocortisone Acetate on Experimental Allergic Encephalomyelitis in Rats. Margaret E. Greig, Anna J. Gibbons and George A. Elliott 85

Interactions of Δ^1-Tetrahydrocannabinol with Barbiturates and Methamphetamine. Robert K. Kubena and Herbert Barry, III 94

Experimentally Induced Intoxication in Alcoholics: A Comparison between Programed and Spontaneous Drinking. Nancy K. Mello and Jack H. Mendelson 101

Antagonism of the Antiavoidance Effects of Various Agents by Anticholinergic Drugs. H. M. Hanson, C. A. Stone and J. J. Witoslawski 117

The Anticonvulsant Effects of Phenobarbital, Diphenylhydantoin and Two Benzodiazepines in the Baboon, *Papio papio*. Larry G. Stark, Keith F. Killam and Eva K. Killam 125

Effects of Psychopharmacologic Agents on Myocardial Contractility. Kirk H. Prindle, Jr., Herman K. Gold, Philippe V. Cardon and Stephen E. Epstein 133

The Effect of Nicotine on Effective and Total Coronary Blood Flow in the Anesthetized Closed-Chest Dog. Georg Leb, Franz Derntl, Erwin Robin and Richard J. Bing 138

Correlation of Cardiac Sodium- and Potassium-Activated Adenosine Triphosphate Activity with Ouabain-Induced Inotropic Stimulation. Tai Akera, Fran S. Larsen and Theodore M. Brody 145

Mechanisms by Which Amphetamine and Desipramine Inhibit the Metaraminol-Induced Release of Norepinephrine from Sympathetic Nerve Endings in Rat Heart. F. H. Leitz 152

Conformational Similarities between Molecular Models of Phenethylamine and of Potent Inhibitors of the Uptake of Tritiated Norepinephrine by Adrenergic Nerves in Rabbit Aorta. R. A. Maxwell, E. Chaplin, S. Batmanglidj Eckhardt, J. R. Soares and G. Hite 158

Adrenergic Mechanisms Responsible for Submandibular Salivary Glandular Hypertrophy in the Rat. George M. Brenner and Hubert C. Stanton 166

XUM

Effects of Desmethylimipramine and Cocaine on the Uptake, Retention and Metabolism of H^3-Tyramine in Rat Brain Slices. M. I. Steinberg and C. B. Smith 176
Differential Blockade and Potentiation of Transmission in a Sympathetic Ganglion. S. Oguz Kayaalp and Robert J. McIsaac 193
The Distribution of Acetylcholinesterase in Sympathetic Ganglia of Immunosympathectomized Rats. Gerda I. Klingman 205
The Effects of L-3,4-Dihydroxyphenylalanine on Spinal Reflex Activity. Robert G. Baker and Edmund G. Anderson 212
The Antagonism of the Effects of L-3,4-Dihydroxyphenylalanine on Spinal Reflexes by Adrenergic Blocking Agents. Robert G. Baker and Edmund G. Anderson 224
Letters to the Editor ..... Cover 2

No. 2, June 1970

A Study of Some Possible Mechanisms by Which Magnesium Activates Hepatic Microsomal Drug Metabolism *in Vitro*. Marvin A. Peters and James R. Fouts 233
Epoxide Intermediates in Microsomal Oxidation of Olefins to Glycols. Kenneth C. Leibman and Elsa Ortiz 242
Effect of Carbon Tetrachloride and Other Inhibitors of Drug Metabolism on the Metabolism and Action of Estradiol-17β and Estrone in the Rat. W. Levin, R. M. Welch and A. H. Conney 247
Effect of Phenothiazines on Melanoma Tyrosinase Activity. Melvin H. Van Woert ... 256
Thalidomide: Disposition in Rhesus Monkey and Studies of its Hydrolysis in Tissues of This and Other Species. Herbert J. Schumacher, James G. Wilson, John F. Terapane and Stephen L. Rosedale 265
Investigation of the Mechanism of Action of the Lipolytic Agent 4-(3,4-Dimethoxybenzyl)-2-Imidazolidinone (Ro 7-2956). Colin Dalton, Janie B. Quinn, Charles R. Burghardt and Herbert Sheppard 270
Tryptaminergic Mechanisms in Punished and Nonpunished Behavior. F. G. Graeff and R. I. Schoenfeld 277
Drug Induction and Suppression of Stimulus-Bound Repetition in Sympathetic Ganglia. William K. Riker and Sezen Kosay 284
The Mechanism of Contractile Effects of Ouabain and Zinc on the Rat Uterus. E. E. Daniel, R. Massingham and P. A. Nasmyth 293
The Effect of Thiopental and Catecholamines on the Sodium Fluxes in Toad Bladder. Nikaan B. Andersen 308
The Effect of a Convulsant (Butyl Crotyl Thiobarbituric Acid) and an Anesthetic (Thiopental) on the Sodium Fluxes in Toad Bladder. Nikaan B. Andersen 317
The Antiarrhythmic Actions of Carbamazepine (Tegretol). Charles Steiner, Andrew L. Wit, Melvin B. Weiss and Anthony N. Damato 323
"Protective" Action of Diphenylhydantoin on Canine Purkinje Fibers during Hypoxia. Arthur L. Bassett, J. Thomas Bigger, Jr. and Brian F. Hoffman 336
Electrophysiologic Effects of Bretylium Tosylate on Single Fibers of the Canine Specialized Conducting System and Ventricle. Andrew L. Wit, Charles Steiner and Anthony N. Damato 344
Comparative Effects of Dopamine and Norepinephrine on Myocardial Function and Metabolism during Experimental Cardiogenic Shock. Ervin E. Bagwell and Herman B. Daniell 357
The Effects of Diazepam (Valium) on Left Ventricular Function and Systemic Vascular Resistance. Ronald M. Abel, Rudolf N. Staroscik and Robert L. Reis ... 364
Cardiovascular Pharmacology of Perhexiline. W. J. Hudak, R. E. Lewis and W. L. Kuhn 371
Adrenergic Receptors in Heart Muscle: Relations among Factors Influencing the Sensitivity of the Cat Papillary Muscle to Catecholamines. Alberto J. Kaumann 383
Hypotensive Effects of Chlordiazepoxide, Amobarbital and Chlorpromazine on Behaviorally Induced Elevated Arterial Blood Pressure in the Squirrel Monkey. Herbert Benson, Alan Herd, W. H. Morse and R. T. Kelleher 399

XUM

Studies on the Mechanism of the Inhibitory Effect of Desipramine (DMI) on Vascular Smooth Muscle Contraction. PAVEL D. HRDINA AND GEORGE M. LING..... 407
Acetylcholine-Induced Release of Norepinephrine in the Presence of Tetrodotoxin. KENNETH R. KRAUSS, DAVID O. CARPENTER AND IRWIN J. KOPIN..... 416
The Effects of Mefruside in the Water Diuretic and Hydropenic Dog: A Comparison with Chlorothiazide. CURTIS B. WILSON AND WALTER M. KIRKENDALL..... 422
Index, Volume 173, May–June 1970..... 431
Letters to the Editor.....Cover 2

INDEX

Volume 174, July–September 1970

Abrams, W. B., *see* Malmfors, T., 99
Acetaldehyde, inhaled, in man, retention of, 14
Acetazolamide, altered absorption of drugs from rat small intestine by carbonic anhydrase inhibition after pretreatment with, 177
Acetohydroxamate, excretion and metabolism in mice, 239
Acetylcholine
  blood flow responses to in dog, effects of ethacrynic acid on, 159
  contraction of denervated rat diaphragm, effects of facilitatory drugs on, 550
  effects in muscles of guinea pig, 560
  in innervated muscle subjected to prolonged pharmacologic nerve block, absence of supersensitivity to, 133
  measuring nanogram quantities by pyrolysis-gas chromatography, demonstration in effluents from rat phrenic nerve-diaphragm preparation, 337
  release from innervated and denervated diaphragm, 346
Acetaldehyde, alcohol and, augmentation of alkaloid formation from dopamine by, 401
Acetazolamide-treated rats, tissue acid-base balance in, 535
Adams, H. J., *see* Boyes, R. N., 1
Adenosine triphosphatase, (Na + K)-activated, cation transport and, changes produced by chronic administration of ethanol, 330
Adipose tissue, rat, effect of SKF 525A on distribution of carbon tetrachloride in, 232
Adrenergic blocking agents, *alpha* and *beta*, lidocaine, hexamethonium and, effects on pulmonary veins in intact dogs, 487
Adrenergic nerves
  mechanism of action of 6-hydroxydopamine on, 111
  peripheral, differentiation of norepinephrine storage compartments in, 357
  rat, effects of debrisoquin and bretylium on, as revealed by fluorescence histochemistry, 99
Agonists
  dopamine and norepinephrine, conformational differences derived from molecular orbital theory, 94
  ganglionic, antagonists and, effect on cardiac sympathetic ganglia of dog, 45
Albutoin, pharmacologic interactions with other anticonvulsant drugs, 450
Alcohol
  acetaldehyde and, augmentation of alkaloid formation from dopamine by, 401
  changes in cation transport and (Na + K)-activated adenosine triphosphatase produced by, 330
Alkaloid
  formation from dopamine, augmentation by alcohol and acetaldehyde *in vitro*, 401
  metabolite of dopamine *in vitro*, 388
Alkon, D. L., Schmidt, D. E., Green, J. P. and Szilagyi, P. I. A.: The release of acetylcholine from the innervated and denervated diaphragm, 346
Alkon, D. L., *see* Schmidt, D. E., 337
Amides, physiologic disposition of short chain aliphatic hydroxamates in mice, excretion and conversion to, 239
Amines, sympathomimetic, in isolated nictitating membrane of cat, intraneuronal and extraneuronal accumulation of, 290
p-Aminohippurate, uptake by renal cortical slices, effect of penicillin on, 152
Amphetamine, metabolism and stereotype behavior in rat, effects of haloperidol and chlorpromazine on, 428
l-Amphetamine, oxidation in fetal and newborn swine, 185
Amphibian, red cells, structural requirements for hemolysis by phenylhydrazine derivatives in, 463
Amyltrimethylammonium, effect on cardiac sympathetic ganglia of dog, 45
Androgen(s)
  antianesthetic activity of, 478
  impairment of action by morphine, 211
Anesthesia, inhibition by steroids, 478
Angiotensin
  central effect of, release of pituitary pressor material, 27
  effects of SKF 525A on responses in aortic strips to, 500
  potentiation by [4,4′-biphenylenebis(2-oxoethylene)]bis[(2,2-diethoxyethyl) dimethylammonium bromide] (DMAE) of sympathetic component of vasopressor response to, 35
Antagonists, ganglionic, agonists and, effect on cardiac sympathetic ganglia of dog, 45
Antidiuretic hormone, polydipsia and, interaction of central neurons with angiotensin and release of, 27
Aortic strips, selective blockade of potassium-induced contractions by β-diethylaminoethyldiphenylpropylacetate (SKF 525A) in, 500

Arrhythmias, cardiac, effective suppression of by lidocaine hydrochloride, 1
Atoms, pattern of, examination of preferred conformation of dopamine derived from molecular orbital theory and comparison with conformation of norepinephrine, 94
Atria, kitten, isolated, graded responses due to blockade of conduction by cetyltrimethylammonium bromide (CTAB) in, 509
Atropine, effect on muscarinic agonists in dog, 45
Autonomic ganglia, rats, localization of depletion-sensitive and depletion-resistant norepinephrine storage sites in, 56
Autonomic nervous system, canine, distribution of histamine in, 123

Backstrom, T., *see* Goldstein, M., 77
Barbital, effect on percent urinary recovery of acetohydroxamate, formohydroxamate, propionohydroxamate and isobutyrohydroxamate in mice, 239
Bartakovits, P., *see* Pendleton, R. G., 421
Behavior, stereotype, amphetamine, metabolism and, in rat, effects of haloperidol and chlorpromazine on, 428
Behensohn, H., *see* Maas, J. W., 381
Bernstein, J. C. and Israel, Y.: Active transport of Rb^{86} in human red cells and rat brain slices, 323
Bernstein, J. C., *see* Israel, Y., 330
Bile, levels of harmine metabolites in, 456
Biosynthesis, catecholamine, in rat brain cortex slices, effect of ouabain on, 77
[4,4′-Biphenylenebis(2-oxoethylene)]bis[(2,2-diethoxyethyl) dimethylammonium bromide] (DMAE), potentiation of sympathetic component of vasopressor response to angiotensin by, 35
Black, I. B.: Regulation of hepatic tyrosine transaminase *in vivo* through interaction of norepinephrine and the pyridoxal phosphate co-factor, 283
Blackburn, W. H., *see* Wallin, R. F., 276
Blood
  disappearance of pentobarbital from, after spironolactone or ethylestrenol, 473
  flows, renal and femoral, of dog, effects of ethacrynic acid on, 159
  levels of lidocaine hydrochloride in dogs, oral absorption and disposition kinetics, 1
  pressure and flow, in dog, responses to epinephrine and isoproterenol, actions of ergotamine, 315
  pressure, dog, effect of tyramine on, blockade by cocaine, 35
  pressure, rats, effect of angiotensin on, 27
  pressure, rats, effects of two analogs of oxytocin on, 541
  rat, effect of SKF 525A on distribution of carbon tetrachloride in, 232
Borzelleca, J. F. and Putney, J. W., Jr.: A model for the movement of salicylate across the parotid epithelium, 527
Boyd, G. N., *see* Kalsner, S., 500
Boyes, R. N., Adams, H. J. and Duce, B. R.: Oral absorption and disposition kinetics of lidocaine hydrochloride in dogs, 1
Brain
  cortex slices, rat, effect of ouabain on catecholamine biosynthesis in, 77
  norepinephrine and dopamine, effect of 6-hydroxydopamine on, evidence for selective degeneration of catecholamine neurons, 413
  rat, disappearance of amphetamine from, 428
  rat, effect of SKF 525A on distribution of carbon tetrachloride in, 232
  rat, efflux of chlorpromazine and trifluoperazine from, 20
  slices, rat, effect of chronic administration of ethanol on accumulation of potassium and Rb^{86} by, 330
  slices, rat, human red cells and, active transport of Rb^{86} in, 323
  tissue cell pH values in, 535
Brainstem
  rat, homogenates, production of tetrahydropapaveroline in, 401
  rat, homogenates, tetrahydropapaveroline as metabolic product of dopamine in, 388
Breese, G. R. and Traylor, T. D.: Effect of 6-hydroxydopamine on brain norepinephrine and dopamine: Evidence for selective degeneration of catecholamine neurons, 413
Bretylium, debrisoquin and, effects on adrenergic nerves as revealed by fluorescence histochemistry, 99
Bretylium tosylate, blockade of DMAE-induced potentiation of pressor response to angiotensin by, 35
Brody, M. J., *see* Ryan, M. J., 123
Burke, J. P., *see* Van Orden, L. S., III, 56, 357
Burnstock, G., *see* Furness, J. B., 111
Butoxamine, *beta* adrenergic blocking agent, effect on pulmonary vessels, 487
n-Butyraldoxime, inhibitor of metabolism and natural ethanol preference of C57BL mice, 434

Cabana, B. E. and Gessner, P. K.: The kinetics of chloral hydrate metabolism in mice and the effect thereon of ethanol, 260
Cabana, B. E., *see* Gessner, P. K., 247
Calcium
  effect on inhibitory actions of manganese on norepinephrine release from splenic nerves of cats, 72

-induced contractions in aortic strips, responses to SKF 525A, 500
movements in frog sartorius muscle, effects of lanthanum on, 517
Caffeine, responses in frog sartorius muscle, effects of lanthanum on, 517
Campbell, G. R., *see* Furness, J. B., 111
Carbachol, effects in muscles of guinea pig, 560
Carbon monoxide, effect on cyclophosphamide-activating enzyme, 206
Carbon tetrachloride, distribution in rats, effect of SKF 525A on, 232
Carbonic anhydrase, inhibition, altered absorption of drugs from rat small intestine by, 177
Cardiac arrhythmias, effective suppression of by lidocaine hydrochloride, 1
Cardiac sympathetic ganglia, dog, effect of ganglionic agonists and antagonists on, 45
Cat(s)
inhibitory effect of manganese on norepinephrine release from splenic nerves of, 72
intraneuronal and extraneuronal accumulation of sympathomimetic amines in isolated nictitating membrane of, 290
Catecholamine(s)
biosynthesis in rat brain cortex slices, effect of ouabain on, 77
dopamine and norepinephrine, conformational differences derived from molecular orbital theory, 94
effect on enzyme induction by pyridoxal phosphate co-factor in rat, 283
influence of propranolol and ICI 50,172 on cardiovascular actions of, modification by ergotamine, 315
myocardial, effects of hypoxia and hypercarbia on, 307
neurons, evidence for selective degeneration of, effect of 6-hydroxydopamine on brain norepinephrine and dopamine, 413
C^{14}-Catecholamine, level in whole mouse after C^{14}-dihydroxyphenylalanine (C^{14}-dopa), 351
Catechol-O-methyltransferase
3,5-dihydroxy-4-methoxybenzoic acid and related compounds, a new class of inhibitors of, 83
effect on intraneuronal and extraneuronal accumulation of sympathomimetic amines in isolated nictitating membrane of cat, 290
Cation transport, (Na + K)-activated adenosine triphosphatase and, changes produced by chronic administration of ethanol, 330
Catz, C. S., Juchau, M. R. and Yaffe, S. J.: Effects of iron, riboflavin and iodide deficiencies on hepatic drug-metabolizing enzyme systems, 197
Cell(s)
"chromaffin," norepinephrine storage site in autonomic ganglia of rat, resistant to depletion by reserpine or α-methyl-*m*-tyrosine, 56
red, amphibian, structural requirements for hemolysis by phenylhydrazine derivatives in, 463
red, human, rat brain slices and, active transport of Rb^{86} in, 323
Central nervous system
depletion of dopamine in, 413
gastric antisecretory action of desmethylimipramine in, 421
interaction of angiotensin with, 27
Cetyltrimethylammonium bromide (CTAB), graded responses in isolated kitten atria due to blockade of conduction by, 509
Chan, W. Y. and du Vigneaud, V.: Natriuretic, diuretic and anti-arginine-vasopressin (ADH) effects of two analogs of oxytocin: [4-leucine]-oxytocin and [2,4-diisoleucine]-oxytocin, 541
Chloral hydrate
ethanol and, study of interaction of hypnotic and toxic effects of, 247
metabolism in mice, kinetics and effect thereon of ethanol, 260
Chlorpromazine
haloperidol and, effects on amphetamine metabolism and stereotype behavior in rat, 428
trifluoperazine and, efflux from rat brain, 20
Chou, C., *see* Wurtman, R. J., 351
"Chromaffin" cell, norepinephrine storage site in autonomic ganglia of rat, resistant to depletion by reserpine or α-methyl-*m*-tyrosine, 56
Cigarette smoking, industrial situations and, respiratory handling of acetaldehyde in man, 14
Cobb, J. L. S., *see* Furness, J. B., 111
Cocaine
effect on intraneuronal and extraneuronal accumulation of sympathomimetic amines in isolated nictitating membrane of cat, 290
potentiation of sympathetic component of vasopressor response to angiotensin by, 35
Cohen, J. L. and Jao, J. Y.: Enzymatic basis of cyclophosphamide activation by hepatic microsomes of the rat, 206
Compound 48/80, effect on distribution of histamine in canine autonomic nervous system, 123
Connor, J. D., *see* Severs, W. B., 27
Cortex
slices, rat brain, effect of ouabain on catecholamine biosynthesis in, 77
slices, rat, effect of chronic administration of ethanol on accumulation of potassium and Rb^{86} by, 330
slices, rat, human red cells and, active transport of Rb^{86} in, 323

slices, renal, uptake of *p*-aminohippurate by, effect of penicillin on, 152
Costa, E., *see* Spano, P. F., 20
Creveling, C. R., *see* Nikodejevic, B., 83
Curare-like compounds, affinity of and potency in blocking neuromuscular transmission, 560
Cycloheximide
effect on increase in *p*-aminohippurate induced by penicillin, 152
effect on tyrosine transaminase activity in rat, 283
Cyclophosphamide, activation by hepatic microsomes of rat, enzymatic basis of, 206
Cyclopropane, halothane and, peripheral vascular effects in dog, 169
Cytochrome *c*, effect on cyclophosphamide-activating enzyme, 206
Cytochromes, microsomal, effects of iron, riboflavin and iodide deficiencies on, 197

Daly, J. W., *see* Nikodejevic, B., 83
Davis, J. M., *see* Lemberger, L., 428
Davis, L. E., *see* Short, C. R., 185
Davis, V. E., Walsh, M. J. and Yamanaka, Y.: Augmentation of alkaloid formation from dopamine by alcohol and acetaldehyde *in vitro*, 401
Davis, V. E., *see* Walsh, M. J., 388
Debrisoquin, bretylium and, effects on adrenergic nerves as revealed by fluorescence histochemistry, 99
Decamethonium, effects in muscles of guinea pig, 560
Desmethylimipramine
(DMI), studies indicating central antisecretory site of action for, 421
influence on effects of debrisoquin, bretylium and nialamide on adrenergic nerves as revealed by fluorescence histochemistry, 99
C^{14}-Dextroamphetamine sulfate, altered absorption from rat small intestine by carbonic anhydrase inhibition after pretreatment with acetazolamide, 177
Diaphragm
muscle, guinea pig, effect of curare-like compounds on, 560
chronically denervated, rat, facilitatory drug action on, 550
rat, innervated and denervated, release of acetylcholine from, 346
β-Diethylaminoethyldiphenylpropylacetate (SKF 525A), selective blockade of potassium-induced contractions of aortic strips by, 500
Dietzel, W., Emerson, T. E., Jr. and Massion, W. H.: Peripheral vascular effects of cyclopropane and halothane in the dog, 169
H^3-Dihydromorphine, in tolerant and nontolerant rat, maternal and fetal distribution of, 9
3,5-Dihydroxy-4-methoxybenzoic acid, related compounds and, a new class of inhibitors of catechol-O-methyltransferase, 83
C^{14}-Dihydroxyphenylalanine (C^{14}-dopa), fate in whole mouse, 351
[2,4-Diisoleucine]-oxytocin, analog of oxytocin, natriuretic, diuretic and anti-arginine-vasopressin (ADH) effects of, 541
1,1-Dimethyl-4-phenylpiperazinium, effect on cardiac sympathetic ganglia of dog, 45
Dimethyl tubocurarine, effects in muscles of guinea pig, 560
Diphenylhydantoin, pharmacologic interactions of albutoin with, 276
DiStefano, V., *see* Slotkin, T. A., 456
Dixon, W., *see* Kirpekar, S. M., 72
DMAE [4,4′-biphenylenebis(2-oxoethylene)]bis-[(2,2-diethoxyethyl) dimethylammonium bromide], potentiation of sympathetic component of vasopressor response to angiotensin by, 35
Dog(s)
autonomic nervous system of, distribution of histamine in, 123
effect of ganglionic agonists and antagonists on cardiac sympathetic ganglia of, 45
intact, effects of lidocaine, hexamethonium and *alpha* and *beta* adrenergic blocking agents on pulmonary veins in, 487
model for movement of salicylate across parotid epithelium in, 527
oral absorption and disposition kinetics of lidocaine hydrochloride in, 1
peripheral vascular effects of cyclopropane and halothane in, 169
potentiation by DMAE and cocaine of sympathetic component of vasopressor response to angiotensin in, 35
responses to epinephrine and isoproterenol, actions of ergotamine on, 315
selective renal vascular effects of ethacrynic acid in, 159
studies indicating central antisecretory site of action for desmethylimipramine (DMI) in, 421
C^{14}-Dopa (C^{14}-dihydroxyphenylalanine), fate in whole mouse, 351
Dopamine
alkaloid formation from, augmentation by alcohol and acetaldehyde *in vitro*, 401
brain, norepinephrine and, effect of 6-hydroxydopamine on, evidence for selective degeneration of catecholamine neurons, 413
effect on enzyme induction by pyridoxal phosphate co-factor in rat, 283
preferred conformation from molecular orbital theory, 94
C^{14}-Dopamine, formation from C^{14}-tyrosine in rat brain cortex slices, effect of ouabain on, 77

Draskóczy, P. R. and Trendelenburg, U.: Intraneuronal and extraneuronal accumulation of sympathomimetic amines in the isolated nictitating membrane of the cat, 290
Dresel, P. E., *see* Kadowitz, P. J., 509
Duce, B. R., *see* Boyes, R. N., 1
Duodenum, rat, intestinal loops in, altered absorption of drugs by carbonic anhydrase inhibition after pretreatment with acetazolamide, 177

Edrophonium, effects on phrenic nerve-diaphragm preparation of rat, 550
Egle, J. L., Jr.: Retention of inhaled acetaldehyde in man, 14
Emerson, T. E., Jr., *see* Dietzel, W., 169
Emesis, in dogs, after administration of lidocaine hydrochloride, 1
Enzyme(s)
  activity, drug-metabolizing, in swine, perinatal development of, 185
  basis of cyclophosphamide activation by hepatic microsomes of rat, 206
  induction by pyridoxal phosphate co-factor in rat, 283
  systems, drug-metabolizing, hepatic, in mice, effects of iron, riboflavin and iodide deficiencies, 197
Epinephrine
  actions of ergotamine on responses of dog to, 315
  effects of hypoxia and hypercarbia on, 307
Ergotamine, influence of propranolol and ICI 50,172 on cardiovascular actions of catecholamines as modified by, 315
Ethacrynic acid, selective renal vascular effects of, 159
Ethanol
  changes in cation transport and (Na + K)-activated adenosine triphosphatase produced by chronic administration of, 330
  chloral hydrate and, study of interaction of hypnotic and toxic effects of, 247
  kinetics of chloral hydrate metabolism in mice and effect thereon of, 260
  metabolism and natural preference, in C57BL mice, inhibition by *n*-butyraldoxime, 434
Ethylestrenol, spironolactone or, suppression by nucleic acid- and protein-synthesis inhibitors of drug detoxication induced by, 473
Eye, iris, albino rat, effects of debrisoquin, bretylium and nialamide on uptake, storage, metabolism and release of norepinephrine as revealed by fluorescence histochemistry, 99

Falck-Hillarp fluorescence histochemical method
  cellular studies of sympathetic denervation produced by 6-hydroxydopamine in vas deferens, 111
  differentiation of norepinephrine storage compartments in peripheral adrenergic nerves by, 357
  effects of debrisoquin and bretylium on adrenergic nerves as revealed by, 99
Fetuses, rat, distribution of H^3-dihydromorphine in, 9
Fishbein, W. N. and Streeter, C. L.: Physiologic disposition of short chain aliphatic hydroxamates in the mouse. I. The one-through-four carbon hydroxamates: Excretion and conversion to amides, 239
Flacke, W. and Fleisch, J. H.: The effect of ganglionic agonists and antagonists on the cardiac sympathetic ganglia of the dog, 45
Fleisch, J. H., *see* Flacke, W., 45
Flores, G. and Frieden, E.: Structural requirements for the hemolytic effect of phenylhydrazine derivatives on amphibian red cells, 463
Fluorescence histochemistry
  Falck-Hillarp method, cellular studies of sympathetic denervation produced by 6-hydroxydopamine in vas deferens, 111
  Falck-Hillarp method, differentiation of norepinephrine storage compartments in peripheral adrenergic nerves by, 357
  Falck-Hillarp method, effects of debrisoquin and bretylium on adrenergic nerves as revealed by, 99
Formohydroxamate, excretion and metabolism in mice, 239
Freeman, S. E. and Turner, R. J.: Facilitatory drug action on the isolated phrenic nerve-diaphragm preparation of the rat, 550
Frieden, E., *see* Flores, G., 463
Frog
  sartorius muscle of, treated with tetraalkylammonium ions, potassium fluxes in, 141
  sartorius muscle, site of action of lanthanum in, 517
Furness, J. B., Campbell, G. R., Gillard, S. M., Malmfors, T., Cobb, J. L. S. and Burnstock, G.: Cellular studies of sympathetic denervation produced by 6-hydroxydopamine in the vas deferens, 111

Gallamine, effects in muscles of guinea pig, 560
Ganglia
  autonomic, rats, localization of depletion-sensitive and depletion-resistant norepinephrine storage sites in, 56
  sympathetic, cardiac, dog, effect of ganglionic agonists and antagonists on, 45
Garrett, J., *see* Osswald, W., 315

Gessner, P. K. and Cabana, B. E.: A study of the interaction of the hypnotic effects and of the toxic effects of chloral hydrate and ethanol, 247
Gessner, P. K., *see* Cabana, B. E., 260
Geyer, M., *see* Van Orden, L. S., III, 56
Gillard, S. M., *see* Furness, J. B., 111
Glutathione, hepatic, sulfobromophthalein metabolism and excretion in rats with iodomethane-induced depletion of, 221
Glutethimide, serum half-life of, determinants in intoxicated patients, 450
Glycogen, in pig liver at various ages after birth, correlation with development of drug-metabolizing enzyme activity, 185
Goldman, R. H. and Harrison, D. C.: The effects of hypoxia and hypercarbia on myocardial catecholamines, 307
Goldstein, M., Ohi, Y. and Backstrom, T.: The effect of ouabain on catecholamine biosynthesis in rat brain cortex slices, 77
Granular vesicles, norepinephrine storage site in autonomic ganglia of rat, sensitive to depletion by reserpine and α-methyl-*m*-tyrosine, 56
Green, J. P.
  see Alkon, D. L., 346
  see Schmidt, D. E., 337
Greenberg, S. and Long, J. P.: Potentiation by [4,4′-biphenylenebis(2-oxoethylene)]bis[(2,2-diethoxyethyl) dimethylammonium bromide] (DMAE) of the sympathetic component of the vasopressor response to angiotensin, 35
Guanethidine, blockade of DMAE-induced potentiation of pressor response to angiotensin by, 35
Guimarães, S., *see* Osswald, W., 315
Guinea pig, affinity and potency of curare-like compounds in blocking neuromuscular transmission in, 560

Haloperidol, chlorpromazine and, effects on amphetamine metabolism and stereotype behavior in rat, 428
Halothane, cyclopropane and, peripheral vascular effects in dog, 169
Harmine, metabolism in rat, model of, 456
Harrison, D. C., *see* Goldman, R. H., 307
Heart
  arrhythmias, effective suppression by lidocaine hydrochloride, 1
  dog, effect of ganglionic agonists and antagonists on sympathetic ganglia, 45
  dog, responses to epinephrine and isoproterenol, actions of ergotamine, 315
  sympathetic nervous system, responses to hypoxia and hypercarbia in rats, 307
Hemoglobin, spectrum, amphibian, changes produced by hemolytic drugs in, 463
Hemolysis, by phenylhydrazine derivatives in amphibian red cells, structural requirements of, 463
Hexamethonium
  effect on DMAE-induced potentiation of pressor response to angiotensin and norepinephrine in dogs, 35
  effect on response to ganglionic agonists in dog, 45
  influence on elevation of mean blood pressure in rats by angiotensin, 27
  lidocaine, *alpha* and *beta* adrenergic blocking agents and, effects on pulmonary veins in intact dogs, 487
Hexobarbital
  effect on cyclophosphamide-activating enzyme, 206
  oxidation in fetal and newborn swine, 185
  sleeping times, effects of iron, riboflavin and iodide deficiencies on, 197
Hexyltrimethylammonium, effect on cardiac sympathetic ganglia of dog, 45
Hirsch, G. H. and Hook, J. B.: Stimulation of renal organic acid transport and protein synthesis by penicillin, 152
Histamine
  distribution in canine autonomic nervous system, 123
  effects of SKF 525A on responses in aortic strips to, 500
Hook, J. B., *see* Hirsch, G. H., 152
Hollands, M., *see* Kadowitz, P. J., 509
Hormone(s)
  antidiuretic, polydipsia and, interaction of central neurons with angiotensin and release of, 27
  inhibition of anesthesia induced by progesterone or pentobarbital, 478
  steroid, hydroxylation of, by rat liver microsomes, effect of morphine administration on, 211
Hosoya, E., *see* Kato, R., 211
Humans
  glutethimide intoxication in, determinants of serum half-life, 450
  normal male, kinetic study of disposition of circulating norepinephrine in, 381
Hydroxamates, short chain aliphatic, in mice, physiologic disposition of, excretion and conversion to amides, 239
6-Hydroxydopamine
  effect on brain norepinephrine and dopamine, evidence for selective degeneration of catecholamine neurons, 413
  in vas deferens, cellular studies of sympathetic denervation produced by, 111

XUM

p-Hydroxymercuribenzoate, effect on cyclophosphamide-activating enzyme, 206
5-Hydroxytryptamine, effects of SKF 525A on responses in aortic strips to, 500
Hyman, A. L.: The effects of lidocaine, hexamethonium and *alpha* and *beta* adrenergic blocking agents on the pulmonary veins in intact dogs, 487
Hypercarbia, hypoxia and, effects on myocardial catecholamines, 307
Hypoxia, hypercarbia and, effects on myocardial catecholamines, 307

ICI 50,172, propranolol and, influence on cardiovascular actions of catecholamines as modified by ergotamine, 315
Ileum, rat, intestinal loops in, altered absorption of drugs by carbonic anhydrase inhibition after pretreatment with acetazolamide, 177
Intestine, small, rat, altered absorption of drugs by carbonic anhydrase inhibition from, 177
Iodide, deficiencies, iron, riboflavin and, effects on hepatic drug-metabolizing enzyme systems, 197
Iodomethane-induced depletion of hepatic glutathione, sulfobromophthalein metabolism and excretion in rats with, 221
Ions, tetraalkylammonium, potassium fluxes in frog sartorius muscle treated with, 141
Iris
albino rat, effects of debrisoquin, bretylium and nialamide on uptake, storage, metabolism and release of norepinephrine as revealed by fluorescence histochemistry, 99
rat, disappearance of norepinephrine as visualized by fluorescence histochemistry in, 357
Iron, deficiencies, riboflavin, iodide and, effects on hepatic drug-metabolizing enzyme systems, 197
Isobutyrohydroxamate, excretion and metabolism in mice, 239
Isoproterenol, actions of ergotamine on responses of dog to, 315
Israel, Y., Kalant, H., LeBlanc, E., Bernstein, J. C. and Salazar, I.: Changes in cation transport and (Na + K)-activated adenosine triphosphatase produced by chronic administration of ethanol, 330
Israel, Y., *see* Bernstein, J. C., 323

Jao, J. Y., *see* Cohen, J. L., 206
Juchau, M. R., *see* Catz, C. S., 197

Kadowitz, P. J., Hollands, M. and Dresel, P. E.: Graded responses in isolated kitten atria due to blockade of conduction by cetyltrimethylammonium bromide (CTAB), 509
Kalant, H., *see* Israel, Y., 330
Kalsner, S., Nickerson, M. and Boyd, G. N.: Selective blockade of potassium-induced contractions of aortic strips by β-diethylaminoethyldiphenylpropylacetate (SKF 525A), 500
Kato, R., Takahashi, A., Ohshima, T. and Hosoya, E.: Effect of morphine administration on the hydroxylation of steroid hormones by rat liver microsomes, 211
Kidney
failure, effect on serum half-life of glutethimide, 450
organic acid transport and protein synthesis, stimulation by penicillin, 152
pig, perinatal development of drug-metabolizing enzyme activity, 185
selective vascular effects of ethacrynic acid, 159
Kier, L. B. and Truitt, E. B., Jr.: The preferred conformation of dopamine from molecular orbital theory, 94
Kinetic(s)
analysis of blood levels in dogs after administration of lidocaine hydrochloride, 1
model for study of disposition of circulating norepinephrine, 369
of chloral hydrate metabolism in mice and effect thereon of ethanol, 260
study of disposition of circulating norepinephrine in normal male subjects, 381
Kirpekar, S. M., Dixon, W. and Prat, J. C.: Inhibitory effect of manganese on norepinephrine release from the splenic nerves of cats, 72
Kishimoto, T., *see* McNay, J. L., 159
Kitten, atria, isolated, graded responses due to blockade of conduction by cetyltrimethylammonium bromide (CTAB) in, 509
Koe, B. K. and Tenen, S. S.: Inhibiting action of *n*-butyraldoxime on ethanol metabolism and on natural ethanol preference of C57BL mice, 434
Kopin, I. J., *see* Lemberger, L., 428
Krajny, M., *see* Solymoss, B., 473

Landis, D. H., *see* Maas, J. W., 381
Lanthanum, site of action in frog sartorius muscle, 517
Latissimus dorsi, guinea pig, effect of curare-like compounds on, 560
LB 46, *beta* adrenergic blocking agent, effect on pulmonary vessels, 487
LeBlanc, E., *see* Israel, Y., 330
Lemberger, L., Witt, E. D., Davis, J. M. and Kopin, I. J.: The effects of haloperidol and chlorpromazine on amphetamine metabolism and amphetamine stereotype behavior in rat, 428

[4-Leucine]-oxytocin, analog of oxytocin, natriuretic, diuretic and anti-arginine-vasopressin (ADH) effects of, 541
Lidocaine
-blocked muscles, responses to succinylcholine and *d*-tubocurarine, 133
hexamethonium, *alpha* and *beta* adrenergic blocking agents and, effects on pulmonary veins in intact dogs, 487
Lidocaine hydrochloride, in dogs, oral absorption and disposition kinetics of, 1
Liver
impaired perfusion of, effect on serum half-life of glutethimide, 450
mice, effects of iron, riboflavin and iodide deficiencies on drug-metabolizing enzyme systems, 197
microsomes of rat, effect of morphine administration on hydroxylation of steroid hormones, 211
microsomes of rat, enzymatic basis of cyclophosphamide activation, 206
pig, perinatal development of drug-metabolizing enzyme activity, 185
rat, effect of SKF 525A on distribution of carbon tetrachloride in, 232
rat, homogenates, production of tetrahydropapaveroline in, 401
rat, homogenates, tetrahydropapaveroline as metabolic product of dopamine in, 388
rat, isolation of catechol-O-methyltransferase from, a new class of inhibitors, 83
regulation of tyrosine transaminase *in vivo* through interaction of norepinephrine and pyridoxal phosphate co-factor, 283
sulfobromophthalein metabolism and excretion in rats with iodomethane-induced depletion of glutathione in, 221
Lodoen, F. V., *see* Van Orden, L. S., III, 56, 357
Long, J. P., *see* Greenberg, S., 35
Lu, T.: Affinity of curare-like compounds and their potency in blocking neuromuscular transmission, 560
Lung, veins, in intact dogs, effects of lidocaine, hexamethonium and *alpha* and *beta* adrenergic blocking agents on, 487

Maas, J. W.: A kinetic model for the study of the disposition of circulating norepinephrine, 369
Maas, J. W., Behensohn, H. and Landis, D. H.: A kinetic study of the disposition of circulating norepinephrine in normal male subjects, 381
Macko, E., *see* Spano, P. F., 20
Maher, J. F.: Determinants of serum half-life of glutethimide in intoxicated patients, 450
Malmfors, T. and Abrams, W. B.: The effects of debrisoquin and bretylium on adrenergic nerves as revealed by fluorescence histochemistry, 99
Malmfors, T., *see* Furness, J. B., 111
Man, retention of inhaled acetaldehyde in, 14
Manganese, inhibitory effect on norepinephrine release from splenic nerves of cats, 72
Mann, W. A., *see* Pendleton, R. G., 421
Marchand, C., McLean, S. and Plaa, G. L.: The effect of SKF 525A on the distribution of carbon tetrachloride in rats, 232
Massion, W. H., *see* Dietzel, W., 169
McLean, S., *see* Marchand, C., 232
McNay, J. L. and Kishimoto, T.: Selective renal vascular effects of ethacrynic acid, 159
McNeil A-343, effect on cardiac sympathetic ganglia of dog, 45
Mecamylamine, effect on response to ganglionic agonists in dog, 45
Membrane, nictitating, isolated, of cat, intraneuronal and extraneuronal accumulation of sympathomimetic amines in, 290
Metabolism
amphetamine, stereotype behavior and, in rat, effects of haloperidol and chlorpromazine on, 428
chloral hydrate, in mice, kinetics of, effect thereon of ethanol, 260
excretion and, of hydroxamates in mice, 239
harmine, in rat, model of, 456
natural ethanol preference and, in C57BL mice, inhibition by *n*-butyraldoxime, 434
of C^{14}-dihydroxyphenylalanine (C^{14}-dopa) in whole mouse, 351
sulfobromophthalein, excretion and, in rats with iodomethane-induced depletion of hepatic glutathione, 221
Metabolite(s)
alkaloid, of dopamine *in vitro*, 388
of harmine, levels in bile, urine and tissue, 456
Metanephrine, effect on intraneuronal and extraneuronal accumulation of sympathomimetic amines in isolated nictitating membrane of cat, 290
3-Methylcholanthrene, effect on percent urinary recovery of acetohydroxamate, formohydroxamate, propionohydroxamate and isobutyrohydroxamate in mice, 239
α-Methyl-*m*-tyrosine, reserpine and, sensitivity or resistance of norepinephrine storage sites in autonomic ganglia of rat to depletion by, 56
Mice
C57BL, inhibition by *n*-butyraldoxime of metabolism and natural ethanol preference in, 434
effects of iron, riboflavin and iodide deficiencies on hepatic drug-metabolizing enzyme systems in, 197

kinetics of chloral hydrate metabolism in, effect thereon of ethanol, 260
pharmacologic interactions of albutoin with other anticonvulsant drugs in, 276
physiologic disposition of short chain aliphatic hydroxamates in, excretion and conversion to amides, 239
study of interaction of hypnotic and toxic effects of chloral hydrate and ethanol in, 247
vas deferens of, cellular studies of sympathetic denervation produced by 6-hydroxydopamine in, 111
whole, fate of C^{14}-dihydroxyphenylalanine (C^{14}-dopa) in, 351
Microsomes
hepatic, of rat, effect of morphine administration on hydroxylation of steroid hormones by, 211
hepatic, of rat, enzymatic basis of cyclophosphamide activation by, 206
Miller, D. A., *see* Pendleton, R. G., 421
Miya, T. S., *see* Schnell, R. C., 177
Molecular orbital theory, preferred conformation of dopamine from, 94
Monoamine oxidase
effect on intraneuronal and extraneuronal accumulation of sympathomimetic amines in isolated nictitating membrane of cat, 290
inhibitors, debrisoquin and bretylium, effects on adrenergic nerves as revealed by fluorescence histochemistry, 99
Morphine, effect of administration on hydroxylation of steroid hormones by rat liver microsomes, 211
Muscle(s)
guinea pig, effect of curare-like compounds on, 560
rat, effect of SKF 525A on distribution of carbon tetrachloride in, 232
sartorius, frog, site of action of lanthanum in, 517
sartorius, frog, treated with tetraalkylammonium ions, potassium fluxes in, 141
skeletal, dog, peripheral vascular effects of cyclopropane and halothane, 169
skeletal, innervated, subjected to prolonged pharmacologic nerve block, absence of supersensitivity to acetylcholine in, 133
smooth, of vas deferens, examination after injection with 6-hydroxydopamine, 111
tissue cell pH values in, 535

Napoli, M. D., *see* Wallin, R. F., 276
Neff, N. H., *see* Spano, P. F., 20
Neoprontosil, azo reduction in fetal and newborn swine, 185
Nerve(s)
adrenergic, mechanism of action of 6-hydroxydopamine on, 111
adrenergic, peripheral, differentiation of norepinephrine storage compartments in, 357
adrenergic, rat, effects of debrisoquin and bretylium on, as revealed by fluorescence histochemistry, 99
sciatic, rabbits, subjected to prolonged pharmacologic block, absence of supersensitivity to acetylcholine in innervated muscle, 133
splenic, cats, inhibitory effect of manganese on norepinephrine release from, 72
Nerve-diaphragm preparation
phrenic, rat, demonstration of acetylcholine in effluents from, measuring nanogram quantities by pyrolysis-gas chromatography, 337
phrenic, rat, isolated, facilitatory drug action on, 550
Nervous system
autonomic, canine, distribution of histamine in, 123
central, depletion of dopamine in, 413
central, gastric antisecretory action of desmethylimipramine in, 421
central, interaction of angiotensin with, 27
sympathetic, cardiac, responses to hypoxia and hypercarbia in rats, 307
Neurons
catecholamine, evidence for selective degeneration of, effect of 6-hydroxydopamine on brain norepinephrine and dopamine, 413
central, interaction of angiotensin with and release of antidiuretic hormone and polydipsia, 27
Nialamide, effects on adrenergic nerves as revealed by fluorescence histochemistry, 99
Nickerson, M., *see* Kalsner, S., 500
Nictitating membrane, isolated, of cat, intraneuronal and extraneuronal accumulation of sympathomimetic amines in, 290
Nikodejevic, B., Senoh, S., Daly, J. W. and Creveling, C. R.: Catechol-O-methyltransferase. II. A new class of inhibitors of catechol-O-methyltransferase; 3,5-dihydroxy-4-methoxybenzoic acid and related compounds, 83
p-Nitroanisole, oxidation in fetal and newborn swine, 185
Noradrenaline, examination by fluorescence method of depletion of, 111
Norepinephrine
ability of DMAE and cocaine to alter pressor response to, 35
blood flow responses to in dog, effects of ethacrynic acid on, 159
brain, dopamine and, effect of 6-hydroxydopa-

mine on, evidence for selective degeneration of catecholamine neurons, 413
circulating, kinetic model for study of disposition of, 369
circulating, kinetic study of disposition of in normal male subjects, 381
conformational difference from pattern for dopamine derived from molecular orbital theory, 94
distribution in canine autonomic nervous system, 123
effects of hypoxia and hypercarbia on, 307
effects of SKF 525A on responses in aortic strips to, 500
interaction with pyridoxal phosphate co-factor, regulation of hepatic tyrosine transaminase *in vivo* through, 283
intraneuronal and extraneuronal accumulation in isolated nictitating membrane of cat, 290
release from splenic nerves of cats, inhibitory effect of manganese on, 72
storage compartments in peripheral adrenergic nerves, differentiation of, 357
storage sites, depletion-sensitive and depletion-resistant, in autonomic ganglia, localization of, 56
uptake, storage, metabolism and release in adrenergic nerves as studied by fluorescence histochemistry, effects of debrisoquin, bretylium and nialamide on, 99
C^{14}-Norepinephrine, formation from C^{14}-tyrosine in rat brain cortex slices, effect of ouabain on, 77
Nucleic acid-synthesis inhibitors, protein- and, supression of drug detoxication induced by spironolactone or ethylestrenol by, 473
Nutrition, iron, riboflavin and iodide deficiencies, effects on hepatic drug-metabolizing enzyme systems in mice, 197

Oester, Y. T., *see* Robert, E. D., 133
Ohi, Y., *see* Goldstein, M., 77
Ohshima, T., *see* Kato, R., 211
Organic acid transport, renal, protein synthesis and, stimulation by penicillin, 152
Osswald, W., Guimarães, S. and Garrett, J.: Influence of propranolol and ICI 50, 172 on the cardiovascular actions of catecholamines as modified by ergotamine, 315
Ouabain, effect on catecholamine biosynthesis in rat brain cortex slices, 77
Oxytocin, two analogs, natriuretic, diuretic and anti-arginine-vasopressin (ADH) effects of, 541

Parotid epithelium, model for movement of salicylate across, 527
Pendleton, R. G., Bartokovits, P., Miller, D. A., Mann, W. A. and Ridley, P. T.: Studies indicating a central antisecretory site of action for desmethylimipramine (DMI), 421
L-Penicillamine, effect on enzyme induction by pyridoxal phosphate co-factor in rat, 283
Penicillin, stimulation of renal organic acid transport and protein synthesis by, 152
Pentobarbital
anesthesia induced by, inhibition by steroids, 478
disappearance from blood after spironolactone or ethylestrenol, 473
Pharmacologic nerve block, prolonged, absence of supersensitivity to acetylcholine in innervated muscle subjected to, 133
Phenethylamines, effective inhibitors of catechol-O-methyltransferase, 83
Phenobarbital
effect on cyclophosphamide-activating enzyme, 206
pharmacologic interactions of albutoin with, 276
Phenolphthalein, glucuronidation in fetal and newborn swine, 185
Phenoxybenzamine
alpha adrenergic blocking agent, effect on pulmonary vessels, 487
effect on intraneuronal and extraneuronal accumulation of sympathomimetic amines in isolated nictitating membrane of cat, 290
influence on elevation of mean blood pressure in rats by angiotensin, 27
Phentolamine
alpha adrenergic blocking agent, effect on pulmonary vessels, 487
blockade of DMAE-induced potentiation of pressor response to angiotensin by, 35
Phenylephrine, effects of SKF 525A on responses in aortic strips to, 500
Phenylhydrazine, derivatives, structural requirements for hemolysis in amphibian red cells, 463
Pilocarpine, effect on cardiac sympathetic ganglia of dog, 45
Plaa, G. L.
see Marchand, C., 232
see Priestly, B. G., 221
Plasma
appearance or disappearance of norepinephrine in, 369
levels of H^3-dihydromorphine, maternal and fetaldistribution in tolerant and nontolerant rat, 9
Polydipsia, release of antidiuretic hormone and, interaction of central neurons with angiotensin, 27
Potassium
fluxes in frog sartorius muscle treated with tetraalkylammonium ions, 141
-induced contractions of aortic strips, selective

blockade by β-diethylaminoethyldiphenylpropylacetate (SKF 525A), 500
Practolol, *beta* adrenergic blocking agent, effect on pulmonary vessels, 487
Prat, J. C., *see* Kirpekar, S. M., 72
Pregnancy, rat, tolerant and nontolerant, maternal and fetal distribution of H^3-dihydromorphine, 9
Priestly, B. G. and Plaa, G. L.: Sulfobromophthalein metabolism and excretion in rats with iodomethane-induced depletion of hepatic glutathione, 221
Procaine, hydrolysis in fetal and newborn swine, 185
Progesterone
anesthesia induced by, inhibition by steroids, 478
testosterone and, hydroxylation by rat liver microsomes, effect of morphine administration on, 211
Propionohydroxamate, excretion and metabolism in mice, 239
Propranolol
beta adrenergic blocking agent, effect on pulmonary vessels, 487
ICI 50, 172 and, influence on cardiovascular actions of catecholamines as modified by ergotamine, 315
Protein
-synthesis inhibitors, nucleic acid- and, supression of drug detoxication induced by spironolactone or ethylestrenol by, 473
synthesis, renal organic acid transport and, stimulation by penicillin, 152
Protryptaline, influence on effects of debrisoquin, bretylium and nialamide on adrenergic nerves as revealed by fluorescence histochemistry, 99
Putney, J. W., Jr., *see* Borzelleca, J. F., 527
Pyridoxal phosphate co-factor, regulation of hepatic tyrosine transaminase *in vivo* through interaction of norepinephrine and, 283
Pyrogallol, effect on DMAE-induced potentiation of pressor response to angiotensin and norepinephrine in dogs, 35
Pyrolysis-gas chromatography
measurement of nanogram quantities of acetylcholine by, demonstration in effluents from rat phrenic nerve-diaphragm preparation, 337
measurement of release of acetylcholine from innervated and denervated rat diaphragm by, 346

Rabbit(s)
sciatic nerves of, absence of supersensitivity to acetylcholine in innervated muscle subjected to a prolonged pharmacologic nerve block, 133
selective blockade of potassium-induced contractions of aortic strips by β-diethylaminoethyldiphenylpropylacetate (SKF 525A) in, 500
Rat(s)
acetazolamide-treated, tissue acid-base balance in, 535
albino, iris of, effects of debrisoquin, bretylium and nialamide on uptake, storage, metabolism and release of norepinephrine as revealed by fluorescence histochemistry in, 99
augmentation of alkaloid formation from dopamine by alcohol and acetaldehyde *in vitro* in, 401
brain cortex slices of, effect of ouabain on catecholamine biosynthesis in, 77
brain, efflux of chlorpromazine and trifluoperazine from, 20
brain slices, human red cells and, active transport of Rb^{86} in, 323
central effect of angiotensin in, release of pituitary pressor material, 27
changes in cation transport and (Na + K)-activated adenosine triphosphatase produced by chronic administration of ethanol in, 330
differentiation of norepinephrine storage compartments in peripheral adrenergic nerves of, 357
effect of 6-hydroxydopamine on brain norepinephrine and dopamine, evidence for selective degeneration of catecholamine neurons in, 413
effect of SKF 525A on distribution of carbon tetrachloride in, 232
effects of haloperidol and chlorpromazine on amphetamine metabolism and stereotype behavior in, 428
effects of hypoxia and hypercarbia on myocardial catecholamines in, 307
enzymatic basis of cyclophosphamide activation by hepatic microsomes of, 206
hepatic microsomes of, effect of morphine administration on hydroxylation of steroid hormones, 211
inhibition of anesthesia by steroids in, 478
localization of depletion-sensitive and depletion-resistant norepinephrine storage sites in autonomic ganglia of, 56
model of harmine metabolism in, 456
natriuretic, diuretic and anti-arginine-vasopressin (ADH) effects of two analogs of oxytocin in, 541
a new class of inhibitors of catechol-O-methyltransferase isolated from liver of, 83
phrenic nerve-diaphragm preparation, demonstration of acetylcholine in effluents from, measuring nanogram quantities by pyrolysis-gas chromatography, 337
phrenic nerve-diaphragm preparation, isolated, facilitatory drug action on, 550
regulation of hepatic tyrosine transaminase *in*

vivo through interaction of norepinephrine and pyridoxal phosphate co-factor, 283
release of acetylcholine from innervated and denervated diaphragm of, 346
small intestine of, altered absorption of drugs by carbonic anhydrase inhibition from, 177
stimulation of renal organic acid transport and protein synthesis by penicillin in, 152
studies indicating central antisecretory site of action for desmethylimipramine (DMI) in, 421
supression by nucleic acid- and protein-synthesis inhibitors of drug detoxication induced by spironolactone or ethylestrenol in, 473
tetrahydropapaveroline, alkaloid metabolite of dopamine *in vitro*, 388
tolerant and nontolerant, maternal and fetal distribution of H^3-dihydromorphine in, 9
vas deferens of, cellular studies of sympathetic denervation produced by 6-hydroxydopamine in, 111
with iodomethane-induced depletion of hepatic glutathione, sulfobromophthalein metabolism and excretion in, 221

Rb^{86}
accumulation by rat brain cortex slices, effect of administration of ethanol on, 330
active transport in human red cells and rat brain slices, 323

Reserpine
blockade of DMAE-induced potentiation of pressor response to angiotensin by, 35
effect on distribution of histamine in canine autonomic nervous system, 123
effect on intraneuronal and extraneuronal accumulation of sympathomimetic amines in isolated nictitating membrane of cat, 290
α-methyl-*m*-tyrosine and, sensitivity or resistance of norepinephrine storage sites in autonomic ganglia of rat to depletion by, 56

Respiratory tract, man, uptake of acetaldehyde in, 14

Riboflavin, deficiencies, iron, iodide and, effects on hepatic drug-metabolizing enzyme systems, 197

Ridley, P. T., *see* Pendleton, R. G., 421

Robert, E. D. and Oester, Y. T.: Absence of supersensitivity to acetylcholine in innervated muscle subjected to a prolonged pharmacologic nerve block, 133

Rollings, D. E., Withrow, C. D. and Woodbury, D. M.: Tissue acid-base balance in acetazolamide-treated rats, 535

Rose, C., *see* Wurtman, R. J., 351

Ryan, M. J. and Brody, M. J.: Distribution of histamine in the canine autonomic nervous system, 123

Salazar, I., *see* Israel, Y., 330

Salicylate, model for movement across parotid epithelium, 527

C^{14}-Salicylic acid, altered absorption from rat small intestine by carbonic anhydrase inhibition after pretreatment with acetazolamide, 177

Sartorius muscle
frog, site of action of lanthanum in, 517
frog, treated with tetraalkylammonium ions, potassium fluxes in, 141

Schaefer, J.-M., *see* Van Orden, L. S., III, 357

Schmidt, D. E., Szilagyi, P. I. A., Alkon, D. L. and Green, J. P.: A method for measuring nanogram quantities of acetylcholine by pyrolysis-gas chromatography: The demonstration of acetylcholine in effluents from the rat phrenic nerve-diaphragm preparation, 337

Schmidt, D. E., *see* Alkon, D. L., 346

Schnell, R. C. and Miya, T. S.: Altered absorption of drugs from the rat small intestine by carbonic anhydrase inhibition, 177

Sciatic nerve, rabbits, subjected to prolonged pharmacologic block, absence of supersensitivity to acetylcholine in innervated muscle, 133

Senoh, S., *see* Nikodejevic, B., 83

Selye, H.: Inhibition of anesthesia by steroids, 478

Serratus anterior, guinea pig, effect of curare-like compounds on, 560

Severs, W. B., Summy-Long, J., Taylor, J. S. and Connor, J. D.: A central effect of angiotensin: Release of pituitary pressor material, 27

Short, C. R. and Davis, L. E.: Perinatal development of drug-metabolizing enzyme activity in swine, 185

Skeletal muscle
dog, peripheral vascular effects of cyclopropane and halothane, 169
innervated, subjected to prolonged pharmacologic nerve block, absence of supersensitivity to acetylcholine in, 133

SKF 525A
(β - diethylaminoethyldiphenylpropylacetate), selective blockade of potassium-induced contractions of aortic strips by, 500
effect on distribution of carbon tetrachloride in rats, 232

Skin, dog, peripheral vascular effects of cyclopropane and halothane, 169

Slotkin, T. A. and DiStefano, V.: A model of harmine metabolism in the rat, 456

Smooth muscle, of vas deferens, examination after injection with 6-hydroxydopamine, 111

Solymoss, B., Krajny, M., Varga, S. and Werringloer, J.: Suppression by nucleic acid- and protein-synthesis inhibitors of drug detoxication induced by spironolactone or ethylestrenol, 473

XUM

Spano, P. F., Neff, N. H., Macko, E. and Costa, E.: Efflux of chlorpromazine and trifluoperazine from the rat brain, 20
Spironolactone
ethylestrenol or, supression by nucleic acid- and protein-synthesis inhibitors of drug detoxication induced by, 473
inhibition of anesthesia induced by progesterone or pentobarbital, 478
Spleens, cats, perfused, inhibitory effect of manganese on norepinephrine release from, 72
Steroid hormones, hydroxylation of, by rat liver microsomes, effect of morphine administration on, 211
Steroids
effect on cyclophosphamide-activating enzyme, 206
inhibition of anesthesia by, 478
Storage sites, norepinephrine, depletion-sensitive and depletion-resistant, in autonomic ganglia, localization of, 56
Streeter, C. L., *see* Fishbein, W. N., 239
Succinylcholine
interactions with facilitatory drugs in denervated rat diaphragm, 550
responses of lidocaine-blocked muscles to, 133
Sulfobromophthalein, metabolism and excretion in rats with iodomethane-induced depletion of hepatic glutathione, 221
Summy-Long, J., *see* Severs, W. B., 27
Swine, perinatal development of drug-metabolizing enzyme activity in, 185
Sympathetic ganglia, cardiac, dog, effect of ganglionic agonists and antagonists on, 45
Sympathetic nervous system, cardiac, responses to hypoxia and hypercarbia in rats, 307
Sympathomimetic amines, in isolated nictitating membrane of cat, intraneuronal and extraneuronal accumulation of, 290
Szilagyi, P. I. A.
see Alkon, D. L., 346
see Schmidt, D. E., 337

Takahashi, A., *see* Kato, R., 211
Taylor, J. S., *see* Severs, W. B., 27
Tenen, S. S., *see* Koe, B. K., 434
Testosterone, progesterone and, hydroxylation by rat liver microsomes, effect of morphine administration on, 211
Tetraalkylammonium ions, potassium fluxes in frog sartorius muscle treated with, 141
Tetraethylammonium, effect on response to ganglionic agonists in dog, 45
Tetrahydro-4-aminoacridine, effects on phrenic nerve-diaphragm preparation of rat, 541
Tetrahydropapaveroline
alkaloid metabolite of dopamine *in vitro*, 388
formation from dopamine, augmentation by alcohol and acetaldehyde *in vitro*, 401
Tetramethylammonium, effect on cardiac sympathetic ganglia of dog, 45
Tissue
acid-base balance in acetazolamide-treated rats, 535
adipose, rat, effect of SKF 525A on distribution of carbon tetrachloride in, 232
levels of harmine metabolites in, 456
c-Toxiferine, effects in muscles of guinea pig, 560
Traylor, T. D., *see* Breese, G. R., 413
Trendelenburg, U., *see* Draskóczy, P. R., 290
Trifluoperazine, chlorpromazine and, efflux from rat brain, 20
Trimethadione, pharmacologic interactions of albutoin with, 276
Truitt, E. B., Jr., *see* Kier, L. B., 94
Tubocurarine, effects in muscles of guinea pig, 560
d-Tubocurarine
effect on response to ganglionic agonists in dog, 45
responses of lidocaine-blocked muscles to, 133
Turner, R. J., *see* Freeman, S. E., 550
Tyramine, ability of DMAE and cocaine to alter pressor response to, 35
C^{14}-Tyrosine, uptake and formation of C^{14}-catecholamines from, in rat brain cortex slices, effect of ouabain on, 77
Tyrosine transaminase, hepatic, regulation *in vivo* through interaction of norepinephrine and pyridoxal phosphate co-factor, 283

C^{14}-Urea, altered absorption from rat small intestine by carbonic anhydrase inhibition after pretreatment with acetazolamide, 177
Urine
appearance or disappearance of norepinephrine in, 369, 381
levels of harmine metabolites in, 456
of mice, percent recovery of acetohydroxamate, formohydroxamate, propionohydroxamate and isobutyrohydroxamate in, effect of barbital or 3-methylcholanthrene, 239

Van Orden, L. S., III, Burke, J. P., Geyer, M. and Lodoen, F. V.: Localization of depletion-sensitive and depletion-resistant norepinephrine storage sites in autonomic ganglia, 56
Van Orden, L. S., III, Schaefer, J.-M., Burke, J. P. and Lodoen, F. V.: Differentiation of norepinephrine storage compartments in peripheral adrenergic nerves, 357
Varga, S., *see* Solymoss, B., 473
Vas deferens
mouse and rat, cellular studies of sympathetic denervation produced by 6-hydroxydopamine in, 111

rat, disappearance of norepinephrine as visualized by fluorescence histochemistry in, 357
Vasopressin, anti-arginine-, natriuretic, diuretic and, effects of two analogs of oxytocin, 541
Veins, pulmonary, in intact dogs, effects of lidocaine, hexamethonium and *alpha* and *beta* adrenergic blocking agents on, 487
Vesicles, granular, norepinephrine storage site in autonomic ganglia of rat, sensitive to depletion by reserpine and α-methyl-*m*-tyrosine, 56
du Vigneaud, V., *see* Chan, W. Y., 541
Volle, R. L.: Potassium fluxes in frog sartorius muscle treated with tetraalkylammonium ions, 141

Wallin, R. F., Blackburn, W. H. and Napoli, M. D.: Pharmacologic interactions of albutoin with other anticonvulsant drugs, 276
Walsh, M. J., Davis, V. E. and Yamanaka, Y.: Tetrahydropapaveroline: An alkaloid metabolite of dopamine *in vitro*, 388
Walsh, M. J., *see* Davis, V. E., 401
Weiss, G. B.: On the site of action of lanthanum in frog sartorius muscle, 517
Werringloer, J., *see* Solymoss, B., 473
Withrow, C. D., *see* Rollins, D. E., 535
Witt, E. D., *see* Lemberger, L., 428
Woodbury, D. M., *see* Rollins, D. E., 535
Woods, L. A., *see* Yeh, S. Y., 9
Wurtman, R. J., Chou, C. and Rose, C.: The fate of C^{14}-dihydroxyphenylalanine (C^{14}-dopa) in the whole mouse, 351

Yaffe, S. J., *see* Catz, C. S., 197
Yamanaka, Y.
see Davis, V. E., 401
see Walsh, M. J., 388
Yeh, S. Y. and Woods, L. A.: Maternal and fetal distribution of H^3-dihydromorphine in the tolerant and nontolerant rat, 9

Zoxazolamine, oxidation in fetal and newborn swine, 185

VOLUME 174 JULY–SEPTEMBER 1970

THE JOURNAL OF
Pharmacology
AND EXPERIMENTAL THERAPEUTICS

FOUNDED BY JOHN J. ABEL 1909

Official Publication of The American Society for Pharmacology and Experimental Therapeutics, Inc.

EDITOR

MARION DEV. COTTEN

EDITORS FOR SPECIFIC FIELDS

Analgesia and Drug Abuse
Joseph Cochin
Autonomic Pharmacology
J. Richard Crout
William W. Fleming
Behavioral Pharmacology
Bernard Weiss
Biochemical Pharmacology
Bert N. La Du
Cardiovascular Pharmacology
Henry H. Swain
Cell Pharmacology
John R. Blinks
Drug Metabolism and Disposition
Milton T. Bush
Kenneth P. DuBois
Neuroendocrine Pharmacology
Alfred Heller
Neuropharmacology
William K. Riker
Renal Pharmacology
Irwin M. Weiner
Toxicology
Gabriel L. Plaa

EDITORIAL ADVISORY BOARD

Julius Axelrod
Lloyd Beck
William O. Berndt
Michael J. Brody
Theodore M. Brody
George A. Condouris
Theodore Cooper
E. E. Daniel
D. Joseph Demis
G. A. Deneau
Peter E. Dresel
Ronald W. Estabrook
Thomas E. Gaffney
William F. Ganong
James R. Gillette
Jack Peter Green
Anthony J. Hance
Louis S. Harris
David Jacobowitz
R. T. Kelleher
Ronald G. Kuntzman
S. Morris Kupchan
Victor G. Laties
Bernard Levy
Benedict R. Lucchesi
Harriet M. Maling
Bernard H. Marks
Steven E. Mayer
John A. Oates
Lincoln T. Potter
Arnold Schwartz
Charles B. Smith
Frank G. Standaert
C. D. Thron
Elwood O. Titus
U. Trendelenburg
Joan Vernikos-Danellis
Andrew G. Wallace
Douglas R. Waud
Norman Weiner
Herbert Weissbach
Albert Weissman
Martin M. Winbury
Richard J. Wurtman

BOARD OF PUBLICATIONS TRUSTEES

WALTER F. RIKER, JR., *Chairman*; GEORGE H. ACHESON, EDWARD J. CAFRUNY, MARION DEV. COTTEN
ROBERT F. FURCHGOTT, GEORGE H. MANDEL, WALTER MODELL, PAUL TALALAY, E. LEONG WAY

EXECUTIVE OFFICER OF THE SOCIETY

ELLSWORTH B. COOK

JPETAB

Copyright © 1970, by The Williams & Wilkins Company

CONTENTS OF VOLUME 174

No. 1, July 1970

Oral Absorption and Disposition Kinetics of Lidocaine Hydrochloride in Dogs. R. N. Boyes, H. J. Adams and B. R. Duce 1

Maternal and Fetal Distribution of H^3-Dihydromorphine in the Tolerant and Non-tolerant Rat. S. Y. Yeh and L. A. Woods 9

Retention of Inhaled Acetaldehyde in Man. John L. Egle, Jr. 14

Efflux of Chlorpromazine and Trifluoperazine from the Rat Brain. P. F. Spano, N. H. Neff, E. Macko and E. Costa 20

A Central Effect of Angiotensin: Release of Pituitary Pressor Material. Walter B. Severs, Joan Summy-Long, James S. Taylor and John D. Connor 27

Potentiation by [4,4′-Biphenylenebis(2-Oxoethylene)]Bis[(2,2-Diethoxyethyl) Dimethylammonium Bromide] (DMAE) of the Sympathetic Component of the Vasopressor Response to Angiotensin. S. Greenberg and J. P. Long 35

The Effect of Ganglionic Agonists and Antagonists on the Cardiac Sympathetic Ganglia of the Dog. Werner Flacke and Jerome H. Fleisch 45

Localization of Depletion-Sensitive and Depletion-Resistant Norepinephrine Storage Sites in Autonomic Ganglia. Lucas S. Van Orden, III, Jon P. Burke, Mark Geyer and Frances V. Lodoen 56

Inhibitory Effect of Manganese on Norepinephrine Release from the Splenic Nerves of Cats. S. M. Kirpekar, W. Dixon and J. C. Prat 72

The Effect of Ouabain on Catecholamine Biosynthesis in Rat Brain Cortex Slices. Menek Goldstein, Yoshihiro Ohi and Tony Backstrom 77

Catechol-O-Methyltransferase. II. A New Class of Inhibitors of Catechol-O-Methyltransferase; 3,5-Dihydroxy-4-Methoxybenzoic Acid and Related Compounds. B. Nikodejevic, S. Senoh, J. W. Daly and C. R. Creveling 83

The Preferred Conformation of Dopamine from Molecular Orbital Theory. Lemont B. Kier and Edward B. Truitt, Jr. 94

The Effects of Debrisoquin and Bretylium on Adrenergic Nerves as Revealed by Fluorescence Histochemistry. Torbjörn Malmfors and William B. Abrams 99

Cellular Studies of Sympathetic Denervation Produced by 6-Hydroxydopamine in the Vas Deferens. J. B. Furness, G. R. Campbell, S. M. Gillard, T. Malmfors, J. L. S. Cobb and G. Burnstock 111

Distribution of Histamine in the Canine Autonomic Nervous System. Michael J. Ryan and Michael J. Brody 123

Absence of Supersensitivity to Acetylcholine in Innervated Muscle Subjected to a Prolonged Pharmacologic Nerve Block. Emery D. Robert and Yvo T. Oester 133

Potassium Fluxes in Frog Sartorius Muscle Treated with Tetraalkylammonium Ions. Robert L. Volle 141

Stimulation of Renal Organic Acid Transport and Protein Synthesis by Penicillin. G. H. Hirsch and J. B. Hook 152

Selective Renal Vascular Effects of Ethacrynic Acid. John L. McNay and Taketoshi Kishimoto 159

Peripheral Vascular Effects of Cyclopropane and Halothane in the Dog. Werner Dietzel, Thomas E. Emerson, Jr. and Walter H. Massion 169

No. 2, August 1970

Altered Absorption of Drugs from the Rat Small Intestine by Carbonic Anhydrase Inhibition. Robert C. Schnell and Tom S. Miya 177

Perinatal Development of Drug-Metabolizing Enzyme Activity in Swine. Charles R. Short and Lloyd E. Davis 185

Effects of Iron, Riboflavin and Iodide Deficiencies on Hepatic Drug-Metabolizing Enzyme Systems. Charlotte S. Catz, Mont R. Juchau and Sumner J. Yaffe. 197

Enzymatic Basis of Cyclophosphamide Activation by Hepatic Microsomes of the Rat. J. L. Cohen and J. Y. Jao 206

Effect of Morphine Administration on the Hydroxylation of Steroid Hormones by Rat Liver Microsomes. R. Kato, A. Takahashi, T. Ohshima and E. Hosoya..... 211
Sulfobromophthalein Metabolism and Excretion in Rats with Iodomethane-Induced Depletion of Hepatic Glutathione. Brian G. Priestly and Gabriel L. Plaa. 221
The Effect of SKF 525A on the Distribution of Carbon Tetrachloride in Rats. Claude Marchand, Stuart McLean and Gabriel L. Plaa..... 232
Physiologic Disposition of Short Chain Aliphatic Hydroxamates in the Mouse. I. The One-through-Four Carbon Hydroxamates: Excretion and Conversion to Amides. William N. Fishbein and Charles L. Streeter..... 239
A Study of the Interaction of the Hypnotic Effects and of the Toxic Effects of Chloral Hydrate and Ethanol. Peter K. Gessner and Bernard E. Cabana..... 247
The Kinetics of Chloral Hydrate Metabolism in Mice and the Effect Thereon of Ethanol. Bernard E. Cabana and Peter K. Gessner..... 260
Pharmacologic Interactions of Albutoin with Other Anticonvulsant Drugs. Richard F. Wallin, William H. Blackburn and Martha D. Napoli..... 276
Regulation of Hepatic Tyrosine Transaminase *in Vivo* through Interaction of Norepinephrine and the Pyridoxal Phosphate Co-Factor. Ira B. Black..... 283
Intraneuronal and Extraneuronal Accumulation of Sympathomimetic Amines in the Isolated Nictitating Membrane of the Cat. P. R. Draskóczy and U. Trendelenburg..... 290
The Effects of Hypoxia and Hypercarbia on Myocardial Catecholamines. Robert H. Goldman and Donald C. Harrison..... 307
Influence of Propranolol and ICI 50,172 on the Cardiovascular Actions of Catecholamines as Modified by Ergotamine. W. Osswald, S. Guimarães and J. Garrett.. 315
Active Transport of Rb^{86} in Human Red Cells and Rat Brain Slices. J. C. Bernstein and Y. Israel..... 323
Changes in Cation Transport and (Na + K)-Activated Adenosine Triphosphatase Produced by Chronic Administration of Ethanol. Y. Israel, H. Kalant, E. LeBlanc, J. C. Bernstein and I. Salazar..... 330
A Method for Measuring Nanogram Quantities of Acetylcholine by Pyrolysis-Gas Chromatography: The Demonstration of Acetylcholine in Effluents from the Rat Phrenic Nerve-Diaphragm Preparation. D. E. Schmidt, P. I. A. Szilagyi, D. L. Alkon and Jack Peter Green..... 337
The Release of Acetylcholine from the Innervated and Denervated Diaphragm. D. L. Alkon, D. E. Schmidt, J. P. Green and P. I. A. Szilagyi..... 346
Erratum..... 350
Editor's Change of Address..... Cover 3

No. 3, September 1970

The Fate of C^{14}-Dihydroxyphenylalanine (C^{14}-Dopa) in the Whole Mouse. R. J. Wurtman, C. Chou and C. Rose..... 351
Differentiation of Norepinephrine Storage Compartments in Peripheral Adrenergic Nerves. Lucas S. Van Orden III, Joan-Marie Schaefer, Jon P. Burke and Frances V. Lodoen..... 357
A Kinetic Model for the Study of the Disposition of Circulating Norepinephrine. James W. Maas..... 369
A Kinetic Study of the Disposition of Circulating Norepinephrine in Normal Male Subjects. James W. Maas, Howard Benensohn and D. Harold Landis..... 381
Tetrahydropapaveroline: An Alkaloid Metabolite of Dopamine *in Vitro*. Michael J. Walsh, Virginia E. Davis and Yasumitsu Yamanaka..... 388
Augmentation of Alkaloid Formation from Dopamine by Alcohol and Acetaldehyde *in Vitro*. Virginia E. Davis, Michael J. Walsh and Yasumitsu Yamanaka.... 401
Effect of 6-Hydroxydopamine on Brain Norepinephrine and Dopamine: Evidence for Selective Degeneration of Catecholamine Neurons. George R. Breese and T. Dennis Traylor..... 413
Studies Indicating a Central Antisecretory Site of Action for Desmethylimipramine

XUM

(DMI). Robert G. Pendleton, Patricia Bartakovits, Darlene A. Miller, William A. Mann and Peter T. Ridley 421
The Effects of Haloperidol and Chlorpromazine on Amphetamine Metabolism and Amphetamine Stereotype Behavior in the Rat. Louis Lemberger, Ellen D. Witt, John M. Davis and Irwin J. Kopin 428
Inhibiting Action of *n*-Butyraldoxime on Ethanol Metabolism and on Natural Ethanol Preference of C57BL Mice. B. Kenneth Koe and Stanley S. Tenen 434
Determinants of Serum Half-Life of Glutethimide in Intoxicated Patients. John F. Maher 450
A Model of Harmine Metabolism in the Rat. Theodore A. Slotkin and Victor DiStefano 456
Structural Requirements for the Hemolytic Effect of Phenylhydrazine Derivatives on Amphibian Red Cells. Gustavo Flores and Earl Frieden 463
Suppression by Nucleic Acid- and Protein-Synthesis Inhibitors of Drug Detoxication Induced by Spironolactone or Ethylestrenol. B. Solymoss, M. Krajny, S. Varga and J. Werringloer 473
Inhibition of Anesthesia by Steroids. Hans Selye 478
The Effects of Lidocaine, Hexamethonium and *Alpha* and *Beta* Adrenergic Blocking Agents on the Pulmonary Veins in Intact Dogs. Albert L. Hyman 487
Selective Blockade of Potassium-Induced Contractions of Aortic Strips by β-Diethylaminoethyldiphenylpropylacetate (SKF 525A). Stanley Kalsner, Mark Nickerson and Gordon N. Boyd 500
Graded Responses in Isolated Kitten Atria due to Blockade of Conduction by Cetyltrimethylammonium Bromide (CTAB). Philip J. Kadowitz, Mary Hollands and Peter E. Dresel 509
On the Site of Action of Lanthanum in Frog Sartorius Muscle. George B. Weiss 517
A Model for the Movement of Salicylate across the Parotid Epithelium. Joseph F. Borzelleca and James W. Putney, Jr. 527
Tissue Acid-Base Balance in Acetazolamide-Treated Rats. D. E. Rollins, C. D. Withrow and D. E. Woodbury 535
Natriuretic, Diuretic and Anti-Arginine-Vasopressin (ADH) Effects of Two Analogs of Oxytocin: [4-Leucine]-Oxytocin and [2,4-Diisoleucine]-Oxytocin. W. Y. Chan and Vincent du Vigneaud 541
Facilitatory Drug Action on the Isolated Phrenic Nerve-Diaphragm Preparation of the Rat. Shirley E. Freeman and R. J. Turner 550
Affinity of Curare-Like Compounds and Their Potency in Blocking Neuromuscular Transmission. Tzu-chiau Lu 560
Index, Volume 174, July–September 1970 567

INDEX

Volume 175, October–December 1970

Acetaminophen, sodium salicylate and, antipyretic effects on endotoxin-induced fevers in cats, 469
Acetazolamide
in dogs, diuretic effects of mercuric cysteine after injection of, 741
ouabain and, effect on transport of sodium and chloride from plasma to aqueous humor, 237
Acetonitrile, inotropic actions of, 361
Acetylcholine
cesium effects on muscle membrane responses to, 483
choline, carbamylcholine and, muscle membrane depolarization near and remote from motor end-plates by, 476
content, brain, in mice, effects of morphine and levorphanol, 685
effects on sheep umbilical blood vessels, 565
induction of cholinergic subsensitivity in parasympathetically denervated cat eyes by, 673
negative and positive inotropic responses of blood-perfused canine papillary muscle to, 377
postnicotine responses of perfused adrenal gland of dog to, 178
specific subsensitivity of rat atrium to, 496
Actinomycin D, pretreatment with, influence on effects of methylchloroform inhalation, 311
Adams, M. D., *see* Tobia, A. J., 619
Adenosine triphosphatase
activity, sodium reabsorption and, renal, in dogs, effects of cardiac glycosides, 727
activity, ouabain-sensitive, renal, sodium reabsorption and, 717
Adrenal gland
medulla, perfused, cat, dwindling secretory response to repeated injections of histamine, 641
of dog, during nicotine blockade, drug-induced secretion of catecholamines by, 178
Adrenergic blocking agent(s)
alpha and *beta*, effect on inotropic actions of dipolar aprotic solvents, 361
alpha, in cats, N-ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline (EEDQ), 147
beta, isoproterenol and, effect on myocardial hemodynamics and rubidium-86 extraction in isolated supported heart preparation, 577
beta, new, bunolol, antiarrhythmic activity of, 168
beta, new, bunolol, cardiovascular pharmacology of, 157
beta, selective, practolol, metabolism and distribution of, 338
cold and, effect on release of histamine by compound 48/80 and antigen from rat mast cells, 632
Aghajanian, G. K. and Roth, R. H.: γ-Hydroxybutyrate-induced increase in brain dopamine: Localization by fluorescence microscopy, 131
Agonist(s)
adrenergic, effect on release of histamine from rat mast cells by compound 48/80 and antigen, 632
dissociation constants, graphical and weighted regression analyses for determination of, 541
Alcoholism
behavioral studies of sleep patterns during intoxication and withdrawal, 94
experimental, animal model of biologic component of, 88
Alkaloids, ergot, effects on sheep umbilical blood vessels, 565
Alprenolol, effect on inotropic responses to acetylcholine in dog, 377
Altura, B. M. and Hershey, S. G.: Effects of glyceryl trioleate on the reticuloendothelial system and survival after experimental shock, 555
Alvares, A. P., Schilling, G. and Levin, W.: Species differences in the induction of microsomal hemoproteins and 3,4-benzpyrene hydroxylase by phenobarbital and 3-methylcholanthrene, 4
Amaranth, in rats, effects of phenobarbital on plasma disappearance and biliary excretion of, 289
Aminopyrine, effect of methylchloroform inhalation on metabolism of, 311
Amodiaquin, influence on effects of tyramine and responses to histamine in rabbit aortic strips, 489
Analgesia, in rat, after injection of *l*-methadone, 84
Anesthetic(s)
activity, distribution, inactivation, protein binding and, of optical antipodes of two N-methylated barbiturates, stereospecificity of, 709
basal, effects on response of sympathetic nervous activity and barostatic reflexes to subsequent administration of halothane, 183
dissociative, new, CL 1848C, effects on canine cardiovascular and respiratory systems, 395
Angiotensin
effects on sheep umbilical blood vessels, 565

XUM

postnicotine responses of perfused adrenal gland of dog to, 178
Angiotensin II, identification of central site of action of, 139
Aniline, hydroxylation, in rats, effect of starvation, 12
Anion, exchange resins, effect of pH on phenobarbital extraction by hemoperfusion over, 22
Antagonists
adrenergic, effect on release of histamine from rat mast cells by compound 48/80 and antigen, 632
narcotic, antagonism of behavioral effects of morphine and methadone in pigeon by, 443
narcotic, morphine and, activity in tail-flick and phenylquinone tests, effect of neurohumoral modulators on, 435
Antiarrhythmic activity, of bunolol, new *beta* adrenergic blocking agent, 168
Antigen, compound 48/80 and, effect of cold and adrenergic drugs on release of histamine from rat mast cells by, 632
Aorta
rabbit, effects of reserpine pretreatment, calcium and histologic changes, 609
strips, effects of tyramine on responses to and inactivation of histamine in, 489
Artery
coronary, ligation, in dogs, effect of bunolol on arrhythmias induced by, 168
pulmonary, rabbit, blockade of nicotine-induced norepinephrine release by cocaine, phenoxybenzamine and desipramine in, 533
Asghar, K. and Way, E. L.: Active removal of morphine from the cerebral ventricles, 75
Aspirin, indomethacin, other drugs and, inhibition of inflammations induced in rat and dog by carrageenan, sodium urate and ellagic acid, 459
Assay, double isotope dilution, enzymatic, application for study of histamine in plasma, 228
Atelopidtoxin, cardiovascular effects, 368
Atria
guinea pig, rabbit, cat and rat, inotropic actions of dipolar aprotic solvents in, 361
rat, specific subsensitivity to cholinergic drugs, 496
Atropine, pretreatment, effect on norepinephrine reflex vasodilatation, 619

Bachur, N. R. and Cradock, J. C.: Daunomycin metabolism in rat tissue slices, 331
Barbiturates
N-methylated, two, stereospecificity of anesthetic activity, distribution, inactivation and protein binding of optical antipodes of, 709
optically active, metabolism of S(−)-pentobarbital, 38
study of excitatory effects of, 692
Barostatic reflexes, sympathetic nervous activity and, to subsequent administration of halothane, effects of basal anesthesia on response of, 183
Barrett, J. P., *see* Ingenito, A. J., 593
Becker, B. A., *see* Harbison, R. D., 283
Behavior
effects of morphine and methadone in pigeon, antagonism by narcotic antagonists, 443
studies of sleep patterns in alcoholics during intoxication and withdrawal, 94
Bellet, S., Roman, L. R., Sandberg, H. and Kostis, J. B.: The effect of nicotinic acid on the caffeine-induced serum free fatty acid increase, 348
3,4-Benzpyrene, in rat, role of microsomal drug-metabolizing enzymes in biliary excretion of, 301
3,4-Benzpyrene hydroxylase, microsomal hemoproteins and, induction by phenobarbital and 3-methylcholanthrene, species differences, 4
Berger, J. M., *see* Melville, K. I., 147
Betamethasone 17-valerate, effects on ocular dynamics in rabbits, 763
Bethanechol, specific subsensitivity of rat atrium to, 496
Bevan, J. A., *see* Su, C., 533
Bile
excretion of 3,4-benzpyrene in rat, role of microsomal drug-metabolizing enzymes in, 301
excretion, plasma disappearance and, of drugs in rats, effects of phenobarbital on, 289
urine and, of rats injected with codeine, isolation of morphine-3-glucuronide from, 69
Bilirubin, in rats, effects of phenobarbital on plasma disappearance and biliary excretion of, 289
Biotransformation
hepatic, of pregnanolone in newborn rats, 276
of protriptyline in man, pig and dog, 51
Bito, L. Z. and Dawson, M. J.: The site and mechanism of the control of cholinergic sensitivity, 673
Bius, D. L., *see* Dudley, K. H., 27
Björklund, A., Falck, B. and Stenevi, U.: On the possible existence of a new intraneuronal monoamine in the spinal cord of the rat, 525
Blaber, L. C.: The effect of facilitatory concentrations of decamethonium on the storage and release of transmitter at the neuromuscular junction of the cat, 664
Blood
assay for pentaerythritol tetranitrate after its administration to humans, 42
dogs, free fatty acid concentration in, 348
pressure, systemic, cat, effect of angiotensin II on, 139
rats, mice and dogs, levels of practolol in, 338
transport of morphine into, 75

vessels, umbilical cord, isolated, sheep, pharmacology of, 565
vessels, umbilical cord, sheep, mechanism of potentiation by cocaine of responses to serotonin in, 571
Bohn, D. L., *see* Fanelli, G. M., Jr., 259
Bouchard, R., *see* Ohye, C., 700
Boucher, R., *see* Ohye, C., 700
Bourne, H. R., *see* Miller, R. L., 228
Bousquet, W. F., *see* Tobia, A. J., 619
Bradycardia, centrally mediated, in cat after α-methyldopa, 593
Bradykinin, postnicotine responses of perfused adrenal gland of dog to, 178
Brain
acetylcholine content in mice, effects of morphine and levorphanol, 685
cat, centrally mediated peripheral effect of α-methyldopa in, 593
cat, identification of central site of action of angiotensin II, 139
cat, spontaneous activity of putamen after chronic interruption of dopaminergic pathway, effect of L-dopa, 700
dopamine, γ-hydroxybutyrate-induced increase, localization by fluorescence microscopy, 131
electrical activity, in rats, effects of lethal doses of DDT, 60
guinea pig, extraction of histamine from, 228
monoamines, possible role in acute toxicity of digitoxigenin, 121
rat, concentrations of optical antipodes of two N-methylated barbiturates in, 709
rat, localization of *d*- and *l*-methadone after intraventricular injection into, 84
rat, mechanism of action of selective depletion of serotonin by *p*-chloroamphetamine, 419
rat, newborn, effect of pregnanolone, 276
rat, rate of pentobarbital disappearance after ethanol treatment, 318
rats, mice and dogs, levels of practolol in, 338
serotonin turnover in morphine tolerant and dependent mice, 427
slices, rat, kinetics of serotonin accumulation into, relationship to catecholamine uptake, 404
ventricles, acute removal of morphine from, 75
Bretylium, influence on response to nicotine in rabbit pulmonary artery, 533
Brimijoin, S., Pluchino, S. and Trendelenburg, U.: On the mechanism of supersensitivity to norepinephrine in the denervated cat spleen, 503
Brouwer, E. A., *see* Wallace, W. C., 325
Büch, H., Knabe, J., Buzello, W. and Rummel, W.: Stereospecificity of anesthetic activity, distribution, inactivation and protein binding of the optical antipodes of two N-methylated barbiturates, 709
Buckley, J. P., *see* Deuben, R. R., 139
Bunolol
new *beta* adrenergic blocking agent, antiarrhythmic activity of, 168
new *beta* adrenergic blocking agent, cardiovascular pharmacology of, 157
Buterbaugh, G. G. and Spratt, J. L.: The possible role of brain monoamines in the acute toxicity of digitoxigenin, 121
Butler, T. C., *see* Dudley, K. H., 27
γ-Butyrolactone-induced increase in brain dopamine, localization by fluorescence microscopy, 131
Buzello, W., *see* Büch, H., 709

Caffeine-induced free fatty acid increase, effect of nicotinic acid on, 348
Caffeine sodium benzoate, effect on free fatty acid levels in dogs, 348
Cafruny, E. J., *see* Nigrovic, V., 741
Calcium, histologic changes and, in rabbit aorta after reserpine pretreatment, 609
Campbell, P., *see* Soyka, L. F., 276
Carbachol
sensitivity of parasympathetically denervated cat eyes to, 673
specific subsensitivity of rat atrium to, 496
Carbamylcholine
acetylcholine, choline and, muscle membrane depolarization near and remote from motor end-plates by, 476
cesium effects on muscle membrane responses to, 483
Carchman, R. A., *see* McMillan, D. E., 443
Cardiac glycosides, effects on renal adenosine triphosphatase activity and sodium reabsorption in dogs, 727
Cardiovascular effects, of atelopidtoxin, 368
Cardiovascular pharmacology, of bunolol, new *beta* adrenergic blocking agent, 157
Cardiovascular system, respiratory and, dog, effects of CL 1848C, new dissociative anesthetic, 395
Carinamide, renal effects in *Cebus* monkey, 259
Carlson, R. P., *see* Van Arman, C. G., 459
Carrageenan, sodium urate, ellagic acid and, inflammations induced in rat and dog by, inhibitory effects of indomethacin, aspirin and other drugs, 459
Cat(s)
adrenal medulla, perfused, dwindling secretory response to repeated injections of histamine, 641
antipyretic effects of acetaminophen and sodium salicylate on endotoxin-induced fevers in, 469
atria and papillary muscles, inotropic actions of dipolar aprotic solvents in, 361
brain, centrally mediated peripheral effect of α-methyldopa in, 593
decentralized nictitating membrane, uptake and

retention of norepinephrine and epinephrine in, 649
effects of basal anesthesia on response of sympathetic nervous activity and barostatic reflexes to subsequent administration of halothane, 183
effect of ouabain and acetazolamide on transport of sodium and chloride from plasma to aqueous humor, 237
eye, site and mechanism of control of cholinergic sensitivity in, 673
greater effectiveness of phenoxybenzamine in blocking vasoconstrictor responses to central sympathetic stimulation than to norepinephrine in, 600
identification of central site of action of angiotensin II in, 139
neuromuscular junction, effect of facilitatory concentrations on storage and release of transmitter at, 664
renal ouabain-sensitive adenosine triphosphatase activity and sodium reabsorption in, 717
spleen, denervated, mechanism of supersensitivity to norepinephrine in, 503
spleen, perfused, effect of intermittent nerve stimulation on norepinephrine synthesis and mobilization in, 514
spontaneous activity of putamen after chronic interruption of dopaminergic pathway, effect of L-dopa, 700
vas deferens and spleen, regeneration of sympathetic nerves to, 197
Catecholamine(s)
renal tubular transport, inhibition by cocaine, organic base mechanism, 248
secretion, by adrenal medulla of cat, effect of repeated injections of histamine, 641
secretion, drug-induced, by perfused adrenal gland of dog during nicotine blockade, 178
uptake, into rat brain slices, relationship to serotonin accumulation, 404
Cells
mast, rat, selective release of histamine by drugs from, 627
mast, rat, release of histamine by compound 48/80 and antigen from, effect of cold and adrenergic drugs, 632
Cervoni, P., Reit, E. and McCullough, J.: Studies on the decentralized nictitating membrane of the cat. II. Uptake and retention of norepinephrine and epinephrine, 649
Cesium, effects on muscle membrane responses to quaternary ammonium ions, 483
Chicken(s)
inhibition of renal tubular transport of catecholamines by cocaine in, 248
renal ouabain-sensitive adenosine triphosphatase activity and sodium reabsorption in, 717
renal tubular transport and metabolism of serotonin (5-HT) and 5-hydroxyindoleacetic acid (5-HIAA) in, 749
Chloride, sodium and, transport from plasma to aqueous humor, effect of ouabain and acetazolamide on, 237
p-Chloroamphetamine
effect on brain serotonin in morphine tolerant and dependent mice, 427
mechanism of action of selective depletion of cerebral serotonin, 419
Chloroform-epinephrine dysrhythmias, digitalis and, experimental, effects of N-ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline (EEDQ) on, 147
Chlorolose, in cat, response to halothane after, 183
Chlorothiazide
in rats, effects of phenobarbital on plasma disappearance and biliary excretion of, 289
renal effects in *Cebus* monkey, 259
d-Chlorpheniramine, influence on effects of tyramine and responses to histamine in rabbit aortic strips, 489
Cho, K. C., *see* Nigrovic, V., 741
Choline
acetylcholine, carbamylcholine and, muscle membrane depolarization near and remote from motor end-plates by, 476
cesium effects on muscle membrane responses to, 483
Cholinergic drugs, specific subsensitivity of rat atrium to, 496
Cholinergic sensitivity, site and mechanism of control of, 673
Choroid plexus, removal of morphine from ventricular system by, 75
Circulation
enterohepatic, of stilboestral in rat, 267
nutritional, in isolated supported heart preparation, effect of isoproterenol and *beta* adrenergic blockade on myocardial hemodynamics and rubidium-86 extraction, 577
peripheral, centrally mediated hypotensive effect of α-methyldopa, 593
CL 1848C, new dissociative anesthetic, effects on canine cardiovascular and respiratory systems, 395
Clark, W. G.: The antipyretic effects of acetaminophen and sodium salicylate on endotoxin-induced fevers in cats, 469
Cocaine
influence on effects of tyramine and responses to histamine in rabbit aortic strips, 489
inhibition of renal tubular transport of catecholamines by, organic base mechanism, 248

mechanism of potentiation of responses to serotonin in sheep umbilical blood vessels by, 571
phenoxybenzamine, desipramine and, blockade of nicotine-induced norepinephrine release by, 533
treatment, of dog nictitating membrane, sensitivity to 5-hydroxytryptamine and norepinephrine after, 189
treatment of nictitating membrane of cat, effect on uptake and retention of norepinephrine and epinephrine, 649
Codeine, isolation of morphine-3-glucuronide from urine and bile of rats injected with, 69
Compound 48/80
antigen and, effect of cold and adrenergic drugs on release of histamine from rat mast cells by, 632
reflex vasodilatation in normotensive and hypertensive rat after, 619
release of histamine from rat mast cells by, 627
Corticosteroids, effects on ocular dynamics in rabbits, 763
Cosgrove, M. B., *see* Scales, B., 338
Cradock, J. C., *see* Bachur, N. R., 331
Cyclamates, metabolism in rats, 325
Cyclazocine, effects on schedule-controlled behavior in pigeon, 443
Cycloheximide, pretreatment with, influence on effects of methylchloroform inhalation, 311
Cyclohexylamine, metabolite of cyclamates in rat, 325
Cytochrome P-450
effect of phenobarbital and 3-methylcholanthrene on spectral properties of, 4
in rats, effect of starvation, 12

Daunomycin, metabolism in rat tissue slices, 331
Daunomycinone, metabolite of daunomycin in rat tissue slices, 331
Davidson, I. W. F., Miller, H. S., Jr. and DiCarlo, F. J.: Absorption, excretion and metabolism of pentaerythritol tetranitrate by humans, 42
Davis, D. C., *see* Gram, T. E., 12
Dawson, M. J., *see* Bito, L. Z., 673
DDT
ontogenesis of tremor in rat, 113
(1,1,1-trichloro-2,2-bis (*p*-chlorophenyl)ethane, mechanisms of neurotoxic action in immature and adult rats, 60
Decamethonium
facilitatory concentrations, effect on storage and release of transmitter at neuromuscular junction of cat, 664
uptake, receptors at neuromuscular junction for, 213
Decentralization
of dog nictitating membrane, sensitivity to 5-hydroxytryptamine and norepinephrine after, 189
of nictitating membrane of cat, effect on uptake and retention of norepinephrine and epinephrine, 649
Denervation
eye, parasympathetic, effects, 673
of dog nictitating membrane, sensitivity to 5-hydroxytryptamine and norepinephrine after, 189
of nictitating membrane of cat, effect on uptake and retention of norepinephrine and epinephrine, 649
supersensitivity to norepinephrine in cat spleen, mechanism of, 503
Desipramine, cocaine, phenoxybenzamine and, blockade of nicotine-induced norepinephrine release by, 533
Desmethylimipramine, effect on serotonin uptake in sheep umbilical cord blood vessels, 571
Deuben, R. R. and Buckley, J. P.: Identification, of the central site of action of angiotensin II, 139
Dewey, W. L., Harris, L. S., Howes, J. F. and Nuite, J. A.: The effect of various neurohumoral modulators on the activity of morphine and the narcotic antagonists in the tail-flick and phenylquinone tests, 435
Dexamethasone 21-phosphate, effects on ocular dynamics in rabbits, 763
Dextrorphan, effects on brain acetylcholine in mice, 685
DiCarlo, F. J., *see* Davidson, I. W. F., 42
Digitalis, dysrhythmias, chloroform-epinephrine and, experimental, effects of N-ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline (EEDQ) on, 147
Digitoxigenin, toxicity, acute, possible role of brain monoamines, 121
Digitoxin, serum, concentration, radioimmunoassay for, methodology and clinical experience, 352
3,4-Dimethoxyphenylethylamine, effects of cocaine on renal tubular transport of, 248
Dimethylacetamide, inotropic actions of, 361
Dimethylformamide, inotropic actions of, 361
Dimethylphenylpiperazinium, postnicotine responses of perfused adrenal gland of dog to, 178
Dimethyl sulfone, metabolite of dimethyl sulfoxide, inotropic actions of, 361
Dimethyl sulfoxide, inotropic actions of, 361
Dinitrophenol, effect on serotonin uptake in sheep umbilical cord blood vessels, 571
Diphenylhydantoin
as antagonist of barbiturate-induced convulsions in mice, 692

XUM

influence on effects of atelopidtoxin, 368
stabilization of excitable membrane by chronic administration of, 206
teratogenicity in mice, effect of phenobarbital and SKF 525A pretreatment, 283
Dipolar aprotic solvents, inotropic actions of, 361
Dissociation constants, agonist, graphical and weighted regression analyses for determination of, 541
Di-Syston, pretreatment, effect of sensitivity of rat atrium to cholinergic drugs, 496
Diuresis, response to mercuric cysteine, dependency on urinary pH, 741
Dog(s)
antiarrhythmic activity of bunolol, new *beta* adrenergic blocking agent, 168
cardiovascular and respiratory systems, effects of CL 1848C, new dissociative anesthetic, 395
cardiovascular effects of atelopidtoxin, 368
cardiovascular pharmacology of bunolol, new *beta* adrenergic blocking agent, 157
diuretic response to mercuric cysteine, dependence on urinary pH, 741
drug-induced secretion of catecholamines by perfused adrenal gland during nicotine blockade, 178
effect of nicotinic acid on caffeine-induced serum free fatty acid increase in, 348
effects of cardiac glycosides on renal adenosine triphosphatase activity and sodium reabsorption in, 727
isolated supported heart preparation, nutritional circulation, effect of isoproterenol and *beta* adrenergic blockade on myocardial hemodynamics and rubidium-86 extraction in, 577
man, pig and, biotransformation of protriptyline in, 51
metabolic fates of 3-ethyl-5-phenylhydantoin (ethotoin, Peganone), 3-methyl-5-phenylhydantoin and 5-phenylhydantoin, 27
metabolism of S(−)-pentobarbital in, 38
papillary muscle, blood-perfused, negative and positive inotropic responses to acetylcholine, 377
rat and, inhibitory effects of indomethacin, aspirin and other drugs on inflammations induced by carrageenan, sodium urate and ellagic acid in, 459
renal ouabain-sensitive adenosine triphosphatase activity and sodium reabsorption in, 717
supersensitivity of nictitating membrane to 5-hydroxytryptamine and norepinephrine after various procedures, 189
tissues, metabolism and distribution of selective adrenergic *beta* blocking agent, practolol, 338
trabeculae carneae, inotropic actions of dipolar aprotic solvents in, 361
treatment of acute phenobarbital intoxication by hemoperfusion over anion exchange resins, 22
Dole, V. P., *see* Ingoglia, N. A., 84
Dookhoo, A., *see* Melville, K. I., 147
L-Dopa, effect on spontaneous activity of putamen after chronic interruption of dopaminergic pathway, 700
Dopamine
brain, γ-hydroxybutyrate-induced increase, localization by fluorescence microscopy, 131
effects of cocaine on renal tubular transport of, 248
Downes, H., Perry, R. S., Ostlund, R. E. and Karler, R.: A study of the excitatory effects of barbiturates, 692
Draskóczy, P. R., *see* Trendelenburg, U., 521
Dudley, K. H., Bius, D. L. and Butler, T. C.: Metabolic fates of 3-ethyl-5-phenylhydantoin (ethotoin, Peganone), 3-methyl-5-phenylhydantoin and 5-phenylhydantoin, 27
Dyer, D. C.: An investigation of the mechanism of potentiation by cocaine of responses to serotonin in sheep umbilical blood vessels, 571
Dyer, D. C.: The pharmacology of isolated sheep umbilical cord blood vessels, 565
Dysrhythmias, chloroform-epinephrine and digitalis, effects of N-ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline (EEDQ) on, 147

Edema, pulmonary, caused by glyceryl trioleate, 555
Electrocardiogram, in rats, effects of lethal doses of DDT, 60
Ellagic acid, carrageenan, sodium urate and, inflammations induced in rat and dog by, inhibitory effects of indomethacin, aspirin and other drugs, 459
Ellis, F. W. and Pick, J. R.: Experimentally induced ethanol dependence in rhesus monkeys, 88
Ellis, H. V., III, Johnson, A. R. and Moran, N. C.: Selective release of histamine from rat mast cells by several drugs, 627
Emetine, effects on metabolism and biliary excretion of 3,4-benzpyrene in rat, 301
Endoh, M., Tamura, K. and Hashimoto, K.: Negative and positive inotropic responses of the blood-perfused canine papillary muscle to acetylcholine, 377
Endotoxin-induced fevers in cats, antipyretic effects of acetaminophen and sodium salicylate on, 469
End-plates, motor, muscle membrane depolarization by acetylcholine, choline and carbamylcholine, near and remote from, 476
Enzymes

drug-metabolizing, microsomal, role in biliary excretion of 3,4-benzpyrene in rat, 301
microsomal, hepatic, in rat, effect of starvation on kinetics of drug oxidation by, 12
Epinephrine
-chloroform dysrhythmias, digitalis and, experimental, effects of N-ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline (EEDQ) on, 147
effects of cocaine on renal tubular transport of, 248
effects on sheep umbilical blood vessels, 565
in dogs, effect of bunolol on arrythmias induced by, 168
influence on effects of atelopidtoxin, 368
norepinephrine and, uptake and retention in decentralized nictitating membrane of cat, 649
specific subsensitivity of rat atrium to, 496
Ethanol
dependence, experimentally induced, in rhesus monkeys, 88
intake, chronic, effect on pentobarbital metabolism, 318
Ethotoin (3-ethyl-5-phenylhydantoin), 3-methyl-5-phenylhydantoin, 5-phenylhydantoin and, metabolic fates, 27
N-Ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline (EEDQ), effects on experimental chloroform-epinephrine and digitalis dysrhythmias, 147
Ethylmorphine, N-demethylation, in rats, effect of starvation, 12
3-Ethyl-5-phenylhydantoin (ethotoin, Peganone), 3-methyl-5-phenylhydantoin, 5-phenylhydantoin and, metabolic fates, 27
Eu, H. Y., *see* Melville, K. I., 147
Eye
cat, site and mechanism of control of cholinergic sensitivity in, 673
dynamics, rabbits, effects of corticosteroids on, 763
plasma and, effect of ouabain and acetazolamide on transport of sodium and chloride from, 237

Falck, B., *see* Björklund, A., 525
Falck-Hillarp fluorescence histochemical method, study of intraneuronal monoamines in rat spinal cord, 525
Fanelli, G. M., Jr., Bohn, D. L. and Reilly, S. S.: Renal effects of uricosuric agents in the *Cebus* monkey, 259
Fatty acid, free, serum, increase, caffeine-induced, effect of nicotinic acid on, 348
Fischer, L. J. and Millburn, P.: Stilboestrol transport and glucuronide formation in everted sacs of rat intestine, 267
Fluorescence histochemistry
localization of γ-hydroxybutyrate-induced increase in brain dopamine, 131
study of new intraneuronal monoamine in spinal cord of rat, 525
Fowler, M. S., *see* Palmer, K. H., 38
Frog
heart, effects of atelopidtoxin, 368
heart, inotropic actions of dipolar aprotic solvents in, 361
sartorius muscle membrane, depolarization by acetylcholine, choline and carbamylcholine, near and remote from motor end-plates, 476
sartorius muscle membrane, responses to quaternary ammonium ions, cesium effects on, 283
Fuhrman, F. A., *see* Ranney, B. K., 368
Fuhrman, G. J., *see* Ranney, B. K., 368
Fujimoto, J. M., *see* Hakim, R., 749
Fuller, G. C., Olshan, A., Puri, S. K. and Lal, H.: Induction of hepatic drug metabolism in rats by methylchloroform inhalation, 311

Gallamine, receptors at neuromuscular junction for, 213
Garg, L. C. and Oppelt, W. W.: The effect of ouabain and acetazolamide on transport of sodium and chloride from plasma to aqueous humor, 237
Gewirtz, G. P. and Kopin, I. J.: Effect of intermittent nerve stimulation on norepinephrine synthesis and mobilization in the perfused cat spleen, 514
Gillette, J. R., *see* Gram, T. E., 12
Gland, adrenal, medulla, perfused, cat, dwindling secretory response to repeated injection of histamine, 641
Glucuronide, formation, stilboestrol transport and, in everted sacs of rat intestine, 267
Glyceryl trioleate, effects on reticuloendothelial system and survival after experimental shock, 555
Glycosides, cardiac, effects on renal adenosine triphosphatase activity and sodium reabsorption in dogs, 727
Goldberg, A. H., Keane, P. W. and Phear, W. P. C.: Effects of ketamine on contractile performance and excitability of isolated heart muscle, 388
Goldstein, A., *see* Richter, J. A., 685
Gómez, B., *see* Miranda, P. M. S., 600
Gram, T. E., Guarino, A. M., Schroeder, D. H., Davis, D. C., Reagan, R. L. and Gillette, J. R.: The effect of starvation on the kinetics of drug oxidation by hepatic microsomal enzymes from male and female rats, 12
Guarino, A. M., *see* Gram, T. E., 12
Guinea pig
application of enzymatic double isotope dilution assay for study of histamine in plasma, 228
induction of microsomal hemoproteins and 3,4-

XUM

benzpyrene hydroxylase by phenobarbital and 3-methylcholanthrene, 4
atria, left, inotropic actions of dipolar aprotic solvents in, 361
Gulati, O. D., *see* Wakade, A. R., 189
Gyermek, L., *see* Soyka, L. F., 276

Hakim, R., Watrous, W. M. and Fujimoto, J. M.: The renal tubular transport and metabolism of serotonin (5-HT) and 5-hydroxyindoleacetic acid (5-HIAA) in the chicken, 749
Hallucinosis, as concomitant of alcohol abstinence syndrome, 94
β-Haloalkylamines, use in estimating agonist dissociation constants, 541
Halothane, effects of basal anesthesia on response of sympathetic nervous activity and barostatic reflexes to subsequent administration of, 183
Halpern, L. M., *see* Julien, R. M., 206
Harbison, R. D. and Becker, B. A.: Effect of phenobarbital and SKF 525A pretreatment on diphenylhydantoin teratogenicity in mice, 283
Hardman, H. F., *see* Somani, P., 577
Harmaline, ontogenesis of tremor in rat, 113
Harmine, ontogenesis of tremor in rat, 113
Harris, L. S., *see* Dewey, W. L., 435
Harris, T. M., see Hudgins, P. M., 609
Hashimoto, K., *see* Endoh, M., 377
Heart
dog and frog, effects of atelopidtoxin, 368
frog, inotropic actions of dipolar aprotic solvents in, 361
muscle, isolated, effects of ketamine on contractile performance and excitability of, 388
preparation, isolated supported, nutritional circulation, effect of isoproterenol and *beta* adrenergic blockade on myocardial hemodynamics and rubidium-86 extraction, 577
rabbit, effect of intraneuronal inactivation on transmembranal uptake of *l*- and *d*-norepinephrine in, 521
Hemicholinium-3, effects on sensitivity of innervated eyes, 673
Hemodynamics, myocardial, rubidium-86 uptake and, in isolated supported heart preparation, effect of isoproterenol and *beta* adrenergic blockade, 577
Hemoperfusion, over anion exchange resins, effect of pH on phenobarbital extraction by, 22
Hemoproteins, microsomal, 3,4-benzpyrene hydroxylase and, induction by phenobarbital and 3-methylcholanthrene, species differences, 4
Henderson, G. L. and Woolley, D. E.: Mechanisms of neurotoxic action of 1,1,1-trichloro-2,2-bis-(*p*-chlorophenyl)ethane (DDT) in immature and adult rats, 60
Henderson, G. L. and Woolley, D. E.: Ontogenesis of drug-induced tremor in the rat, 113
Hershey, S. G., *see* Altura, B. M., 555
Hexamethonium, effect on inotropic responses to acetylcholine in dog, 377
Hexamethylphosphoramide, inotropic actions of, 361
Hexobarbital, effect of methylchloroform inhalation on metabolism of, 311
Histamine
dwindling secretory response of perfused adrenal medulla of cat to repeated injections of, 641
in aortic strips, effects of tyramine on responses to and inactivation of, 489
in plasma, application of enzymatic double isotope dilution assay for study of, 228
possible role in altered reflex vasodilatation in hypertensive rat, 619
postnicotine responses of perfused adrenal gland of dog to, 178
release from rat mast cells by compound 48/80 and antigen, effect of cold and adrenergic drugs, 632
selective release from rat mast cells by drugs, 629
Histology, calcium changes and, in rabbit aorta after reserpine pretreatment, 609
Howes, J. F., *see* Dewey, W. L., 435
Hudgins, P. M. and Harris, T. M.: Further studies on the effects of reserpine pretreatment on rabbit aorta: Calcium and histologic changes, 609
Hydrochlorothiazide, in dogs, diuretic effects of mercuric cysteine after injection of, 741
Hydrocortisone, effects on ocular dynamics in rabbits, 763
γ-Hydroxybutyrate-induced increase in brain dopamine, localization by fluorescence microscopy, 131
5-Hydroxyindoleacetic acid
cerebral, mechanism of action of selective depletion by *p*-chloroamphetamine, 419
(5-HIAA), serotonin (5-HT) and, renal tubular transport and metabolism in chicken, 749
5-Hydroxytryptamine, norepinephrine and, sensitivity of nictitating membrane after various procedures to, 189
Hypertension, in rat, altered reflex vasodilatation, possible role of histamine, 619
Hypotension
centrally mediated, in cat after α-methyldopa, 593
in cats, after administration of N-ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline (EEDQ), 147
in dogs, caused by large doses of bunolol, 157
Hypothalamus, rat, accumulation of *d*- and *l*-methadone in, 84

Indocyanine green, in rats, effects of phenobarbital on plasma disappearance and biliary excretion of, 289
Indomethacin, aspirin, other drugs and, inhibition of inflammations induced in rat and dog by carrageenan, sodium urate and ellagic acid, 459
Ingenito, A. J., Barrett, J. P. and Procita, L.: A centrally mediated peripheral hypotensive effect of α-methyldopa, 593
Ingoglia, N. A. and Dole, V. P.: Localization of *d*- and *l*-methadone after intraventricular injection into rat brains, 84
Intestine, sacs, everted, in rat, stilboestrol transport and glucuronide formation in, 267
Iodopyracet, renal effects in *Cebus* monkey, 259
Ion(s)
exchange processes at neuromuscular junction of voluntary muscle, 213
ammonium, quaternary, cesium effects on muscle membrane responses to, 483
ammonium, quaternary, muscle membrane depolarization by, 483
Iris, cat, site and mechanism of control of cholinergic sensitivity, 673
Isoproterenol, *beta* adrenergic blockade and, effect on myocardial hemodynamics and rubidium-86 extraction in isolated supported heart preparation, 577

Johnson, A. R. and Moran, N. C.: Inhibition of the release of histamine from rat mast cells: The effect of cold and adrenergic drugs on release of histamine by compound 48/80 and antigen, 632
Johnson, A. R., *see* Ellis, H. V., III, 627
Julien, R. M. and Halpern, L. M.: Stabilization of excitable membrane by chronic administration of diphenylhydantoin, 206

Kalant, H., Khanna, J. M. and Marshman, J.: Effect of chronic intake of ethanol on pentobarbital metabolism, 318
Kalsner, S.: Effects of tyramine on responses to and inactivation of histamine in aortic strips, 489
Kanwar, R. S., *see* Wakade, A. R., 189
Kaplan, H. R. and Robson, R. D.: Antiarrhythmic activity of bunolol, a new *beta* adrenergic blocking agent, 168
Kaplan, H. R., *see* Robson, R. D., 157
Karler, R., *see* Downes, H., 692
Keane, P. W., *see* Goldberg, A. H., 388
Ketamine, effects on contractile performance and excitability of isolated heart muscle, 388
Khanna, J. M., *see* Kalant, H., 318
Kidney
adenosine triphosphatase activity and sodium reabsorption in dogs, effects of cardiac glycosides, 727
effects of uricosuric agents in *Cebus* monkey, 259
ouabain-sensitive adenosine triphosphatase activity and sodium reabsorption, 717
tubular transport and metabolism of serotonin (5-HT) and 5-hydroxyindoleacetic acid (5-HIAA) in chicken, 749
tubular transport of catecholamines, inhibition by cocaine, organic base mechanism, 248
Kinetics
of drug oxidation by hepatic microsomal enzymes in rats, effect of starvation, 12
of serotonin accumulation into rat brain slices, relationship to catecholamine uptake, 404
Kirpekar, S. M., Wakade, A. R. and Prat, J. C.: Regeneration of sympathetic nerves to the vas deferens and spleen of the cat, 197
Klaassen, C. D.: Effects of phenobarbital on the plasma disappearance and biliary excretion of drugs in rats, 289
Knabe, J., *see* Büch, H., 709
Kopin, I. J., *see* Gewirtz, G. P., 514
Kostis, J. B., *see* Bellet, S., 348
Kovacic, B. and Robinson, R. L.: Drug-induced secretion of catecholamines by the perfused adrenal gland of the dog during nicotine blockade, 178

Laddu, A. R., *see* Somani, P., 577
Lal, H., *see* Fuller, G. C., 311
Lethco, E. J., *see* Wallace, W. C., 325
Levin, W., *see* Alvares, A. P., 4
Levine, W. G.: The role of microsomal drug-metabolizing enzymes in the biliary excretion of 3,4-benzpyrene in the rat, 301
Levorphanol, morphine and, effects on brain acetylcholine content in mice, 685
Liver
drug metabolism, in rats, induction by methylchloroform inhalation, 311
microsomes, rat, effect of starvation on kinetics of drug oxidation by, 12
rat, concentrations of optical antipodes of two N-methylated barbiturates in, 709
slices, rat, rate of metabolism of pentobarbital by, 318
Loh, H. H., *see* Shen, F.-H., 427
Lorenzetti, O. J.: Effects of corticosteroids on ocular dynamics in rabbits, 763
Lu, T.-C., *see* Taylor, D. B., 213

Man
absorption, excretion and metabolism of pentaerythritol tetranitrate, 42
alcoholism in, behavioral studies of sleep patterns during alcoholism and withdrawal, 94

XUM

pig, dog and, biotransformation of protriptyline in, 51
radioimmunoassay for serum digitoxin concentration in, methodology and clinical experience, 352
Marshman, J., *see* Kalant, H., 318
McCord, C., *see* Miller, R. L., 288
McCullough, J., *see* Cervoni, P., 649
McMillan, D. E., Wolf, P. S. and Carchman, R. A.: Antagonism of the behavioral effects of morphine and methadone by narcotic antagonists in the pigeon, 443
McPhillips, J. J., *see* Perrine, S. E., 496
Medrysone, effects on ocular dynamics in rabbits, 763
Mello, N. K. and Mendelson, J. H.: Behavioral studies of sleep patterns in alcoholics during intoxication and withdrawal, 94
Melmon, K. L., *see* Miller, R. L., 228
Melville, K. I., Eu, H. Y., Berger, J. M. and Dookhoo, A.: Effects of N-ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline (EEDQ) in experimental chloroform-epinephrine and digitalis dysrhythmias, 147
Mendelson, J. H., *see* Mello, N. K., 94
Mepiperphenidol, effects on renal transport of serotonin in chicken, 749
Meprobamate, effect of methylchloroform inhalation on duration of action of, 311
Mercuric cysteine, diuretic response to, dependence on urinary pH, 741
Metabolism
absorption, excretion and, of pentaerythritol tetranitrate by humans, 42
biliary excretion and, of 3,4-benzpyrene in rat, 301
daunomycin, in rat tissue slices, 331
distribution and, of selective adrenergic *beta* blocking agent, practolol, 338
drug, hepatic, in rats, induction by methylchloroform inhalation, 311
fates of 3-ethyl-5-phenylhydantoin (ethotoin, Peganone), 3-methyl-5-phenylhydantoin and 5-phenylhydantoin, 27
of cyclamates in rats, 325
of diphenylhydantoin, effect of phenobarbital and SKF 525A pretreatment, 283
of S(−)-pentobarbital, optically active barbiturate, 38
pentobarbital, effect of chronic intake of ethanol on, 318
tubular transport and, renal, serotonin (5-HT) and 5-hydroxyindoleacetic acid (5-HIAA) in chicken, 749
Metabolites
in urine of dogs after administration of S(−)-pentobarbital, 38
of pentaerythritol tetranitrate in humans, 42
of protriptyline in urine of man, pig and dog, 51
Methacholine
sensitivity of parasympathetically denervated cat eyes to, 673
specific subsensitivity of rat atrium to, 496
Methadone
d- and *l*-, localization after intraventricular injection into rat brains, 84
morphine and, behavioral effects in pigeons, antagonism by narcotic antagonists, 443
Methylcholoroform, inhalation, in rats, induction of hepatic drug metabolism by, 311
Methylcholanthrene, effect on biliary excretion of 3,4-benzpyrene in rat, 301
3-Methylcholanthrene, phenobarbital and, species differences in induction of microsomal hemoproteins and 3,4-benzpyrene hydroxylase by, 4
α-Methyldopa, centrally mediated peripheral hypotensive effect of, 593
3-Methyl-5-phenylhydantoin, 3-ethyl-5-phenylhydantoin, 5-phenylhydantoin and metabolic fates, 27
Mice
effect of neurohumoral modulators on activity of morphine and narcotic antagonists in tail-flick and phenylquinone tests, 435
effect of phenobarbital and SKF 525A pretreatment on diphenylhydantoin teratogenicity in, 283
effects of morphine and levorphanol on brain acetylcholine content in, 685
induction of microsomal hemoproteins and 3,4-benzpyrene hydroxylase by phenobarbital and 3-methylcholanthrene, 4
morphine tolerant and dependent, brain serotonin turnover in, 427
possible role of brain monamines in acute toxicity of digitoxigenin, 121
study of excitatory effects of barbiturates in, 692
tissues, metabolism and distribution of selective adrenergic *beta* blocking agent, practolol, 338
Microsomes
drug-metabolizing enzymes, rat, role in biliary excretion of 3,4-benzpyrene, 301
hemoproteins, 3,4-benzpyrene hydroxylase and, species differences in induction by phenobarbital and 3-methylcholanthrene, 4
hepatic, enzymes, in rat, effect of starvation on drug oxidation by, 12
Millburn, P., *see* Fischer, L. J., 267
Miller, H. S., Jr., *see* Davidson, I. W. F., 42
Miller, R. L., McCord, C., Sanda, M., Bourne, H. R. and Melmon, K. L.: Application of the

enzymatic double isotope dilution assay for the study of histamine in plasma, 228
Miranda, P. M. S. and Gómez, B.: Greater effectiveness of phenoxybenzamine in blocking vasoconstrictor responses to central sympathetic stimulation than to norepinephrine administration in the cat, 600
Miya, T. S., *see* Tobia, A. J., 619
Monkey(s)
Cebus, renal effects of uricosuric agents in, 259
rhesus, experimentally induced ethanol dependence in, 88
Monoamine(s)
brain, possible role in acute toxicity of digitoxigenin, 121
intraneuronal, new, in spinal cord of rat, possible existence of, 525
Moran, N. C.
see Ellis, H. V., III, 627
see Johnson, A. R., 632
Morphine
acute removal from cerebral ventricles, 75
injections, repeated, influence on effects of methylchloroform inhalation, 311
levorphanol and, effects on brain acetylcholine content in mice, 685
methadone and, behavioral effects in pigeons, antagonism by narcotic antagonists, 443
narcotic antagonists and, activity in tail-flick and phenylquinone tests, effect of neurohumoral modulators on, 435
release of histamine from rat mast cells by, 627
tolerant and dependent mice, brain serotonin turnover in, 427
Morphine-3-glucuronide, isolation from urine and bile of rats injected with codeine, 69
Muscle
heart, isolated, effects of ketamine on contractile performance and excitability of, 388
membrane, responses to quaternary ammonium ions, cesium effects on, 483
membrane, sartorius, frog, depolarization by acetylcholine, choline and carbamylcholine, near and remote from motor end-plates, 476
papillary, cat, inotropic actions of dipolar aprotic solvents in, 361
papillary, dog, blood-perfused, negative and positive inotropic responses to acetylcholine, 377
tenuissimus, cat, effect of facilitatory concentrations of decamethonium on storage and release of transmitter, 664
voluntary, exchange processes at neuromuscular junction of, 213
Myocardium, depression, in dogs, caused by large doses of bunolol, 157

Nalorphine, effects on schedule-controlled behavior in pigeon, 443
Naloxone
effect on brain serotonin in morphine tolerant and dependent mice, 427
effects on schedule-controlled behavior in pigeon, 443
Narcotic
antagonists, antagonism of behavioral effects of morphine and methadone in pigeon by, 443
antagonists, morphine and, activity in tail-flick and phenylquinone tests, effect of neurohumoral modulators on, 435
Nealon, T. F., Jr., *see* Sugerman, H. J., 22
Nechay, B. R. and Nelson, J. A.: Renal ouabain-sensitive adenosine triphosphatase activity and Na^+ reabsorption, 717
Nechay, B. R., *see* Nelson, J. A., 727
Nelson, J. A. and Nechay, B. R.: Effects of cardiac glycosides on renal adenosine triphosphatase activity and Na^+ reabsorption in dogs, 727
Nelson, J. A., *see* Nechay, B. R., 717
Nerve(s)
stimulation, intermittent, effect on norepinephrine synthesis and mobilization in perfused cat spleen, 514
sympathetic, to vas deferens and spleen of cat, regeneration of, 197
vagus, rabbit, effects of chronic administration of diphenylhydantoin, 206
Nervous system, activity, sympathetic, barostatic reflexes and, to subsequent administration of halothane, effects of basal anesthesia on response of, 183
Neurohumoral modulators, effect on activity of morphine and narcotic antagonists in tail-flick and phenylquinone tests, 435
Neuromuscular blocking agents, ammonium, quaternary, interaction with receptors by ion exchange, 213
Neurotoxicity, of 1,1,1-trichloro-2,2-bis(*p*-chlorophenyl)ethane (DDT) in immature and adult rats, 60
Nicotine
blockade, drug-induced secretion of catecholamines by perfused adrenal gland of dog during, 178
-induced norepinephrine release, blockade by cocaine, phenoxybenzamine and desipramine, 533
Nicotinic acid, effect on caffeine-induced serum free fatty acid increase, 348
Nictitating membrane
decentralized, cat, uptake and retention of norepinephrine and epinephrine in, 649
sensitivity to 5-hydroxytryptamine and norepinephrine after various procedures, 189
Nigrovic, V., Cho, K. C. and Cafruny, E. J.: Diuretic response to mercuric cysteine: Dependency on urinary pH, 741

XUM

Norepinephrine
accumulation after crushing of sympathetic nerves to cat spleen and vas deferens, 197
accumulation into rat brain slices, 404
central sympathetic stimulation and, in cat, selective blockade by phenoxybenzamine of vasoconstrictor responses to, 600
effects of cocaine on renal tubular transport of, 248
effects on sheep umbilical blood vessels, 565
epinephrine and, uptake and retention in decentralized nictitating membrane of cat, 649
5-hydroxytryptamine and, sensitivity of nictitating membrane after various procedures to, 189
in denervated cat spleen, mechanism of supersensitivity to, 503
in rat brain, effect of *p*-chloroamphetamine on, 419
l- and *d*-, effect of intraneuronal inactivation on transmembranal uptake of, 521
levels in cat brain, after α-methyldopa, 593
reflex vasodilatation in normotensive and hypertensive rat after, 619
release, nicotine-induced, blockade by cocaine, phenoxybenzamine and desipramine, 533
synthesis and mobilization in perfused cat spleen, effect of intermittent nerve stimulation on, 514
Nuite, J. A., *see* Dewey, W. L., 435
Nuss, G. W., *see* Van Arman, C. G., 459

Ohye, C., Bouchard, R., Boucher, R. and Poirier, L. J.: Spontaneous activity of the putamen after chronic interruption of the dopaminergic pathway: Effect of L-dopa, 700
Olshan, A., *see* Fuller, G. C., 311
Oppelt, W. W., *see* Garg, L. C., 237
Ostlund, R. E., *see* Downes, H., 692
Ouabain
acetazolamide and, effect on transport of sodium and chloride from plasma to aqueous humor, 237
effects on renal adenosine triphosphatase activity and sodium reabsorption in dogs, 727
in dogs, effect of bunolol on arrhythmias induced by, 168
inhibition of morphine removal from cerebral ventricles of rabbit by, 75
in rats, effects of phenobarbital on plasma disappearance and biliary excretion of, 289
-sensitive adenosine triphosphatase activity and sodium reabsorption, renal, 717
Oxotremorine, ontogenesis of tremor in rat, 113

Palmer, K. H., Fowler, M. S. and Wall, M. E.: Metabolism of optically active barbiturates. II. S(−)-pentobarbital, 38
Papillary muscle, dog, blood-perfused, negative and positive inotropic responses to acetylcholine, 377
Pargyline
-induced increase in brain dopamine, localization by fluorescence microscopy, 131
pretreatment with, effect on uptake of *l*- and *d*-norepinephrine, 521
Peganone (3-ethyl-5-phenylhydantoin), 3-methyl-5-phenylhydantoin, 5-phenylhydantoin and, metabolic fates, 27
Pentaerythritol tetranitrate, absorption, excretion and metabolism by humans, 42
Pentazocine, effects on schedule-controlled behavior in pigeon, 443
Pentobarbital
metabolism, effect of chronic intake of ethanol on, 318
study of excitatory effects in mice, 692
Perez, J. C., *see* Portela, A., 476, 483
Perez, R. J., *see* Portela, A., 476, 483
Perrine, S. E. and McPhillips, J. J.: Specific subsensitivity of the rat atrium to cholinergic drugs, 496
Perry, R. S., *see* Downes, H., 692
pH
effect on phenobarbital extraction by hemoperfusion over anion exchange resins, 22
urinary, diuretic response to mercuric cysteine, 741
Phear, W. P. C., *see* Goldberg, A. H., 388
Pheniprazine, effects on metabolism of serotonin in chicken kidney, 749
Phenobarbital
as antagonist of barbiturate-induced convulsions in mice, 692
effect on biliary excretion of 3,4-benzpyrene in rat, 301
effects on plasma disappearance and biliary excretion of drugs in rats, 289
extraction by hemoperfusion over anion exchange resins, effect of pH on, 22
3-methylcholanthrene and, species differences in induction of microsomal hemoproteins and 3,4-benzpyrine hydroxylase by, 4
SKF 525A pretreatment and, effect of diphenylhydantoin teratogenicity in mice, 283
Phenol-3,6-dibromphthalein disulfonate, in rats, effects of phenobarbital on plasma disappearance and biliary excretion of, 289
Phenol red, in rats, effects of phenobarbital on plasma disappearance and biliary excretion of, 289
Phenoxybenzamine
cocaine, desipramine and, blockade of nicotine-induced norepinephrine release by, 533
effect on norepinephrine synthesis and mobilization in perfused cat spleen, 514

greater effectiveness in blocking vasoconstrictor responses to central sympathetic stimulation than to norepinephrine in cat, 600
Phentolamine, influence on effects of tyramine and responses to histamine in rabbit aortic strips, 489
Phenylbutazone, renal effects in *Cebus* monkey, 259
Phenylethylamine, effects of cocaine on renal tubular transport of, 248
5-Phenylhydantoin, 3-ethyl-5-phenylhydantoin, 3-methyl-5-phenylhydantoin and, metabolic fates, 27
Phenylquinone test, tail-flick and, effect of neurohumoral modulators on activity of morphine and narcotic antagonists in, 435
Pick, J. R., *see* Ellis, F. W., 88
Pigeon, antagonism of behavioral effects of morphine and methadone by narcotic antagonists in, 443
Pilocarpine
postnicotine responses of the perfused adrenal gland of dog to, 178
sensitivity of parasympathetically denervated cat eyes to, 673
Plasma
application of enzymatic double isotope dilution assay for study of histamine in, 228
aqueous humor and, effect of ouabain and acetazolamide on transport of sodium and chloride from, 237
disappearance, biliary excretion and, of drugs in rats, effects of phenobarbital on, 289
rat, rate of pentobarbital disappearance after ethanol treatment, 318
Pluchino, S., *see* Brimijoin, S., 503
Poirier, L. J., *see* Ohye, C., 700
Polyethylene glycol, inotropic actions of, 361
Polymyxin B, release of histamine from rat mast cells by, 627
Portela, A., Perez, R. J., Vaccari, J., Perez, J. C. and Stewart, P.: Muscle membrane depolarization by acetylcholine, choline and carbamylcholine, near and remote from motor endplates, 476
Portela, A., Vaccari, J., Stewart, P. A., Perez, R. J. and Perez, J. C.: Cesium effects on muscle membrane responses to quaternary ammonium ions, 483
Potassium cyanide, effect on serotonin uptake in sheep umbilical cord blood vessels, 571
Practolol, selective adrenergic *beta* blocking agent, metabolism and distribution of, 338
Prat, J. C., *see* Kirpekar, S. M., 197
Pregnanolone, study of mechanism responsible for sensitivity of newborn rats to, 276
Priano, L. L., *see* Traber, D. L., 395
Price, H. L., *see* Skovsted, P., 183
Price, M. L., *see* Skovsted, P., 183
Probenecid
effects on excretion of serotonin in chicken, 749
in rats, effects of phenobarbital on plasma disappearance and biliary excretion of, 289
renal effects in *Cebus* monkey, 259
Procainamide, influence on effects of atelopidtoxin, 368
Procaine amide ethyl bromide, in rats, effects of phenobarbital on plasma disappearance and biliary excretion of, 289
Procita, L., *see* Ingenito, A. J., 593
Propranolol
comparison with bunolol, new *beta* adrenergic blocking agent, 157, 168
effect on inotropic responses to acetylcholine in dog, 377
influence on differential blockade by phenoxybenzamine in cat, 600
influence on effects of isoproterenol in dog isolated supported heart preparation, 577
Protein, binding, anesthetic activity, distribution, inactivation and, of optical antipodes of two N-methylated barbiturates, stereospecificity of, 709
Protriptyline, biotransformation in man, pig and dog, 51
Puri, S. K., *see* Fuller, G. C., 311

Quebbemann, A. and Rennick, B.: Inhibition of renal tubular transport of catecholamines by cocaine: An organic base mechanism, 248
Quinidine
effects on renal transport of serotonin in chicken, 749
influence on effects of tyramine and responses to histamine in rabbit aortic strips, 489

Rabbit(s)
acute removal of morphine from cerebral ventricles of, 75
aorta, effects of reserpine pretreatment, calcium and histologic changes, 609
aortic strips, effects of tyramine on responses to and inactivation of histamine in, 489
atria, left, inotropic actions of dipolar aprotic solvents in, 361
effects of corticosteroids on ocular dynamics in, 769
heart, effect of intraneuronal inactivation on transmembranal uptake of *l*- and *d*-norepinephrine in, 521
induction of microsomal hemoproteins and 3,4-benzpyrene hydroxylase by phenobarbital and 3-methylcholanthrene, 4
pulmonary artery, blockade of nicotine-induced

XUM

norepinephrine release by cocaine, phenoxybenzamine and desipramine in, 533
renal ouabain-sensitive adenosine triphosphatase activity and sodium reabsorption in, 717
vagus nerve, effects of chronic administration of diphenylhydantoin, 206
Radioimmunoassay, for serum digitoxin concentration, methodology and clinical experience, 352
Ranney, B. K., Fuhrman, G. J. and Fuhrman, F. A.: Cardiovascular effects of atelopidtoxin, 368
Rat(s)
atria, inotropic actions of dipolar aprotic solvents in, 361
atrium, specific subsensitivity to cholinergic drugs, 496
brain, mechanism of action of selective depletion of serotonin by *p*-chloroamphetamine, 419
brain, slices, kinetics of serotonin accumulation into, relationship to catecholamine uptake, 404
brains, localization of *d*- and *l*-methadone after intraventricular injection into, 84
dog and, inhibitory effects of indomethacin, aspirin and other drugs on inflammations induced by carrageenan, sodium urate and ellagic acid in, 459
effect of chronic intake of ethanol on pentobarbital metabolism in, 318
effects of glyceryl trioleate on reticuloendothelial system and survival after experimental shock, 555
effects of phenobarbital on plasma disappearance and biliary excretion of drugs in, 289
γ-hydroxybutyrate-induced increase in brain dopamine, localization by fluorescence microscopy, 131
hypertensive, altered reflex vasodilatation, possible role of histamine, 619
immature and adult, mechanisms of neurotoxic action of DDT, 60
induction of hepatic drug metabolism by methylchloroform inhalation in, 311
induction of microsomal hemoproteins and 3,4-benzpyrene hydroxylase by phenobarbital and 3-methylcholanthrene, 4
injected with codeine, isolation of morphine-3-glucuronide from urine and bile of, 69
intestine, stilboestrol transport and glucuronide formation in everted sacs of, 267
isolated heart muscle, effects of ketamine on contractile performance and excitability of, 388
male and female, effect of starvation on kinetics of drug oxidation by hepatic microsomal enzymes from, 12
mast cells, release of histamine by compound 48/80 and antigen from, effect of cold and adrenergic drugs, 632
mast cells, selective release of histamine by drugs from, 627
metabolism of cyclamates in, 325
newborn, sensitivity to pregnanolone, study of mechanism responsible for, 276
ontogenesis of drug-induced tremor in, 113
possible role of brain monoamines in acute toxicity of digitoxigenin, 121
role of microsomal drug-metabolizing enzymes in biliary excretion of 3,4-benzpyrene in, 301
spinal cord, possible existence of new intraneuronal monoamine in, 525
stereospecificity of anesthetic activity, distribution, inactivation and protein binding of optical antipodes of two N-methylated barbiturates, 709
tissue slices, daunomycin metabolism in, 331
tissues, metabolism and distribution of selective adrenergic *beta* blocking agent, practolol, 338
Reagan, R. L., *see* Gram, T. E., 12
Reilly, S. S., *see* Fanelli, G. M., Jr., 259
Reit, E., *see* Cervoni, P., 649
Rennick, B., *see* Quebbemann, A., 248
Reserpine
effect on serotonin in rat brain, 419
-induced protection against acute lethality of digitoxigenin in mice and rats, 121
influence on response to nicotine in rabbit pulmonary artery, 533
pretreatment, effect on amine accumulation in rat brain slices, 404
pretreatment, effect on inotropic actions of dipolar aprotic solvents, 361
pretreatment, effect on uptake of *l*- and *d*-norepinephrine, 521
pretreatment, effects in rabbit aorta, calcium and histologic changes, 609
pretreatment, influence on effects of tyramine and responses to histamine in rabbit aortic strips, 489
treatment of nictitating membrane of cat, effect on uptake and retention of norepinephrine and epinephrine, 649
Respiration, in rats, effects of lethal doses of DDT, 60
Respiratory system, cardiovascular and, effects of CL 1848C, new dissociative anesthetic, 395
Reticuloendothelial system, survival after experimental shock and, effects of glyceryl trioleate, 555
Richter, J. A. and Goldstein, A.: Effects of morphine and levorphanol on brain acetylcholine content in mice, 685
Risley, E. A., *see* Van Arman, C. G., 459
RO 4-1284, effect on serotonin in rat brain, 419

Robinson, R. L.
see Kovacic, B., 178
see Smith, D. J., 641
Robson, R. D. and Kaplan, H. R.: The cardiovascular pharmacology of bunolol, a new *beta* adrenergic blocking agent, 157
Robson, R. D., *see* Kaplan, H. R., 168
Roman, L. R., *see* Bellet, S., 348
Roth, R. H., *see* Aghajanian, G. K., 131
Rubidium-86, extraction, myocardial hemodynamics and, in isolated supported heart preparation, effect of isoproterenol and *beta* adrenergic blockade, 577
Ruelius, H. W., *see* Sisenwine, S. F., 51
Rummel, W., *see* Büch, H., 709

Sanda, M., *see* Miller, R. L., 228
Sandberg, H., *see* Bellet, S., 348
Sanders-Bush, E. and Sulser, F.: *p*-Chloroamphetamine: *In vivo* investigations on the mechanism of action of the selective depletion of cerebral serotonin, 419
Sartorius muscle
membrane, frog, depolarization by acetylcholine, choline and carbamylcholine, near and remote from motor end-plates, 476
membrane, frog, responses to quaternary ammonium ions, cesium effects on, 483
Scales, B. and Cosgrove, M. B.: The metabolism and distribution of the selective adrenergic *beta* blocking agent, practolol, 338
Schilling, G., *see* Alvares, A. P., 4
Schroeder, D. H., *see* Gram, T. E., 12
Serotonin
accumulation into rat brain slices, kinetics of, relationship to catecholamine uptake, 404
brain, turnover, in morphine tolerant and dependent mice, 427
cerebral, mechanism of action of selective depletion by *p*-chloroamphetamine, 419
effects on sheep umbilical blood vessels, 565
(5-HT), 5-hydroxyindoleacetic acid (5-HIAA) and, renal tubular transport and metabolism in chicken, 749
levels in brain, in mice and rats, association with digitoxigenin lethality, 121
responses in sheep umbilical cord blood vessels, mechanism of potentiation by cocaine, 571
Shaskan, E. G. and Snyder, S. H.: Kinetics of serotonin accumulation into slices from rat brain: Relationship to catecholamine uptake, 404
Sheep
umbilical cord blood vessels, isolated, pharmacology of, 565
umbilical cord blood vessels, mechanism of potentiation by cocaine of responses to serotonin in, 571
Shen, F.-H., Loh, H. H. and Way, E. L.: Brain serotonin turnover in morphine tolerant and dependent mice, 427
Shock, experimental, effects of glyceryl trioleate on reticuloendothelial system and survival after, 555
Shrader, S. R., *see* Sisenwine, S. F., 51
Sisenwine, S. F., Tio, C. O., Shrader, S. R. and Ruelius, H. W.: The biotransformation of protriptyline in man, pig and dog, 51
SKF 525A, phenobarbital pretreatment and, effect on diphenylhydantoin teratogenicity in mice, 283
Skovsted, P., Price, M. L. and Price, H. L.: Effects of basal anesthesia on the response of sympathetic nervous activity and barostatic reflexes to a subsequent administration of halothane, 183
Sleep patterns, in alcoholics during intoxication and withdrawal, behavioral studies, 94
Smith, D. J. and Robinson, R. L.: The dwindling secretory response of the perfused adrenal medulla of the cat to repeated injections of histamine, 641
Smith, T. W.: Radioimmunoassay for serum digitoxin concentration: Methodology and clinical experience, 352
Snyder, S. H., *see* Shaskan, E. G., 404
Sodium
chloride and, transport from plasma to aqueous humor, effect of ouabain and acetazolamide on, 237
reabsorption, adenosine triphosphatase activity and, renal, in dogs, effects of cardiac glycosides, 727
reabsorption, ouabain-sensitive, renal, adenosine triphosphatase activity and, 717
Sodium benzoate, effect on free fatty acid levels in dogs, 348
Sodium salicylate, acetaminophen and, antipyretic effects on endotoxin-induced fevers in cats, 469
Sodium urate, carrageenan, ellagic acid and, inflammations induced in rat and dog by, inhibitory effects of indomethacin, aspirin and other drugs, 459
Somani, P., Laddu, A. R. and Hardman, H. F.: Nutritional circulation in the heart. III. Effect of isoproterenol and *beta* adrenergic blockade on myocardial hemodynamics and rubidium-86 extraction in the isolated supported heart preparation, 577
Soyka, L. F., Gyermek, L. and Campbell, P.: A study of the mechanism responsible for the sensitivity of newborn rats to pregnanolone, 276
S(−)-pentobarbital, optically active barbiturate, metabolism of, 38

XUM

Spilker, B.: Inotropic actions of dipolar aprotic solvents, 361
Spinal cord, rat, possible existence of new intraneuronal monoamine in, 525
Spleen
cat, denervated, mechanism of supersensitivity to norepinephrine in, 503
cat, perfused, effect of intermittent nerve stimulation on norepinephrine synthesis and mobilization in, 514
vas deferens and, of cat, regeneration of sympathetic nerves to, 197
Spratt, J. L., *see* Buterbaugh, G. G., 121
Steinborn, J., *see* Taylor, D. B., 213
Stenevi, U., *see* Björklund, A., 525
Stereospecificity, of anesthetic activity, distribution, inactivation and protein binding of optical antipodes of two N-methylated barbiturates, 718
Stewart, P., *see* Portela, A., 476, 483
Stilbamidine, release of histamine from rat mast cells by, 627
Stilboestrol, transport, glucuronide formation and, in everted sacs of rat intestine, 267
Su, C. and Bevan, J. A.: Blockade of the nicotine-induced norepinephrine release by cocaine, phenoxybenzamine and desipramine, 533
Succinylsulfathiazole, in rats, effects of phenobarbital on plasma disappearance and biliary excretion of, 289
Sugerman, H. J. and Nealon, T. F., Jr.: Effect of pH on phenobarbital extraction by hemoperfusion over anion exchange resins, 22
Sulfinpyrazone, renal effects in *Cebus* monkey, 259
Sulfobromophthalein, in rats, effects of phenobarbital on plasma disappearance and biliary excretion of, 289
Sulfolane, inotropic actions of, 361
Sulser, F., *see* Sanders-Bush, E., 419
Swine, miniature, man, dog and, biotransformation of protriptyline in, 51
Sympathetic nerves
to vas deferens and spleen of cat, regeneration of, 197
activity, barostatic reflexes and, to subsequent administration of halothane, effects of basal anesthesia on response of, 183
Syrosingopine-induced protection against acute lethality of digitoxigenin in mice and rats, 121

Tachycardia, in cats, after administration of N-ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline (EEDQ), 147
Tail-flick test, phenylquinone and, effect of neurohumoral modulators on activity of morphine and narcotic antagonists in, 435
Tamura, K., *see* Endoh, M., 377
Taurocholic acid, in rats, effects of phenobarbital on plasma disappearance and biliary excretion of, 289
Taylor, D. B., Steinborn, J. and Lu, T.-C.: Ion exchange processes at the neuromuscular junction of voluntary muscle, 213
Temperature, body, in rats, effects of lethal doses of DDT, 60
Teratogenicity, of diphenylhydantoin in mice, effect of phenobarbital and sKF 525A pretreatment on, 283
Tetrabenazine-induced protection against acute lethality of digitoxigenin in mice and rats, 121
Tetraethylammonium
effect on inotropic responses to acetylcholine in dog, 377
effects of cocaine on renal tubular transport of, 248
Tetramethylammonium, postnicotine responses of perfused adrenal gland of dog to, 178
Tetrodotoxin
effect on inotropic responses to acetylcholine in dog, 377
influence on response to nicotine in rabbit pulmonary artery, 533
Thomas, R. H., *see* Van Arman, C. G., 459
Thron, C. D.: Graphical and weighted regression analyses for the determination of agonist dissociation constants, 541
Tio, C. O., *see* Sisenwine, S. F., 51
Tissue, slices, rat, daunomycin metabolism in, 331
Tobia, A. J., Adams, M. D., Miya, T. S. and Bousquet, W. F.: Altered reflex vasodilatation in the hypertensive rat: Possible role of histamine, 619
Traber, D. L., Priano, L. L. and Wilson, R. D.: Effects of CL 1848C, a new dissociative anesthetic, on the canine cardiovascular and respiratory systems, 395
Tremor, drug-induced, in rat, ontogenesis of, 113
Tremorine, ontogenesis of tremor in rat, 113
Trendelenburg, U. and Draskóczy, P. R.: The effect of intraneuronal inactivation on the transmembranal uptake of *l*- and *d*-norepinephrine, 521
Trendelenburg, U., *see* Brimijoin, S., 503
Trimethadione, as antagonist of barbiturate-induced convulsions in mice, 692
Tripelennamine, pretreatment, effect on norepinephrine reflex vasodilatation, 619
Triton X-100, release of histamine from rat mast cells by, 627, 632
Tubocurarine, influence on effect of decamethonium at neuromuscular junction of cat, 664
d-Tubocurarine
receptors at neuromuscular junction for, 213
release of histamine from rat mast cells by, 627
Tween 20, effects on reticuloendothelial system, 555

Tyramine
effects of cocaine on renal tubular transport of, 248
effects on responses to and inactivation of histamine in aortic strips, 489
m-Tyramine, effects of cocaine on renal tubular transport of, 248

Umbilical cord
blood vessels, isolated, sheep, pharmacology of, 565
blood vessels, sheep, mechanism of potentiation by cocaine of responses to serotonin in, 571
Uricosuric agents, renal effects in *Cebus* monkey, 259
Urine
assay for pentaerythritol tetranitrate after its administration to humans, 42
bile and, of rats injected with codeine, isolation of morphine-3-glucuronide from, 69
dog and rat, excretion of practolol in, 338
dog, metabolites found after administration of S(−)-pentobarbital, 38
man, pig and dog, metabolites of protriptyline found in, 51
pH, diuretic response to mercuric cysteine, 741
rat, excretion of cyclamates in, 325

Vaccari, J., *see* Portela, A., 476, 483
Van Arman, C. G., Carlson, R. P., Risley, E. A., Thomas, R. H. and Nuss, G. W.: Inhibitory effects of indomethacin, aspirin and certain other drugs on inflammations induced in rat and dog by carrageenan, sodium urate and ellagic acid, 459
Vas deferens, spleen and, of cat, regeneration of sympathetic nerves to, 197
Vasoconstrictor, responses, in cat, to central sympathetic stimulation and norepinephrine, selective blockade by phenoxybenzamine, 600
Ventricles, cerebral, acute removal of morphine from, 75
Veratramine
ontogenesis of tremor in rat, 113
specific subsensitivity of rat atrium to, 496
Voluntary muscle, ion exchange processes at neuromuscular junction of, 213

Wakade, A. R., Kanwar, R. S. and Gulati, O. D.: Supersensitivity of the nictitating membrane to 5-hydroxytryptamine and norepinephrine after various procedures, 189
Wakade, A. R., *see* Kirpekar, S. M., 197
Wall, M. E., *see* Palmer, K. H., 38
Wallace, W. C., Lethco, E. J. and Brouwer, E. A.: The metabolism of cyclamates in rats, 325
Watrous, W. M., *see* Hakim, R., 749
Way, E. L.
see Asghar, K., 75
see Shen, F.-H., 427
Wilson, R. D., *see* Traber, D. L., 395
Wolf, P. S., *see* McMillan, D. E., 443
Woods, L. A., *see* Yeh, S. Y., 69
Woolley, D. E., *see* Henderson, G. L., 60, 113

Yeh, S. Y. and Woods, L. A.: Isolation of morphine-3-glucuronide from urine and bile of rats injected with codeine, 69

Zoxazolamine
effect of methylchloroform inhalation on metabolism of, 311
renal effects in *Cebus* monkey, 259

XUM

VOLUME 175 OCTOBER–DECEMBER 1970

THE JOURNAL OF
Pharmacology
AND EXPERIMENTAL THERAPEUTICS

FOUNDED BY JOHN J. ABEL 1909

Official Publication of The American Society for Pharmacology and Experimental Therapeutics, Inc.

EDITOR

MARION DEV. COTTEN

EDITORS FOR SPECIFIC FIELDS

Analgesia and Drug Abuse
Joseph Cochin
Autonomic Pharmacology
J. Richard Crout
William W. Fleming
Behavioral Pharmacology
Bernard Weiss
Biochemical Pharmacology
Vincent G. Zannoni
Cardiovascular Pharmacology
Henry H. Swain
Cell Pharmacology
John R. Blinks
Drug Metabolism and Disposition
Milton T. Bush
Kenneth P. DuBois
Neuroendocrine Pharmacology
Alfred Heller
Neuropharmacology
William K. Riker
Renal Pharmacology
Irwin M. Weiner
Toxicology
Gabriel L. Plaa

EDITORIAL ADVISORY BOARD

Julius Axelrod
Lloyd Beck
William O. Berndt
Michael J. Brody
Theodore M. Brody
George A. Condouris
Theodore Cooper
E. E. Daniel
D. Joseph Demis
G. A. Deneau
Peter E. Dresel
Ronald W. Estabrook
Thomas E. Gaffney
William F. Ganong
James R. Gillette
Jack Peter Green
Anthony J. Hance
Louis S. Harris
David Jacobowitz
R. T. Kelleher
Ronald G. Kuntzman
S. Morris Kupchan
Victor G. Laties
Bernard Levy
Benedict R. Lucchesi
Harriet M. Maling
Bernard H. Marks
Steven E. Mayer
John A. Oates
Lincoln T. Potter
Arnold Schwartz
Charles B. Smith
Frank G. Standaert
C. D. Thron
Elwood O. Titus
U. Trendelenburg
Joan Vernikos-Danellis
Andrew G. Wallace
Douglas R. Waud
Norman Weiner
Herbert Weissbach
Albert Weissman
Martin M. Winbury
Richard J. Wurtman

BOARD OF PUBLICATIONS TRUSTEES

EDWARD J. CAFRUNY, *Chairman*; MARION DEV. COTTEN, ROBERT F. FURCHGOTT, GEORGE H. MANDEL, WALTER MODELL, PAUL TALALAY, E. LEONG WAY, W. CLARKE WESCOE

EXECUTIVE OFFICER OF THE SOCIETY

ELLSWORTH B. COOK

JPETAB

XUM

Copyright © 1970, by The Williams & Wilkins Company

CONTENTS OF VOLUME 175

No. 1, October 1970

Dedicated to Walter F. Riker, Jr., M.D. 2

Species Differences in the Induction of Microsomal Hemoproteins and 3,4-Benzpyrene Hydroxylase by Phenobarbital and 3-Methylcholanthrene. A. P. Alvares, G. Shilling and W. Levin 4

The Effect of Starvation on the Kinetics of Drug Oxidation by Hepatic Microsomal Enzymes from Male and Female Rats. Theodore E. Gram, Anthony M. Guarino, David H. Schroeder, Donald C. Davis, Reginald L. Reagan and James R. Gillette 12

Effect of pH on Phenobarbital Extraction by Hemoperfusion over Anion Exchange Resins. Harvey J. Sugerman and Thomas F. Nealon, Jr. 22

Metabolic Fates of 3-Ethyl-5-Phenylhydantoin (Ethotoin, Peganone), 3-Methyl-5-Phenylhydantoin and 5-Phenylhydantoin. Kenneth H. Dudley, Daniel L. Bius and Thomas C. Butler 27

Metabolism of Optically Active Barbiturates. II. S(−)-Pentobarbital. Keith H. Palmer, Mary S. Fowler and Monroe E. Wall 38

Absorption, Excretion and Metabolism of Pentaerythritol Tetranitrate by Humans. I. W. F. Davidson, Henry S. Miller, Jr. and Frederick J. DiCarlo 42

The Biotransformation of Protriptyline in Man, Pig and Dog. Samuel F. Sisenwine, Cesario O. Tio, Stephen R. Shrader and Hans W. Ruelius 51

Mechanisms of Neurotoxic Action of 1,1,1-Trichloro-2,2-Bis(*p*-Chlorophenyl)Ethane (DDT) in Immature and Adult Rats. Gary L. Henderson and Dorothy E. Woolley 60

Isolation of Morphine-3-Glucuronide from Urine and Bile of Rats Injected with Codeine. S. Y. Yeh and L. A. Woods 69

Active Removal of Morphine from the Cerebral Ventricles. Khursheed Asghar and E. Leong Way 75

Localization of *d*- and *l*-Methadone after Intraventricular Injection into Rat Brains. Nicholas A. Ingoglia and Vincent P. Dole 84

Experimentally Induced Ethanol Dependence in Rhesus Monkeys. Fred W. Ellis and James R. Pick 88

Behavioral Studies of Sleep Patterns in Alcoholics during Intoxication and Withdrawal. Nancy K. Mello and Jack H. Mendelson 94

Ontogenesis of Drug-Induced Tremor in the Rat. Gary L. Henderson and Dorothy E. Woolley 113

The Possible Role of Brain Monoamines in the Acute Toxicity of Digitoxigenin. G. G. Buterbaugh and J. L. Spratt 121

γ-Hydroxybutyrate-Induced Increase in Brain Dopamine: Localization by Fluorescence Microscopy. G. K. Aghajanian and R. H. Roth 131

Identification of a Central Site of Action of Angiotensin II. Roger R. Deuben and Joseph P. Buckley 139

Effects of N-Ethoxycarbonyl-2-Ethoxy-1,2-Dihydroquinoline (EEDQ) in Experimental Chloroform-Epinephrine and Digitalis Dysrhythmias. K. I. Melville, H. Y. Eu, J. M. Berger and A. Dookhoo 147

The Cardiovascular Pharmacology of Bunolol, a New *Beta* Adrenergic Blocking Agent. Ronald D. Robson and Harvey R. Kaplan 157

Antiarrhythmic Activity of Bunolol, a New *Beta* Adrenergic Blocking Agent. Harvey R. Kaplan and Ronald D. Robson 168

Drug-Induced Secretion of Catecholamines by the Perfused Adrenal Gland of the Dog during Nicotine Blockade. Beverly Kovacic and Robert L. Robinson 178

Effects of Basal Anesthesia on the Response of Sympathetic Nervous Activity and Barostatic Reflexes to a Subsequent Administration of Halothane. Per Skovsted, Mary L. Price and Henry L. Price 183

XUM

Supersensitivity of the Nictitating Membrane to 5-Hydroxytryptamine and Norepinephrine after Various Procedures. ARUN R. WAKADE, R. S. KANWAR AND O. D. GULATI 189
Regeneration of Sympathetic Nerves to the Vas Deferens and Spleen of the Cat. S. M. KIRPEKAR, ARUN R. WAKADE AND J. C. PRAT 197
Stabilization of Excitable Membrane by Chronic Administration of Diphenylhydantoin. ROBERT M. JULIEN AND LAWRENCE M. HALPERN 206
Ion Exchange Processes at the Neuromuscular Junction of Voluntary Muscle. DERMOT B. TAYLOR, JOSEPH STEINBORN AND TZU-CHIAU LU 213
Application of the Enzymatic Double Isotope Dilution Assay for the Study of Histamine in Plasma. RUSSELL L. MILLER, CLAY MCCORD, MICHELE SANDA, HENRY R. BOURNE AND KENNETH L. MELMON 228
Erratum 235

No. 2, November 1970

The Effect of Ouabain and Acetazolamide on Transport of Sodium and Chloride from Plasma to Aqueous Humor. L. C. GARG AND W. W. OPPELT 237
Inhibition of Renal Tubular Transport of Catecholamines by Cocaine: An Organic Base Mechanism. ALOYSIUS QUEBBEMANN AND BARBARA RENNICK 248
Renal Effects of Uricosuric Agents in the *Cebus* Monkey. G. M. FANELLI, JR., D. L. BOHN AND S. S. REILLY 259
Stilboestrol Transport and Glucuronide Formation in Everted Sacs of Rat Intestine. L. J. FISCHER AND P. MILLBURN 267
A Study of the Mechanism Responsible for the Sensitivity of Newborn Rats to Pregnanolone. LESTER F. SOYKA, LASZLO GYERMEK AND PATRICIA CAMPBELL 276
Effect of Phenobarbital and SKF 525A Pretreatment on Diphenylhydantoin Teratogenicity in Mice. RAYMOND D. HARBISON AND BERNARD A. BECKER 283
Effects of Phenobarbital on the Plasma Disappearance and Biliary Excretion of Drugs in Rats. CURTIS D. KLAASSEN 289
The Role of Microsomal Drug-Metabolizing Enzymes in the Biliary Excretion of 3,4-Benzpyrene in the Rat. WALTER G. LEVINE 301
Induction of Hepatic Drug Metabolism in Rats by Methylchloroform Inhalation. GEORGE C. FULLER, ARNOLD OLSHAN, SURENDRA K. PURI AND HARBANS LAL 311
Effect of Chronic Intake of Ethanol on Pentobarbital Metabolism. H. KALANT, J. M. KHANNA AND JOAN MARSHMAN 318
The Metabolism of Cyclamates in Rats. W. C. WALLACE, E. J. LETHCO AND E. A. BROUWER 325
Daunomycin Metabolism in Rat Tissue Slices. N. R. BACHUR AND J. C. CRADOCK 331
The Metabolism and Distribution of the Selective Adrenergic *Beta* Blocking Agent, Practolol. B. SCALES AND M. B. COSGROVE 338
The Effect of Nicotinic Acid on the Caffeine-Induced Serum Free Fatty Acid Increase. SAMUEL BELLET, LAURIAN R. ROMAN, HERSCHEL SANDBERG AND JOHN B. KOSTIS 348
Radioimmunoassay for Serum Digitoxin Concentration: Methodology and Clinical Experience. THOMAS W. SMITH 352
Inotropic Actions of Dipolar Aprotic Solvents. BERT SPILKER 361
Cardiovascular Effects of Atelopidtoxin. BOBBETTE K. RANNEY, GERALDINE J. FUHRMAN AND FREDERICK A. FUHRMAN 368
Negative and Positive Inotropic Responses of the Blood-Perfused Canine Papillary Muscle to Acetylcholine. MASAO ENDOH, KIYOSHI TAMURA AND KOROKU HASHIMOTO 377
Effects of Ketamine on Contractile Performance and Excitability of Isolated Heart Muscle. ALAN H. GOLDBERG, PATRICK W. KEANE AND W. P. C. PHEAR 388
Effects of CL 1848C, a New Dissociative Anesthetic, on the Canine Cardiovascular and Respiratory Systems. D. L. TRABER, L. L. PRIANO AND R. D. WILSON 395
Kinetics of Serotonin Accumulation into Slices from Rat Brain: Relationship to Catecholamine Uptake. EDWARD G. SHASKAN AND SOLOMON H. SNYDER 404
p-Chloroamphetamine: *In Vivo* Investigations on the Mechanism of Action of the Selective Depletion of Cerebral Serotonin. E. SANDERS-BUSH AND F. SULSER 419

Brain Serotonin Turnover in Morphine Tolerant and Dependent Mice. Fu-hsiung Shen, Horace H. Loh and E. Leong Way 427
The Effect of Various Neurohumoral Modulators on the Activity of Morphine and the Narcotic Antagonists in the Tail-Flick and Phenylquinone Tests. William L. Dewey, Louis S. Harris, John F. Howes and Jo Ann Nuite 435
Antagonism of the Behavioral Effects of Morphine and Methadone by Narcotic Antagonists in the Pigeon. D. E. McMillan, P. S. Wolf and R. A. Carchman 443
Inhibitory Effects of Indomethacin, Aspirin and Certain Other Drugs on Inflammations Induced in Rat and Dog by Carrageenan, Sodium Urate and Ellagic Acid. C. G. Van Arman, R. P. Carlson, E. A. Risley, R. H. Thomas and G. W. Nuss 459
The Antipyretic Effects of Acetaminophen and Sodium Salicylate on Endotoxin-Induced Fevers in Cats. Wesley G. Clark 469
Muscle Membrane Depolarization by Acetylcholine, Choline and Carbamylcholine, Near and Remote from Motor End-Plates. A. Portela, R. J. Perez, J. Vaccari, J. C. Perez and P. Stewart 476
Cesium Effects on Muscle Membrane Responses to Quaternary Ammonium Ions. A. Portela, J. Vaccari, P. A. Stewart, R. J. Perez and J. C. Perez 483
Effects of Tyramine on Responses to and Inactivation of Histamine in Aortic Strips. Stanley Kalsner 489
Specific Subsensitivity of the Rat Atrium to Cholinergic Drugs. Sharon E. Perrine and Joseph J. McPhillips 496
On the Mechanism of Supersensitivity to Norepinephrine in the Denervated Cat Spleen. Stephen Brimijoin, Salvatore Pluchino and Ullrich Trendelenburg 503
Effect of Intermittent Nerve Stimulation on Norepinephrine Synthesis and Mobilization in the Perfused Cat Spleen. George P. Gewirtz and Irwin J. Kopin 514
The Effect of Intraneuronal Inactivation on the Transmembranal Uptake of *l*- and *d*-Norepinephrine. U. Trendelenburg and P. R. Draskóczy 521
On the Possible Existence of a New Intraneuronal Monoamine in the Spinal Cord of the Rat. Anders Björklund, Bengt Falck and Ulf Stenevi 525
Blockade of the Nicotine-Induced Norepinephrine Release by Cocaine, Phenoxybenzamine and Desipramine. C. Su and J. A. Bevan 533
Graphical and Weighted Regression Analyses for the Determination of Agonist Dissociation Constants. C. D. Thron 541

No. 3, December 1970

Effects of Glyceryl Trioleate on the Reticuloendothelial System and Survival after Experimental Shock. Burton M. Altura and S. G. Hershey 555
The Pharmacology of Isolated Sheep Umbilical Cord Blood Vessels. Donald C. Dyer. 565
An Investigation of the Mechanism of Potentiation by Cocaine of Responses to Serotonin in Sheep Umbilical Blood Vessels. Donald C. Dyer 571
Nutritional Circulation in the Heart. III. Effect of Isoproterenol and *Beta* Adrenergic Blockade on Myocardial Hemodynamics and Rubidium-86 Extraction in the Isolated Supported Heart Preparation. Pitambar Somani, Atul R. Laddu and Harold F. Hardman 577
A Centrally Mediated Peripheral Hypotensive Effect of α-Methyldopa. Alphonse J. Ingenito, James P. Barrett and Leonard Procita 593
Greater Effectiveness of Phenoxybenzamine in Blocking Vasoconstrictor Responses to Central Sympathetic Stimulation than to Norepinephrine Administration in the Cat. Paulo M. S. Miranda and Bernardino Gómez 600
Further Studies on the Effects of Reserpine Pretreatment on Rabbit Aorta: Calcium and Histologic Changes. Patricia M. Hudgins and Thomas M. Harris 609
Altered Reflex Vasodilatation in the Hypertensive Rat: Possible Role of Histamine. A. J. Tobia, M. D. Adams, T. S. Miya and W. F. Bousquet 619
Selective Release of Histamine from Rat Mast Cells by Several Drugs. Harry V. Ellis III, Alice R. Johnson and Neil C. Moran 627
Inhibition of the Release of Histamine from Rat Mast Cells: The Effect of Cold and

XUM

Adrenergic Drugs on Release of Histamine by Compound 48/80 and Antigen. ALICE R. JOHNSON AND NEIL C. MORAN 632
The Dwindling Secretory Response of the Perfused Adrenal Medulla of the Cat to Repeated Injections of Histamine. DAVID J. SMITH AND ROBERT L. ROBINSON .. 641
Studies on the Decentralized Nictitating Membrane of the Cat. II. Uptake and Retention of Norepinephrine and Epinephrine. PETER CERVONI, ERNEST REIT AND JOHN MCCULLOUGH 649
The Effect of Facilitatory Concentrations of Decamethonium on the Storage and Release of Transmitter at the Neuromuscular Junction of the Cat. L. C. BLABER .. 664
The Site and Mechanism of the Control of Cholinergic Sensitivity. LASZLO Z. BITO AND M. JOAN DAWSON 673
Effects of Morphine and Levorphanol on Brain Acetylcholine Content in Mice. JUDITH A. RICHTER AND AVRAM GOLDSTEIN 685
A Study of the Excitatory Effects of Barbiturates. HALL DOWNES, ROGER S. PERRY, RICHARD E. OSTLUND AND RALPH KARLER 692
Spontaneous Activity of the Putamen after Chronic Interruption of the Dopaminergic Pathway: Effect of L-Dopa. CHIHIRO OHYE, RÉMI BOUCHARD, RENÉ BOUCHER AND LOUIS J. POIRIER 700
Stereospecificity of Anesthetic Activity, Distribution, Inactivation and Protein Binding of the Optical Antipodes of Two N-Methylated Barbiturates. H. BÜCH, J. KNABE, W. BUZELLO AND W. RUMMEL 709
Renal Ouabain-Sensitive Adenosine Triphosphatase Activity and Na^+ Reabsorption. BOHDAN R. NECHAY AND JAMES ARLY NELSON 717
Effects of Cardiac Glycosides on Renal Adenosine Triphosphatase Activity and Na^+ Reabsorption in Dogs. JAMES ARLY NELSON AND BOHDAN R. NECHAY 727
Diuretic Response to Mercuric Cysteine: Dependency on Urinary pH. V. NIGROVIC, K. C. CHO AND E. J. CAFRUNY 741
The Renal Tubular Transport and Metabolism of Serotonin (5-HT) and 5-Hydroxyindoleacetic Acid (5-HIAA) in the Chicken. RAMSES HAKIM, WILLIAM M. WATROUS AND JAMES M. FUJIMOTO 749
Effects of Corticosteroids on Ocular Dynamics in Rabbits. O. J. LORENZETTI 763
Index, Volume 175, October–December 1970 773

XUM